

(様式第3)

高度の医療技術の開発及び評価を行う能力を有することを証する書類

2 論文発表等の実績

(1)高度の医療技術の開発及び評価を行うことの評価対象となる論文

番号	発表者氏名	発表者の所属	題名	雑誌名
1	Diller GP, Inuzuka R, Kempny A, Alonso-Gonzalez R, Lioudakis E, Borgia F, Lockhart CJ, Prapa M, Lammers AE, Swan L, Dimopoulos K, Gatzoulis MA	小児科	Detrimental impact of socioeconomic status on exercise capacity in adults with congenital heart disease.	Int J Cardiol. 2013;165:80-6
2	Tsugihashi Y, Kakudate N, Yokoyama Y, Yamamoto Y, Mishina H, Fukumori N, amura F, Takegami M, Ohno S, Wakita T, atanabe K, Yamaguchi T, Fukuhara S.	22世紀医療センター	A novel Internet-based blended learning programme providing core competency in clinical research.	J Eval Clin Pract. 2013 Apr;19(2):250-5.
3	Sakurai R, Inajima T, Kaneda H, Nagai R and Hashimoto H.	循環器内科	Sirolimus-eluting stents reduce long-term mortality compared with bare metal stents in ST-segment elevation myocardial infarction: a meta-analysis of randomized controlled trials	Int J Cardiol. 2013;167(1):162-7
4	Takahashi-Ichikawa N, Susami T, Nagahama K, Ohkubo K, Okayasu M, Uchino N, Uwatoko K, Saijo H, Mori Y, Takato T.	顎口腔外科・歯科矯正歯科	Evaluation of mandibular hypoplasia in patients with hemifacial microsomia: a comparison between panoramic radiography and three-dimensional computed tomography.	Cleft Palate Craniofac J. 2013 Jul;50(4):381-7.
5	Tanaka S, Pollock BE, Stafford SL, Link MJ.	脳神経外科	Stereotactic radiosurgery for trigeminal pain secondary to benign skull base tumors	World Neurosurg. 2013;80(3-4):371-7
6	Minami Y, Kaneda H, Inoue M, Ikutomi M, Morita T, Nakajima T.	22世紀医療センター	Endothelial dysfunction following drug-eluting stent implantation: A systematic review of the literature.	International Journal of Cardiology 2013; 165(2): 222-228.
7	Nakayama A, Morita H, Ando J, Fujita H, Ohtsu H, Nagai R.	22世紀医療センター	Adverse cardiovascular outcomes associated with concurrent use of clopidogrel or ticlopidine and proton-pump inhibitors in patients undergoing percutaneous coronary intervention.	Heart Vessels. 2013 May;28(3):292-300.
8	Akazawa H, Yabumoto C, Yano M, Kudo-Sakamoto Y, Komuro I	循環器内科	ARB and cardioprotection	Cardiovasc Drugs Ther 2013;27(2):155-60
9	Ohki M, Tayama N	耳鼻咽喉科・聴覚音声外科	Dysphagia due to isoniazid therapy for tuberculosis in a patient with Lewy body dementia.	Auris Nasus Larynx. 2013; 40: 327-329
10	Saito Y, Mitani H, Oguri S, Shinbashi W, Yonekawa H, Kawabata K.	耳鼻咽喉科・聴覚音声外科	Occult functioning vagal paraganglioma in the infrathyroid carotid sheath.	Auris Nasus Larynx. 2013; 40(3): 330-333
11	Shibuya M, Fujio K, Morita K, Harada H, Kanda H, Yamamoto K.	アレルギー・リウマチ内科	Successful treatment with tocilizumab in a case of Cogan's syndrome complicated with aortitis.	Mod Rheumatol. 2013;23:577-81

番号	発表者氏名	発表者の所属	題名	雑誌名
12	Araki M, Aranami T, Matsuoka T, Nakamura M, Miyake S, Yamamura T	小児科	Clinical improvement in a patient with neuromyelitis optica following therapy with the anti-IL-6 receptor monoclonal antibody tocilizumab.	Mod Rheumatol. 2013;23(4):827-31
13	Kanzaki T, Kawahata K, Kanda H, Fujio K, Kubo K, Akahira L, Michishita K, Eri T, Yamamoto K.	アレルギー・リウマチ 内科	Long-term therapeutic effects and safety of tacrolimus added to methotrexate in patients with rheumatoid arthritis.	Rheumatol Int. 2013 Apr;33(4):871-7.
14	Louthrenoo W, Kasitanon N, Wichainun R, Wangkaew S, Sukitawut W, Ohnogi Y, Hong GH, Kuwata S, Takeuchi F	アレルギー・リウマチ 内科	The genetic contribution of HLA-DRB5*01:01 to systemic lupus erythematosus in Thailand	Int J Immunogenet. 2013; 40 (2): 126-30
15	Iida T, Mihara M, Yoshimatsu H, Narushima M, Koshima I.	形成外科	Versatility of the superficial circumflex iliac artery perforator flap in head and neck reconstruction.	Ann Plast Surg. 2014 Mar;72(3):332-6. doi: 10.1097/SAP.0b013e31 8260a3ad
16	Kimura Y, Sato N, Sugai K, Maruyama S, Ota M, Kamiya K, Ito K, Nakata Y, Sasaki M, Sugimoto H.	放射線科	MRI, MR spectroscopy, and diffusion tensor imaging findings in patient with static encephalopathy of childhood with neurodegeneration in adulthood (SENDA).	Brain Dev. 2013; 35(5): 458-61
17	Nagafuchi Y, Shoda H, Fujio K, Ishii S, Sugiyama H, Yamamoto K.	アレルギー・リウマチ 内科	Tuberculous pleurisy diagnosed by medical thoracoscopy in an adalimumab-treated rheumatoid arthritis patient after treatment of latent tuberculosis infection.	Mod Rheumatol. 2013;23:1013-7.
18	Oka H, Akune T, Muraki S, Tanaka S, Kawaguchi H, Nakamura K, Yoshimura N.	22世紀医療センター	The mid-term efficacy of intra-articular hyaluronic acid injections on joint structure: a nested case control study.	Mod Rheumatol. 2013; 23: 722-8
19	Kaseda K, Anraku M, Goto T, Ohtsuka T, Kohno M, Izumi Y, Hayashi Y, Nomori H.	呼吸器外科	Successful surgical resection of leiomyoma obstructing the trachea.	Gen Thorac Cardiovasc Surg. 2013;61:476-8.
20	Hongo K, Tsuno NH, Kawai K, Sasaki K, Kaneko M, Hiyoshi M, et al.	大腸肛門外科・血管外 科	Hypoxia enhances colon cancer migration and invasion through promotion of epithelial-mesenchymal transition.	The Journal of surgical research. 2013 Jun 1. 182(1):75-84.
21	Tokushige S, Sonoo T, et al	救急部・集中治療部	Isolated pyramidal tract impairment in the central nervous system of adult-onset Krabbe disease with novel mutations in the GALC gene.	Brain Dev. 2013 Jun;35(6):579-81. doi: 10.1016/j.braindev.2012 .08.004. Epub 2012 Sep 6
22	Kurosawa S, Yakushijin K, Yamaguchi T, Atsuta Y, Nagamura-Inoue T, Akiyama H, Taniguchi S, Miyamura K, Takahashi S, Eto T, Ogawa H, Kurokawa M, Tanaka J, Kawa K, Kato K, Suzuki R, Morishima Y, Sakamaki H,	血液腫瘍内科	Changes in incidence and causes of non-relapse mortality after allogeneic hematopoietic cell transplantation in patients with acute leukemia/myelodysplastic syndrome: an analysis of the Japan Transplant Outcome Registry.	Bone Marrow Transplant.48(4):529-36

番号	発表者氏名	発表者の所属	題名	雑誌名
23	Koyama-Nasu R, Nasu-Nishimura Y, Todo T, Ino Y, Saito N, Aburatani H, Funato K, Echizen K, Sugano H, Haruta R, Matsui M, Takahashi R, Manabe E, Oda T, Akiyama T.	脳神経外科	The critical role of cyclin D2 in cell cycle progression and tumorigenicity of glioblastoma stem cells	Oncogene. 2013;32(33):3840-5
24	Hashimoto K, Ohtsuka T, Goto T, Anraku M, Kohno M, Izumi Y, Nomori H.	呼吸器外科	Complete laceration of the middle lobe bronchus caused by blunt trauma.	Ann Thorac Cardiovasc Surg. 2013;19:148-50.
25	Takahashi T, Asano Y, Akamata K, Aozasa N, Taniguchi T, Noda S, Masui Y, Ichimura Y, Toyama T, Tamaki Z, Tada Y, Sugaya M, Kadono T, Sato S	皮膚科	The dynamics of serum angiopoietin-2 levels correlates with the efficacy of intravenous cyclophosphamide pulse for interstitial lung disease associated with systemic sclerosis.	Mod Rheumatol. 2013;23(5):884-890.
26	Fujinaga Y, Kadoya M, Kozaka K, Shimura R, Matsui O, Takayama T, Yamamoto M, Kokudo N, Kawasaki S, Arii S.	肝胆脾外科、人工臓器・移植外科	Prediction of macroscopic findings of hepatocellular carcinoma on hepatobiliary phase of gadolinium-ethoxybenzyl-diethylenetriamine pentaacetic acid-enhanced magnetic resonance imaging: Correlation with pathology.	Hepatol Res. 2013May;43(5):488-94.
27	Shinohara A, Yoshiki Y, Masamoto Y, Hangaishi A, Nannya Y, Kurokawa M.	血液腫瘍内科	Moxifloxacin is more effective than tosufloxacin in reducing chemotherapy-induced febrile neutropenia in patients with hematological malignancies.	Leuk Lymphoma. 2013;54(4):794-8
28	Dimitrova G, Kato S, Nagahara M.	眼科・視覚矯正科	Body posture during colour Doppler imaging of the eye and orbit.	Acta Ophthalmologica 91:406, 2013
29	Iida T, Nomori H, Shiba M, Nakajima J, Okumura S, Horio H, Matsuguma H, Ikeda N, Yoshino I, Ozeki Y, Takagi K, Goya T, Kawamura M, Hamada C, Kobayashi K; Metastatic Lung Tumor Study Group of	呼吸器外科	Prognostic factors after pulmonary metastasectomy for colorectal cancer and rationale for determining surgical indications: a retrospective analysis.	Ann Surg. 2013;257(6):1059-64
30	Shimizu M, Imai H, Kagoshima K, Umezawa E, Shimizu T, Yoshimoto Y.	脳神経外科	Detection of compression vessels in trigeminal neuralgia by surface-rendering three-dimensional reconstruction of 1.5- and 3.0-T magnetic resonance imaging	World Neurosurg. 2013;80(3-4):378-85
31	Yasunaga H, Horiguchi H, Kuwabara K, Matsuda S, Fushimi K, Hashimoto H, Ayanian JZ.	医療経営政策学講座	Outcomes After Laparoscopic or Open Distal Gastrectomy for Early-stage Gastric Cancer: A Propensity-matched Analysis.	Ann Surg 2013;257(4):640-6
32	Kunii N, Kamada K, Ota T, Kawai K, Saito N.	脳神経外科	Characteristic profiles of high gamma activity and blood oxygenation level-dependent responses in various language areas	Neuroimage. 2013;65():242-9
33	Kawaguchi Y, Ishizawa T, Miyata Y, Yamashita S, Masuda K, Satou S, Tamura S, Kaneko J, Sakamoto Y, Aoki T, Hasegawa K, Sugawara Y, Kokudo N.	肝胆脾外科、人工臓器・移植外科	Portal uptake function in veno-occlusive regions evaluated by real-time fluorescent imaging using indocyanine green.	J Hepatol. 2013 Feb;58(2):247-53

番号	発表者氏名	発表者の所属	題名	雑誌名
34	Yano F, Hojo H, Ohba S, Fukai A, Hosaka Y, Ikeda T, Saito T, Hirata M, Chikuda H, Takato T, Kawaguchi H, Chung UI.	整形外科・脊椎外科	A novel disease-modifying osteoarthritis drug candidate targeting Runx1.	Ann Rheum Dis. 2013 May;72(5):748-53
35	Murakawa T, Konoeda C, Ito T, Inoue Y, Sano A, Nagayama K, Nakajima J.	呼吸器外科	The ground glass opacity component can be eliminated from the T-factor assessment of lung adenocarcinoma.	Eur J Cardio-Thorac Surg. 2013;43(5):925-32
36	Numasaki H, Nishio M, Ikeda H, Sekiguchi K, Kamikonya N, Koizumi M, Tago M, Ando Y, Tsukamoto N, Terahara A, Nakamura K, Nishimura T, Murakami M, Takahashi M, Teshima T; Japanese Society for Therapeutic Radiology and Oncology Database Committee.	放射線科	Japanese structure survey of radiation oncology in 2009 with special reference to designated cancer care hospitals.	Int J Clin Oncol. 2013; 18(5): 775-83
37	Ogawa T, Niho S, Nagai S, Kojima T, Nishimura Y, Ohe Y, Kondo N, Yamaguchi T, Endo K, Izumi K, Minami H.	22世紀医療センター	Moderate renal dysfunction may not require a cisplatin dose reduction: a retrospective study of cancer patients with renal impairment.	Int J Clin Oncol. 2013 Dec;18(6):977-82.
38	Masuda, M.Inoue, K.Iwakura, K.Okamura, A.Toyoshima, Y.Doi, A.Sotomi, Y.Komuro, I.Fujii,	循環器内科	Impact of pulmonary vein isolation on atrial late potentials: association with the recurrence of atrial fibrillation	Europace 2013;15(4):501-7
39	Hangai S, Nakamura F, Kamikubo Y, Honda A, Arai S, Nakagawa M, Ichikawa M, Kurokawa M.	血液腫瘍内科	Erythroleukemia showing early erythroid and cytogenetic responses to azacitidine therapy.	Ann Hematol.92(5):707-9
40	Hamada T, Nakai Y, Isayama H, Sasaki T, Kogure H, Kawakubo K, Sasahira N, Yamamoto N, Togawa O, Mizuno S, Ito Y, Hirano K, Toda N, Tada M, Koike K.	消化器内科	Duodenal metal stent placement is a risk factor for biliary metal stent dysfunction: an analysis using a time-dependent covariate.	Surg Endosc. 2013 Apr;27(4):1243-8.
41	Kawai K, Kitayama J, Tsuno NH, Sunami E, Watanabe T.	大腸肛門外科・血管外科	Thrombocytosis before pre-operative chemoradiotherapy predicts poor response and shorter local recurrence-free survival in rectal cancer.	International journal of colorectal disease. 2013 Apr. 28(4):527-35.
42	Yoshida M, Murayama R, Ota E, Nakata M, Kozuma S, Homma Y.	泌尿器科	Reliability and validity of the Japanese version of the pelvic floor distress inventory-short form 20.	Int Urogynecol J. 2013 Jun;24(6):1039-46.
43	Usami K, Kawai K, Sonoo M, Saito N.	脳神経外科	Scalp-recorded evoked potentials as a marker for afferent nerve impulse in clinical vagus nerve stimulation	Brain Stimul. 2013;6(4):615-23

番号	発表者氏名	発表者の所属	題名	雑誌名
44	Tsujino T, Isayama H, Nakai Y, Ito Y, Togawa O, Toda N, Arizumi T, Kogure H, Yamamoto K, Mizuno S, Yashima Y, Yagioka H, Sasaki T, Matsubara S, Yamamoto N, Hirano K, Sasahira N, Tada M, Koike	消化器内科	The results of the Tokyo trial of prevention of post-ERCP pancreatitis with risperidone (Tokyo P3R): a multicenter, randomized, phase II, non-placebo-controlled trial.	J Gastroenterol. 2013 Aug;48(8):982-8.
45	Aizawa N, Homma Y, Igawa Y,	泌尿器科	Characteristics of lower urinary tract dysfunction and bladder afferent nerve properties in type 2 diabetic goto-kakizaki rats.	J Urol. 2013 Apr;189(4):1580-7.
46	Ueda Y, Mizutani C, Nannya Y, Kurokawa M, Kobayashi S, Takeuchi J, Tamura H, Ogata K, Dan K, Shibayama H, Kanakura Y, Niimi K, Sasaki K, Watanabe M, Emi N, Teramura M, Motoji T, Kida M, Usuki K, Takada S, Sakura T, Ito Y, Ohyashiki K, Ogawa H, Suzuki T, Ozawa K, Imai K, Kasai M, Hata T, Miyazaki Y, Morita Y, Kanamaru A, Matsuda A, Tohyama K, Koga D, Tamaki H, Mitani K, Naoe T, Sugiyama H, Takaku F.	血液腫瘍内科	Clinical evaluation of WT1 mRNA expression levels in peripheral blood and bone marrow in patients with myelodysplastic syndromes.	Leuk Lymphoma.54(7):1450-8
47	Furuta T, Yamaguchi M, Nakagami R, Akahane M, Minami M, Ohtomo K, Moriyama N, Fujii H.	放射線科	Delayed hepatic signal recovery on ferucarbotran-enhanced magnetic resonance images: an experimental study in rat livers with gadolinium chloride-induced Kupffer cell damage.	MAGMA. 2013; 26(3): 313-24
48	Ikeda K, Izumi N, Tanaka E, Yotsuyanagi H, Takahashi Y, Fukushima J, Kondo F, Fukusato T, Koike K, Hayashi N, Kumada H.	感染症内科	Fibrosis score consisting of four serum markers successfully predicts pathological fibrotic stages of chronic hepatitis B.	Hepatol Res. 2013;43:596-604.
49	Masuda M, Iwakura K, Inoue K, Okamura A, Koyama Y, Toyoshima Y, Tanaka N, Nakanishi H, Sotomi Y, Komuro I, Fujii K.	循環器内科	Estimation of left atrial blood stasis using diastolic late mitral annular velocity	Eur Heart J Cardiovasc Imaging 2013;14(8):752-7
50	Hachiya Y, Miyata R, Tanuma N, Hongou K, Tanaka K, <u>Shimoda K</u> , Kanda S, <u>Hoshino A</u> , Hanafusa Y, Kumada S, Kurihara E, Hayashi M	小児科	Autoimmune neurological disorders associated with group-A beta-hemolytic streptococcal infection.	Brain Dev. 2013;35(7):670-4

番号	発表者氏名	発表者の所属	題名	雑誌名
51	Hirano K, Tada M, Isayama H, Watanabe T, Saito T, Uchino R, Hamada T, Miyabayashi K, Mizuno S, Mohri D, Sasaki T, Kogure H, Yamamoto N, Sasahira N, Toda N, Takahara N, Yagioka H, Akiyama D, Ito Y, Koike K.	消化器内科	High alcohol consumption increases the risk of pancreatic stone formation and pancreatic atrophy in autoimmune pancreatitis.	Pancreas. 2013 Apr;42(3):502-5.
52	Inano S, Takao H, Hayashi N, Yoshioka N, Mori H, Kunimatsu A, Abe O, Ohtomo K.	放射線科	Effects of age and gender on neuroanatomical volumes.	J Magn Reson Imaging. 2013; 37(5): 1072-6
53	Yamagata Y, Amikura K, Kawashima Y, Yatsuoka T, Nishimura Y, Sakamoto H, Tanaka Y, Seto Y.	胃食道・乳腺内分泌外科	Staging laparoscopy in advanced gastric cancer: usefulness and issues requiring improvement.	Hepatogastroenterology. 2013 Jun;60(124):751-5
54	Goto M, Abe O, Miyati T, Aoki S, Takao H, Hayashi N, Mori H, Kunimatsu A, Ino K, Yano K, Ohtomo K.	放射線科	Association between iron content and gray matter missegmentation with voxel-based morphometry in basal ganglia.	J Magn Reson Imaging. 2013; 38(4): 958-62
55	Akiyama I, Yoshino O, Osuga Y, Izumi G, Urata Y, Hirota Y, Hirata T, Harada M, Koga K, Ogawa K, Kozuma S.	女性診療科・産科 / 女性外科	Follistatin is induced by IL-1beta and TNF-alpha in stromal cells from endometrioma.	Reprod Sci. 2013;20(6):675-9
56	Tanaka S, Meyer FB, Buckner JC, Uhm JH, Yan ES, Parney IF.	脳神経外科	Presentation, management, and outcome of newly diagnosed glioblastoma in elderly patients	J Neurosurg. 2013;118(4):786-98
57	Hasegawa K, Kokudo N, Makuchi M, Izumi N, Ichida T, Kudo M, Ku Y, Sakamoto M, Nakashima O, Matsui O, Matsuyama Y	肝胆脾外科、人工臓器・移植外科	Comparison of resection and ablation for hepatocellular carcinoma: a cohort study based on a Japanese nationwide survey.	J Hepatol. 2013 Apr;58(4):724-9.
58	Satou S, Ishizawa T, Masuda K, Kaneko J, Aoki T, Sakamoto Y, Hasegawa K, Sugawara Y, Kokudo N.	肝胆脾外科、人工臓器・移植外科	Indocyanine green fluorescent imaging for detecting extrahepatic metastasis of hepatocellular carcinoma.	J Gastroenterol. 2013 Oct;48(10):1136-43.
59	Shindoh J, Andreou A, Aloia TA, Zimmetti G, Lauwers GY, Laurent A, Nagorney DM, Belghiti J, Cherqui D, Poon RT, Kokudo N,	肝胆脾外科、人工臓器・移植外科	Vauthey JN. Microvascular invasion does not predict long-term survival in hepatocellular carcinoma up to 2 cm: reappraisal of the staging system for solitary tumors.	Ann Surg Oncol. 2013 Apr;20(4):1223-9.
60	Hasegawa M, Asano Y, Endo H, Fujimoto M, Goto D, Ihn H, Inoue K, Ishikawa O, Kawaguchi Y, Kuwana M, Ogawa F, Takahashi H, Tanaka S, Sato S, Takehara K	皮膚科	Serum chemokine levels as prognostic markers in patients with early systemic sclerosis: a multicenter, prospective, observational study.	Mod Rheumatol. 2013;23(6):1076-1084.

番号	発表者氏名	発表者の所属	題名	雑誌名
61	Nishioka M, Shimada T, Bundo M, Ukai W, Hashimoto E, Saito T, Kano Y, Sasaki T, Kasai K, Kato T, Iwamoto K	精神神経科	Neuronal cell-type specific DNA methylation patterns of the Cacna1c gene.	Int J Dev Neurosci.2013;31(2):89-95
62	Tanaka Y, Uchida H, Kawashima H, Sato K, Takazawa S, Jimbo T, Iwanaka T.	小児外科	Successful two-stage thoracoscopic repair of long-gap esophageal atresia using simple internal traction and delayed primary anastomosis in a neonate: report of a case.	Surg Today.2013Aug;43(8):906-9
63	Okamoto K, Fukatsu K, Hashiguchi Y, Ueno H, Shinto E, Moriya T, Saitoh D, Yamamoto J, Hase K.	手術部	Lack of preoperative enteral nutrition reduces gut-associated lymphoid cell numbers in colon cancer patients: a possible mechanism underlying increased postoperative infectious complications during parenteral nutrition.	Ann Surg. 2013 Dec;258(6):1059-64.
64	Kawakubo K, Tada M, Isayama H, Sasahira N, Nakai Y, Takahara N, Miyabayashi K, Yamamoto K, Mizuno S, Mohri D,	消化器内科	Risk for mortality from causes other than pancreatic cancer in patients with intraductal papillary mucinous neoplasm of the pancreas.	Pancreas. 2013;42(4):687-91
65	Motoyama S, Mori K, Kamei T, Miura M, Hinai Y, Sato Y, Yoshino K, Sasaki T, Miyata G, Seto Y, Ogawa J.	胃食道・乳腺内分泌外科	Evaluation of the risk of lymph node metastasis using CRP 1846C>T genetic polymorphism in submucosal thoracic esophageal squamous cell carcinoma.	Ann Surg Oncol. 2013 Jun;20(6):1978-84.
66	Makizumi Y, Kashio A, Sakamoto T, Karino S, Kakigi A, Iwasaki S, Yamasoba T.	耳鼻咽喉科・聴覚音声外科	Cochlear implantation in a patient with osteogenesis imperfecta.	Auris Nasus Larynx. 2013;40(5): 510-513
67	Tojo A, Miyashita K, Kinugasa S, Takemura T, Goto A.	腎臓・内分泌内科	Acute tubulointerstitial nephritis with an autoantibody response against carbonic anhydrase II.	Am J Med Sci. 2013;345(5):407-8.
68	Sumida H, Suaya M, Kamata M, Suga H, Miyagaki T, Ohmatsu H, Fujita H, Sato S	皮膚科	Lichen planus-like lesions as the first manifestation of adult T-cell leukemia/lymphoma.	Acta Derm-Venereol. 2013;93(4):461-463.
69	Asaoka R, Russell RA, Malik R, Garway-Heath DF, Crabb DP.	眼科・視覚矯正科	Five-year forecasts of the Visual Field Index (VFI) with binocular and monocular visual fields.	Graefes Arch Clin Exp Ophthalmol 251:1335-1341, 2013
70	Uhi M, Yoshimi A, Nakamura F, Takazawa Y, Fukayama M et al.	人体病理学教室	Successful allogeneic stem cell transplantation for Lennert lymphoma.	Ann Hematol. 2013 Jun;92(6):859-60.
71	Park SJ, Kim JH, Hwang JC, Kim HG, Lee DH, Jeong S, Cha SW, Cho YD, Kim HJ, Kim JH, Moon JH, Park SH, Itoi T, Isayama H, Kogure H, Lee SJ, Jung KT, Lee HS, Baron TH, Lee DK.	消化器内科	Factors predictive of adverse events following endoscopic papillary large balloon dilation: results from a multicenter series.	Dig Dis Sci. 2013 Apr;58(4):1100-9.
72	Noda S, Asano Y, Aozasa N, Akamata K, Taniguchi T, Takahashi T, Ichimura Y, Toyama T, Sumida H, Kuwano Y, Yanaba K, Tada Y, Sugaya M, Kadono T,	皮膚科	Clinical significance of serum soluble Tie1 levels in patients with systemic sclerosis.	Arch Dermatol Res. 2013;305(4):325-331.

番号	発表者氏名	発表者の所属	題名	雑誌名
73	Yamaguchi M, Mitsuda M, Ezawa K, Nakagami R, Furuta T, Sekine N, Niitsu M, and Fujii H.	放射線科	Artifact-reduced simultaneous MRI of multiple rats with liver cancer using PROPELLER.	J Magn Reson Imaging. 2013; 38(1): 225-30
74	Matsumoto T, Nagase Y, Hirose J, Tokuyama N, Yasui T, Kadono Y, Ueki K, Kadokawa T, Nakamura K, Tanaka S	整形外科・脊椎外科	Regulation of bone resorption and sealing zone formation in osteoclasts occurs through protein kinase B-mediated microtubule stabilization.	J Bone Miner Res. 2013 May;28(5):1191-202.
75	Matsu Y, Onishi H, Nakagawa K, Nakamura M, Ariji T, Kumazaki Y, Shimbo M, Tohyama N, Nishio T, Okumura M, Shirato H, Hiraoka M; Japan Conformal External Beam Radiotherapy Group; Japan Society of Medical Physics; Japan Society of Medical Physics; Japanese Society of	放射線科	Guidelines for respiratory motion management in radiation therapy.	J Radiat Res. 2013; 54(3): 561-8
76	Kato M, Shiozawa R, Koh K, Nagatoshi Y, Takita J, Ida K, Kikuchi A, Hanada R.	小児科	The effect of the order of total body irradiation and chemotherapy on graft-versus-host disease.	J Pediatr Hematol Oncol. 2014 Jan;36(1):e9-12.
77	Murakawa T, Nakajima J.	呼吸器外科	Reply to Baisi et al.	Eur J Cardio-Thorac Surg. 2013;43(6):1272
78	Takahashi T, Aoki M, Suzuki N, Tateyama M, Yaginuma C, Sato H, Hayasaka M, Sugawara H, Ito M, Abe-Kondo E, Shimakura N, Ibi T, Kuru S, Wakayama T, Sobue G, Fujii N, Saito T, Matsumura T, Funakawa I, Mukai, E, Kawanami T, Morita M, Yamazaki M, Hasegawa T, Shimizu J, Tsuji S, Kuzuhara S, Tanaka H, Yoshioka M, Konno H,	神経内科	Clinical features and a mutation with late onset of limb girdle muscular dystrophy 2B.	J. Neurol. Neurosurg. Psych. 84:433-40, 2013.
79	Okamoto H, Hori M, Matsuzaki M, Tsutsui H, Yamazaki T, Nagai R, Yoshikawa T, Fujio Y, Nonen S, Azuma J, Izumi T, Ohashi Y, Kitabatake A	循環器内科	Minimal dose for effective clinical outcome and predictive factors for responsiveness to carvedilol: Japanese chronic heart failure (J-CHF) study	Int J Cardiol. 2013;164(2):238-44
80	Mithal A, Boonen S, Bonjour J-P, Burckhardt P, Degens H, Hajj Fuleihan G El, Josse R, Lips P, Morales Torres J, Rizzoli R, Yoshimura N, Wahl DA, Cooper C, Dawson-Hughes B for the IOF CSA Nutrition Working	22世紀医療センター	Impact of nutrition on muscle mass, strength, and performance in older adults.	Osteoporos Int 2013; 24: 1555-66
81	Fujio K, Okamura T, Sumitomo S, Yamamoto K.	アレルギー・リウマチ内科	Regulatory cell subsets in the control of autoantibody production related to systemic autoimmunity.	Ann Rheum Dis. 2013;72 Suppl 2:ii85-9

番号	発表者氏名	発表者の所属	題名	雑誌名
82	Ishimoto Y, Yoshida M, Nagata K, Yamada H, Hashizume H, Yoshimura N.	22世紀医療センター	Consuming breakfast and exercising longer during high school increases bone mineral density in young Japanese men.	J Bone Miner Metab 2013; 31: 329-36
83	Inokuchi R, Hashimoto K, Kobayashi H, et al	救急部・集中治療部	Right kidney passing into the intrathoracic space after blunt abdominal trauma.	Emerg Med J. 2013;30(9):711.
84	Hangai S, Nakamura F, Kamikubo Y, Ichikawa M, Suzuki H, Yoshida S et al.	人体病理学教室	Primary gastrointestinal follicular lymphoma with histological transformation.	Ann Hematol. 2013 Jul;92(7):993-4.
85	Kobayashi T, Hangaishi A, Yamamoto G, Shinohara A, Morikawa T, Takazawa Y et al.	人体病理学教室	Successful treatment of secondary NK/T-cell lymphoma of the testis.	Ann Hematol. 2013 Jul;92(7):997-8.
86	Arai T, Yuasa S, Miyata H, Kawamura A, Maekawa Y, et al.	22世紀医療センター	Incidence of periprocedural myocardial infarction and cardiac biomarker testing after percutanequs coronary intervention in Japan: results from a multicenter registry.	Heart Vessels. 2013;28(6):714-9.
87	Nakayama A, Morita H, Miyata T, Hoshina K, Nagayama M, Takanashi S, Sumiyoshi T, Komuro I, Nagai R.	循環器内科	Predictors of mortality after emergency or elective repair of abdominal aortic aneurysm in a Japanese population.	Heart Vessels Jan;29(1):65-70.
88	Hirokazu T, Takayuki I, Yoshinori H, Kazunari K, Akio A, Keiji K.	脳神経外科	Separation surgery of pygopagus asymmetrical conjoined twins sharing U-shaped spinal cord: case report and literature review	Childs Neiv Syst. 2013;29(4):699-706
89	Gotoh H, Enocku K, Soraida Y, Sato M, Hikita H, Suzuki A, Iwai T, Yokota H, Yamazaki T, Koike K, Yatomi Y, Ikeda H.	検査部	Perihepatic lymph node enlargement observed at a general health examination: a cross-sectional study.	Hepatol Res 2013 ; 43: 906-10.
90	Inoue M, Sasaki M, Katada Y, Fujiu K, Manabe I, Nagai R, Taguchi T	循環器内科	Poly-(L-lactic acid) and citric acid-crosslinked gelatin composite matrices as a drug-eluting stent coating material with endothelialization, antithrombogenic, and drug release properties	J Biomed Mater Res A. 2013;101(7):2049-57
91	Noda S, Asano Y, Takahashi T, Akamata K, Aozasa N, Taniguchi T, Ichimura Y, Toyama T, Sumida H, Kuwano Y, Yanaba K, Tada Y, Sugaya M, Kadono T,	皮膚科	Decreased cathepsin V expression due to Fli1 deficiency contributes to the development of dermal fibrosis and proliferative vasculopathy in systemic sclerosis.	Rheumatology. 2013;52(5):790-799.
92	Inokuchi R, Nakamura K, Sato H, et al	救急部・集中治療部	Bronchial ulceration as a prognostic indicator for varicella pneumonia: case report and systematic literature review.	J Clin Virol. 2013 Apr;56(4):360-4.
93	Onoe T, Nose T, Yamashita H, Yoshioka M, Toshiyasu T, Kozuka T, Oguchi M, Nakagawa K.	放射線科	High-dose-rate interstitial brachytherapy for gynecologic malignancies--dosimetric changes during treatment period.	J Radiat Res. 2013; 54(4): 663-70

番号	発表者氏名	発表者の所属	題名	雑誌名
94	Saxena R, Saleheen D, Been LF, Garavito ML, Braun T, Bjornes A, Young R, Ho WK, Rasheed A, Frossard P, Sim X, Hassanali N, Radha V, Chidambaram M, Liju S, Rees SD, Ng DP, Wong TY, Yamauchi T, Hara K, Tanaka Y, Hirose H, McCarthy MI, Morris AP; DIAGRAM; Mu	22世紀医療センター	Genome-wide association study identifies a novel locus contributing to type 2 diabetes susceptibility in Sikhs of Punjabi origin from India.	Diabetes. 2013;62(5):1746-55
95	Kondo K, Pak K, Chavez E, Mullen L, Euteneuer S, Ryan AF.	耳鼻咽喉科・聴覚音声外科	Changes in responsiveness of rat spiral ganglion neurons to neurotrophins across age: differential regulation of survival and neuritogenesis.	Int J Neurosci. 2013; 123: 465-475
96	Hasumi E, Iwata H, Kohro T, Manabe I, Kinugawa K, Morisaki N, Ando J, Sawaki D, Takahashi M, Fujita H, Yamashita H, Ako J, Hirata Y, Komuro I, Nagai R	小児科	Diagnostic implication of change in b-type natriuretic peptide (BNP) for prediction of subsequent target lesion revascularization following sirolimus-eluting stent deployment.	International Journal of Cardiology. 2013;168 (2):1429-34
97	Inokuchi R, Sato H, Nakajima S, et al	救急部・集中治療部	Development of information systems and clinical decision support systems for emergency departments: a long road ahead for Japan.	Emerg Med J.2013;30(11):914-7.
98	Miyagaki T, Sugaya M, Suga H, Ohmatsu H, Fujita H, Asano Y, Tada Y, Kadono T, Sato S	皮膚科	Serum soluble herpes virus entry mediator levels reflect disease severity and Th2 environment in cutaneous T-cell lymphoma.	Acta Derm-Venereol. 2013;93(4):465-467.
99	Yoshida A, Shibata T, Wakai S, Ushiku T, Tsuta K, Fukayama M et al.	人体病理学教室	Anaplastic lymphoma kinase status in rhabdomyosarcomas.	Mod Pathol. 2013 Jun;26(6):772-81.
100	Koike S, Furui Y.	医療経営政策学講座	Long-term care-service use and increases in care-need level among home-based elderly people in a Japanese urban area.	Health Policy. 2013;110(1)
101	Fan X, Yoshida Y, Honda S, Matsumoto M, Sawada Y, Hattori M, Hisanaga S, Hiwa R, Nakamura F, Tomomori M, Miyagawa S, Fujimaru R, Yamada H, Sawai T, Ikeda Y, Iwata N, Uemura O, Matsukuma E, Aizawa Y, Harada H, Wada H, Ishikawa E, Ashida A, Nangaku M,	腎臓・内分泌内科	Analysis of genetic and predisposing factors in Japanese patients with atypical hemolytic uremic syndrome.	Mol Immunol. 2013;54(2):238-46.
102	Fukuda R, Usui T, Miyai T, Yamagami S, Amano S.	眼科・視覚矯正科	Tear meniscus evaluation by anterior segment swept-source optical coherence tomography.	Am J Ophthalmol 155:620-624, 2013
103	Little JL, Serzhanova V, Izumchenko E, Egleston BL, Parise E, Klein-Szanto AJ, Loudon G, Shubina M, Seo S, Kurokawa M, Ochs MF, Golemis EA.	血液・腫瘍内科	A requirement for Nedd9 in luminal progenitor cells prior to mammary tumorigenesis in MMTV-HER2/ErbB2 mice.	Oncogene 2014;33(4):411-20.

番号	発表者氏名	発表者の所属	題名	雑誌名
104	Urabe Y, Ochi H, Kato N, Kumar V, Takahashi A, Muroyama R, Hosono N, Otsuka M, Tateishi R, Lo PH, Tanikawa C, Omata M, Koike K, Miki D, Abe H, Kamatani N, Toyota J, Kumada H, Kubo M, Chayama K, Nakamura Y,	消化器内科	A genome-wide association study of HCV induced liver cirrhosis in the Japanese population identifies novel susceptibility loci at MHC region.	J Hepatol 2013;58(5):875-882.
105	Umeki A, Nishimura T, Takewa Y, Ando M, Arakawa M, Kishimoto Y, Tsukiyama T, Mizuno T, Kyo S, Ono M, Taenaka Y, Tatsumi E.	心臓外科	Change in myocardial oxygen consumption employing continuous-flow LVAD with cardiac beat synchronizing system, in acute ischemic heart failure models	J Artif Organs. 2013 Jun;16(2):119-28
106	Kimura K, Takenaka K, Ebihara A, Uno K, Morita H, Nakajima T, Ozawa T, Aida I, Yonemochi Y, Higuchi S, Motoyoshi Y, Mikata T, Uchida I, Ishihara T, Komori T, Kitao R, Nagata T, Takeda S, Yatomi Y, Nagai	検査部	Prognostic impact of left ventricular noncompaction in patients with Duchenne/Becker muscular dystrophy - Prospective multicenter cohort study.	Int. J. Cardiol. 2013 ;168:1900-1904.
107	Tian Z, Miyata K, Tazume H, Sakauguchi H, Kadomatsu T, Horio E, Takahashi O, Komohara Y, Araki K, Hirata Y, Tabata M, Takanashi S, Takeya M, Hao H, Shimabukuro M, Sata M,	小児科	Perivascular adipose tissue-secreted angiopoietin-like protein2 (Angptl2) accelerates neointimal hyperplasia after endovascular injury.	J Mol Cell Cardiol. 2013;57:1-12
108	Fujii T, Matsudaira K, Yoshimura N, Hirai M, Tanaka S.	22世紀医療センター	Associations between neck and shoulder discomfort (Katakori) and job demand, job control, and worksite support.	Mod Rheumatol 2013 ; 23: 1198-204
109	Chen S, Tanaka S, Giannini C, Morris J, Yan ES, Buckner J, Lachance DH, Parney IF.	脳神経外科	Gliomatosis cerebri: clinical characteristics, management, and outcomes	J Neurooncol. 2013;112(2):267-75
110	Katsura M, Matsuda I, Akahane M, Yasaka K, Hanaoka S, Akai H, Sato J, Kunimatsu A, Ohtomo K.	放射線科	Model-based iterative reconstruction technique for ultralow-dose chest CT: comparison of pulmonary nodule detectability with the adaptive statistical iterative reconstruction technique.	Invest Radiol. 2013; 48(4): 206-12
111	Takahama H, Shigematsu H, Asai T, Matsuzaki T, Sanada S, Fu HY, Okuda K, Yamato M, Asanuma H, Asano Y, Asakura M, Oku N, Komuro I, Kitakaze M, Minamino T.	循環器内科	Liposomal amiodarone augments anti-arrhythmic effects and reduces hemodynamic adverse effects in an ischemia/reperfusion rat model	Cardiovasc Drugs Ther 2013;27(2):1125-32
112	Iwasaki Y, Fujio K, Okamura T, Yanai A, Sumitomo S, Shoda H, Tamura T, Yoshida H, Charnay P, Yamamoto K.	アレルギー・リウマチ内科	Egr-2 transcription factor is required for Blimp-1-mediated IL-10 production in IL-27-stimulated CD4+ T cells.	Eur J Immunol. 2013;43:1063-73.
113	Fujimoto C, Murofushi T, Chihara Y, Ushio M, Suzuki M, Yamaguchi T, Yamasoba T, Iwasaki S.	耳鼻咽喉科・聴覚音声外科	Effect of severity of vestibular dysfunction on postural instability in idiopathic bilateral vestibulopathy.	Acta Otolaryngol. 2013; 133: 454-461

番号	発表者氏名	発表者の所属	題名	雑誌名
114	Kagami S, Sugaya M, Suga H, Morimura S, Kai H, Ohmatsu H, Fujita H, Tsunemi Y, Sato S	皮膚科	Serum gastrin-releasing peptide levels correlate with pruritus in patients with atopic dermatitis.	J Invest Dermatol. 2013;133(6):1673-1675.
115	Nakai Y, Isayama H, Mukai T, Itoi T, Maetani I, Kawakami H, Yasuda I, Maguchi H, Ryoza wa S, Hanada K, Hasebe O, Ito K, Kawamoto H, Mochizuki H, Igarashi Y, Irisawa A, Sasaki T, Togawa O, Hara T, Kamada H, Toda N, Hamada	消化器内科	Impact of anticancer treatment on recurrent obstruction in covered metallic stents for malignant biliary obstruction.	J Gastroenterol. 2013 Nov;48(11):1293-9.
116	Togawa O, Isayama H, Tsujino T, Nakai Y, Kogure H, Hamada T, Sasaki T, Yashima Y, Yagioka H, Arizumi T, Ito Y, Matsubara S, Yamamoto N, Sasahira N, Hirano K, Toda N, Tada M,	消化器内科	Management of dysfunctional covered self-expandable metallic stents in patients with malignant distal biliary obstruction.	J Gastroenterol. 2013 Nov;48(11):1300-7.
117	Sasaki T, Isayama H, Nakai Y, Ito Y, Yasuda I, Toda N, Kogure H, Hanada K, Maguchi H, Sasahira N, Kamada H, Mukai T, Okabe Y, Hasebe O, Maetani I,	消化器内科	A randomized phase II study of gemcitabine and S-1 combination therapy versus gemcitabine monotherapy for advanced biliary tract cancer.	Cancer Chemother Pharmacol. 2013 Apr;71(4):973-9.
118	Hikita H, Enooku K, Satoh Y, Yoshida H, Nakagawa H, Masuzaki R, Tateishi R, Sorio da Y, Sato M, Suzuki A, Gotoh H, Iwai T, Yokota H, Koike K, Yatomi Y, Ikeda	検査部	Perihepatic lymph node enlargement is a negative predictor for sustained responses to pegylated interferon-α and ribavirin therapy for Japanese patients infected with hepatitis C virus genotype 1.	Hepatol Res 2013 ; 43: 1005-12.
119	Nagata N, Shimbo T, Sekine K, Tanaka S, Niikura R, Mezaki K, Morino E, Yazaki H, Igari T, Ohmagari N, Akiyama J, Oka S, Uemura	感染症内科	Combined endoscopy, aspiration, and biopsy analysis for identifying infectious colitis in patients with ileocecal ulcers.	Clin Gastroenterol Hepatol. 2013; 11: 673-80.
120	Numasawa Y, Kohsaka S, Miyata H, Kawamura A, Noma S, et al.	22世紀医療センター	Use of Thrombolysis in Myocardial Infarction Risk Score to predict bleeding complications in patients with unstable angina and non-ST elevation myocardial infarction undergoing percutaneous coronary intervention.	Cardiovasc Interv Ther. 2013; 28(3): 242-9
121	Nikitenko LL, Shimosawa T, Henderson S, Mäkinen T, Shimosawa H, Qureshi U, Pedley B, Rees MCP, Fujita T, Boshoff C.	検査部	Adrenomedullin Haploinsufficiency Predisposes to Secondary Lymphedema.	J. Invest Dermatol. 2013 ;133:1768-1776.
122	Nagata M, Takita M, Kishi Y, Kodama Y, Matsumura T, Murashige N, Homma Y, Kami M.	泌尿器科	Cancer articles in weekly magazines: useful media to deliver cancer information to the public?	Jpn J Clin Oncol. 2013 Apr;43(4):426-30.

番号	発表者氏名	発表者の所属	題名	雑誌名
123	Togashi J, Sugawara Y, Akamatsu N, Tamura S, Yamashiki N, Kaneko J, Sakamoto Y, Aoki T, Hasegawa K, Kokudo N.	肝胆脾外科、人工臓器・移植外科	Quality of life after adult living donor liver transplantation: A longitudinal prospective follow-up study.	Hepatol Res. 2013Oct;43(10):1052-63
124	Watanabe K, Uno K, Suzuki T, Kawakami N, Tsuji T, Yanagida H, Ito M, Hirano T, Yamazaki K, Minami S, Kotani T, Taneichi H, Imagama S, Takeshita K,	整形外科・脊椎外科	Risk Factors for Complications Associated With Growing-Rod Surgery for Early-Onset Scoliosis.	Spine 2013; 38(8):E464-468.
125	Takao H, Hayashi N, Ohtomo K.	放射線科	Effects of the use of multiple scanners and of scanner upgrade in longitudinal voxel-based morphometry studies.	J Magn Reson Imaging. 2013; 38(5): 1283-91
126	Nishiwaki S, Miyamura K, Ohashi K, Kurokawa M, Taniguchi S, Fukuda T, Ikegame K, Takahashi S, Mori T, Imai K, Iida H, Hidaka M, Sakamaki H, Morishima Y, Kato K, Suzuki R, Tanaka J; Adult Acute Lymphoblastic Leukemia Working Group of the Japan Society for Hematopoietic Cell Transplantation.	血液腫瘍内科	Impact of a donor source on adult Philadelphia chromosome-negative acute lymphoblastic leukemia: a retrospective analysis from the Adult Acute Lymphoblastic Leukemia Working Group of the Japan Society for Hematopoietic Cell Transplantation.	Ann Oncol.24(6):1594-602
127	Kako S, Morita S, Sakamaki H, Iida H, Kurokawa M, Miyamura K, Kanamori H, Hara M, Kobayashi N, Morishima Y, Kawa K, Kyo T, Sakura T, Jinnai I, Takeuchi J, Miyazaki Y, Miyawaki S, Ohnishi K, Naoe	血液腫瘍内科	The role of HLA-matched unrelated transplantation in adult patients with Ph chromosome-negative ALL in first remission. A decision analysis.	Bone Marrow Transplant.48(8):1077-83
128	Nakata Y, Sato N, Hattori A, Ito K, Kimura Y, Kamiya K, Shigemoto Y, Nakagawa E, Sasaki M, Ohtomo K.	放射線科	Semi-automatic volumetry of cortical tubers in tuberous sclerosis complex.	Jpn J Radiol. 2013; 31(4): 253-61
129	Miyabayashi K, Ijichi H, Mohri D, Tada M, Yamamoto K, Asaoka Y, Ikenoue T, Tateishi K, Nakai Y, Isayama H, Morishita Y, Omata M, Moses HL, Koike K.	消化器内科	Erlotinib prolongs survival in pancreatic cancer by blocking gemcitabine-induced MAPK signals.	Cancer Res. 2013 Apr 1;73(7):2221-34.
130	Shimizu K, Ogawa F, Hara T, Yoshizaki A, Muroi E, Yanaba K, Akiyama Y, Yamaoka T, Sato S	皮膚科	Exogenous application of hydrogen sulfide donor attenuates inflammatory reactions through L-selectin involved pathway in the cutaneous reverse passive Arthus reaction.	J Leukoc Biol. 2013;93(4):573-584.
131	Kawaguchi Y, Sugawara Y, Yamashiki N, Kaneko J, Tamura S, Aoki T, Sakamoto Y, Hasegawa K, Nojiri K, Kokudo N.	肝胆脾外科、人工臓器・移植外科	Role of 6-month abstinence rule in living donor liver transplantation for patients with alcoholic liver disease.	Hepatol Res.2013 Nov;43(11):1169-74

番号	発表者氏名	発表者の所属	題名	雑誌名
132	Yasui N, Koh K, <u>Kato M</u> , Park MJ, Tomizawa D, Oshima K, Uchisaka N, Gocho Y, Arakawa A, <u>Seki M</u> , Oguma E, Kishimoto H, Watanabe S, Kikuchi A,	小児科	Kasabach-Merritt phenomenon: a report of 11 cases from a single institution.	J Pediatr Hematol Oncol. 2013;35:554-8
133	Izumi T, Kondo M, Takahashi T, Fujieda N, Kondo A, Tamura N, Murakawa T, Nakajima J, Matsushita H, Kakimi K.	呼吸器外科	Ex vivo characterization of gammadelta T-cell repertoire in patients after adoptive transfer of Vgamma9Vdelta2 T cells expressing the interleukin-2 receptor beta-chain and the common gamma-chain.	Cytotherapy 2013;15(4):481-91
134	Murono K, Kitayama J, Tsuno NH, Nozawa H, Kawai K, Sunami E, et al.	大腸肛門外科・血管外科	Hepatic steatosis is associated with lower incidence of liver metastasis from colorectal cancer.	International journal of colorectal disease. 2013 Aug. 28(8):1065-72.
135	Suna S, Sakata Y, Nakatani D, Okuda K, Shimizu M, Usami M, Matsumoto S, Hara M, Ozaki K, Mizuno H, Minamino T, Takashima S, Nishino M, Matsumura Y, Takeda H, Tanaka T, Sato	循環器内科	Decreased mortality associated with statin treatment in patients with acute myocardial infarction and lymphotxin-alpha C804A polymorphism	Atherosclerosis 2013;227(2):373-9
136	Nakamura K, Doi K, Inokuchi R, et al	救急部・集中治療部	Endotoxin adsorption by polymyxin B column or intraaortic balloon pumping use for severe septic cardiomyopathy.	Am J Emerg Med. 2013;31(5):893.e1-3.
137	Kato M, Yasui N, Seki M, Kishimoto H, Sato-Otsubo A, Hasegawa D, Kiyokawa N, Hanada R, Ogawa S, Manabe A, Takita J, Koh K:	小児科	Aggressive transformation of juvenile myelomonocytic leukemia associated with duplication of oncogenic KRAS in consequence of acquired uniparental disomy.	J Pediatr. 2013;162:1285-8
138	Louthrenoo W, Kasitanon N, Wichainun R, Wangkaew S, Sukitawut W, Ohnogi Y, Nakaue N, Kuwata S, Takeuchi F	アレルギー・リウマチ内科	Association of HLA-DRB1*15:02 and DRB5*01:02 allele with the susceptibility to systemic sclerosis in Thai patients	Rheumatol Int. 2013: 33 (8): 2069-77
139	Kaminishi Y, Misawa Y, Kobayashi J, Konishi H, Miyata H, Motomura N, Takamoto S; Japan Cardiovascular Surgery Database Organization.	心臓外科	Patient-prosthesis mismatch in patients with aortic valve replacement	Gen Thorac Cardiovasc Surg. 2013 May;61(5):274-9
140	Shimane K, Kochi Y, Suzuki A, Okada Y, Ishii T, Horita T, Saito K, Okamoto A, Nishimoto N, Myouzen K, Kubo M, Hirakata M, Sumida T, Takasaki Y, Yamada R, Nakamura Y, Kamatani N,	アレルギー・リウマチ内科	An association analysis of HLA-DRB1 with systemic lupus erythematosus and rheumatoid arthritis in a Japanese population: effects of *09:01 allele on disease phenotypes.	Rheumatology (Oxford). 2013 Jul;52(7):1172-82.
141	Miyahara T, Runge S, Chatterjee A, Chen M, Mottola G, Fitzgerald JM, et al.	大腸肛門外科・血管外科	D-series resolin attenuates vascular smooth muscle cell activation and neointimal hyperplasia following vascular injury.	FASEB journal : official publication of the Federation of American Societies for Experimental Biology. 2013 Jun. 27(6):2220-22

番号	発表者氏名	発表者の所属	題名	雑誌名
142	Kamiya K, Kunimatsu A, Mori H, Sato J, Akahane M, Yamakawa T, Ohtomo K.	放射線科	Preliminary report on virtual monochromatic spectral imaging with fast kVp switching dual energy head CT: comparable image quality to that of 120-kVp CT without increasing the radiation dose.	Jpn J Radiol. 2013; 31(4): 293-8
143	Jiao S, Tsutani K, Haga N	リハビリテーション科・部	Review of Cochrane reviews on acupuncture: how Chinese resources contribute to Cochrane reviews.	J Altern Complement Med. 2013; 19(7): 613-621
144	Sakamoto Y, Nara S, Kishi Y, Esaki M, Shimada K, Kokudo N, Kosuge T.	肝胆脾外科、人工臓器・移植外科	Is extended hemihepatectomy plus pancreaticoduodenectomy justified for advanced bile duct cancer and gallbladder cancer?	Surgery. 2013 Jun;153(6):794-800
145	Akishita M, Ishii S, Kojima T, Kozaki K, Kuzuya M, Arai H, Arai H, Eto M, Takahashi R, Endo H, Horie S, Ezawa K, Kawai S, Takehisa Y, Mikami H, Takegawa S, Morita A, Kamata M, Ouchi	老年病科	Priorities of Health Care Outcomes for the Elderly.	J Am Med Dir Assoc. 2013;14(7):479-84
146	Zhao Y, Koga K, Osuga Y, Izumi G, Takamura M, Harada M, Hirata T, Hirota Y, Yoshino O, Inoue S, Fujii T, Kozuma S.	女性診療科・産科 / 女性外科	Cyclic stretch augments production of neutrophil chemokines and matrix metalloproteinases-1 (MMP-1) from human decidual cells, and the production was reduced by progesterone.	Am J Reprod Immunol. 2013 May;69(5):454-62.
147	Tong, EM. Watanabe, Yamamoto N , Nagahata-Ishiguro M, Maemura K, Takeda N, Nagai R, Ozaki Y	循環器内科	Circadian expressions of cardiac ion channel genes in mouse might be associated with the central clock in the SCN but not the peripheral clock in the heart	Biol Rhythm Res. 2013;44(4):519-530
148	Hamada T, Yasunaga H, Nakai Y, Isayama H, Horiguchi H, Fushimi K, Koike K.	消化器内科	Japanese severity score for acute pancreatitis well predicts in-hospital mortality: a nationwide survey of 17,901 cases.	J Gastroenterol. 2013 Dec;48(12):1384-91.
149	Yamasoba T, Lin FR, Someya S, Kashio A, Sakamoto T, Kondo K.	耳鼻咽喉科・聴覚音声外科	Current concepts in age-related hearing loss: epidemiology and mechanistic pathways.	Hear Res. 2013; 303: 30-38
150	Hojo H, Ohba S, Taniguchi K, Shirai M, Yano F, Saito T, Ikeda T, Nakajima K, Komiyama Y, Nakagata N, Suzuki K, Mishina Y, Yamada M, Konno T, Takato T, Kawaguchi H, Kambara	救急部・集中治療部	Hedgehog-Gli activators direct osteochondrogenic function of bone morphogenetic protein toward osteogenesis in the perichondrium.	J Biol Chem. 2013 Apr 5;288(14):9924-32.
151	Torzilli G, Belghiti J, Kokudo N, Takayama T, Capussotti L, Nuzzo G, Vauthey JN, Choti MA, De Santibanes E, Donadon M, Morenghi E, Makuchi M	肝胆脾外科、人工臓器・移植外科	A snapshot of the effective indications and results of surgery for hepatocellular carcinoma in tertiary referral centers: is it adherent to the EASL/AASLD recommendations?: an observational study of the HCC East-West	Ann Surg. 2013May;257(5):929-37

番号	発表者氏名	発表者の所属	題名	雑誌名
152	Tamai T, Yamaguchi O, Hikoso S, Takeda T, Taneike M, Oka T, Oyabu J, Murakawa T, Nakayama H, Uno Y, Horie K, Nishida K, Sonenberg N, Shah AM, Takeda J, Komuro I, Otsu K.	循環器内科	Rheb (Ras homologue enriched in brain)-dependent mammalian target of rapamycin complex 1 (mTORC1) activation becomes indispensable for cardiac hypertrophic growth after early postnatal period	J Biol Chem 2013;288(14):10176-87
153	Miwa T, Sato S, Gullipalli D, Nangaku M, Song WC.	腎臓・内分泌内科	Blocking properdin, the alternative pathway, and anaphylatoxin receptors ameliorates renal ischemia-reperfusion injury in decay-accelerating factor and CD59 double-knockout mice.	J Immunol. 2013;190(7):3552-9.
154	Kamiya K, Sato N, Ota M, Nakata Y, Ito K, Kimura Y, Murata M, Mori H, Kunimatsu A, Ohtomo K.	放射線科	Diffusion tensor tract-specific analysis of the uncinate fasciculus in patients with progressive supranuclear palsy.	J Neuroradiol. 2013; 40(2): 121-9
155	Sone M, Mizunuma K, Nakajima Y, Yasunaga H, Ohtomo K.	医療経営政策学講座	Job satisfaction, income, workload, workplace, and demographics of Japanese radiologists in the 2008 survey.	Japanese Journal of Radiology 2013;31:364-70.
156	Nomiya A, Naruse T, Niimi A, Nishimatsu H, Kume H, Igawa Y, Homma Y.	泌尿器科	On- and post-treatment symptom relief by repeated instillations of heparin and alkalinized lidocaine in interstitial cystitis.	Int J Urol. 2013 Nov;20(11):1118-22.
157	Takai K, Kin T, Oyama H, Shojima M, Saito N.	脳神経外科	Three-dimensional angioarchitecture of spinal dural arteriovenous fistulas, with special reference to the intradural retrograde venous drainage system	J Neurosurg Spine. 2013;18(4):398-408
158	Urata S, Yoshida M, Ebihara Y, Asakage T	耳鼻咽喉科・聴覚音声外科	Surgical management of a giant cervical ganglioneuroma	Auris Nasus Larynx. 2013; 40: 577-580
159	Iwashita T, Nakai Y, Samarasena JB, Park do H, Zhang Z, Gu M, Lee JG, Chang KJ.	消化器内科	High single-pass diagnostic yield of a new 25-gauge core biopsy needle for EUS-guided FNA biopsy in solid pancreatic lesions.	Gastrointest Endosc. 2013 Jun;77(6):909-15.
160	Uchino K, Tateishi R, Nakagawa H, Shindoh J, Sugawara Y, Akahane M et al.	人体病理学教室	Uninodular combined hepatocellular and cholangiocarcinoma with multiple non-neoplastic hypervascular lesions appearing in the liver of a patient with HIV and HCV coinfection.	J Clin Virol. 2013 Jun;57(2):173-7.
161	Saito H, Nishimura T, Muramatsu K, Kodera H, Kumada S, Sugai K, Kasai-Yoshida K, Sawaura N, Nishida H, Hoshino A, Ryujin F, Yoshioka S, Nishiyama K, Kondo Y, Tsurusaki Y, Nakashima M, Miyake N, Arakawa H, Kato M, Mizushima N, Matsumoto N	小児科	De novo mutations in the autophagy gene WDR45 cause static encephalopathy of childhood with neurodegeneration in adulthood.	Nat Genet. 2013;45(4):445-9
162	Ishii S, Cauley JA, Greendale GA, Crandall CJ, Huang MH, Danielson ME, Karlamangla AS.	老年病科	Trajectories of Femoral Neck Strength in Relation to the Final Menstrual Period in a Multi-Ethnic Cohort.	Osteoporosis Int. 2013;24(9):2471-81

番号	発表者氏名	発表者の所属	題名	雑誌名
163	Masui Y, Asano Y, Shibata S, Noda S, Akamata K, Aozasa N, Taniguchi T, Takahashi T, Ichimura Y, Toyama T, Sumida H, Yanaba K, Tada Y, Sugaya	皮膚科	A possible contribution of visfatin to the resolution of skin sclerosis in patients with diffuse cutaneous systemic sclerosis via a direct anti-fibrotic effect on dermal fibroblasts and Th1 polarization of the immune response.	Rheumatology. 2013;52(7):1239-1244.
164	Jiao S, Zhang Y, Ma W, Haga N	リハビリテーション科・部	FOP in China and Japan: an overview from domestic literatures.	Am J Med Genet Part A 2013; 161A: 892-893
165	Takayasu K, Aril S, Sakamoto M, Matsuyama Y, Kudo M, Ichida T, Nakashima O, Matsui O, Izumi N, Ku Y, Kokudo N,	肝胆脾外科、人工臓器・移植外科	Liver Cancer Study Group of Japan. Clinical implication of hypovascular hepatocellular carcinoma studied in 4,474 patients with solitary tumour equal or less than 3 cm.	Liver Int. 2013May;33(5):762-70.
166	Ohtomo K, Ueta T, Toyama T, Nagahara M.	眼科・視覚矯正科	Predisposing factors for primary acquired nasolacrimal duct obstruction.	Graefes Arch Clin Exp Ophthalmol 251:1835-1839, 2013
167	Fukuda R, Usui T, Miyai T, Mori Y, Miyata K, Amano S.	眼科・視覚矯正科	Corneal thickness and volume measurements by swept source anterior segment optical coherence tomography in normal subjects.	Curr Eye Res 38:531-536, 2013
168	Chikuda H, Yasunaga H, Takeshita K, Horiguchi H, Kawaguchi H, Ohe K, Fushimi K, Tanaka S	整形外科	Mortality and morbidity after high-dose methylprednisolone treatment in patients with acute cervical spinal cord injury: a propensity-matched analysis using a nationwide administrative database.	Emerg Med J. 2014 Mar;31(3):201-6.
169	Klauser AS, Miyamoto H, Tamegger M, Faschingbauer R, Moriggl B, Klima G, Feuchtnner GM, Kastlunger M, Jaschke WR	救急部・集中治療部	Achilles Tendon Assessed with Sonoelastography: Histologic Agreement	Radiology, 2013; 267 (3): 837-842
170	Urata Y, Osuga Y, Akiyama I, Nagai M, Izumi G, Takamura M, Hasegawa A, Harada M, Hirata T, Hirota Y, Yoshino O, Koga K,	女性診療科・産科 / 女性外科	Interleukin-4 and prostaglandin E2 synergistically up-regulate 3beta-hydroxysteroid dehydrogenase type 2 in endometrioma stromal cells.	J Clin Endocrinol Metab 2013;98(4):1583-90
171	Kanda Y, Oshima K, Kako S, Fukuda T, Uchida N, Miyamura K, Kondo Y, Nakao S, Nagafuji K, Miyamoto T, Kurokawa M, Okoshi Y, Chiba S, Ohashi	血液腫瘍内科	In vivo T-cell depletion with alemtuzumab in allogeneic hematopoietic stem cell transplantation: Combined results of two studies on aplastic anemia and HLA-mismatched haploidentical transplantation.	Am J Hematol.88(4):294-300
172	Inoue T, Ohwaki K, Tamura A, Tsutsumi K, Saito I, Saito N.	脳神経外科	Subclinical ischemia verified by somatosensory evoked potential amplitude reduction during carotid endarterectomy: negative effects on cognitive performance	J Neurosurg. 2013;118(5):1023-9
173	Kamata M, Sugaya M, Miyagaki T, Sonoda K, Ichimura Y, Mitsui H, Sato S, Kamikubo Y, Kurokawa M.	血液・腫瘍内科	A case of CD20-positive peripheral T-cell lymphoma treated with rituximab and multiagent chemotherapy.	Int J Dermatol 2014;53(1):e24-6.

番号	発表者氏名	発表者の所属	題名	雑誌名
174	Yamamoto N, Isayama H, Kawakami H, Sasahira N, Hamada T, Ito Y, Takahara N, Uchino R, Miyabayashi K, Mizuno S, Kogure H, Sasaki T, Nakai Y, Kuwatani M, Hirano K, Tada M, Koike K.	消化器内科	Preliminary report on a new, fully covered, metal stent designed for the treatment of pancreatic fluid collections.	Gastrointest Endosc. 2013 May;77(5):809-14.
175	Itoi T, Gotoda T, Baron TH, Sofuni A, Itokawa F, Tsuji S, Tsuchiya T, Tanaka R, Tonozuka R, Honjo M, Ryozawa S, Kawai T, Moriyasu F, Isayama H.	消化器内科	Creation of simulated papillae for endoscopic sphincterotomy and papillectomy training by using in vivo and ex vivo pig model (with videos).	Gastrointest Endosc. 2013 May;77(5):793-800.
176	Ishii S, Cauley JA, Greendale GA, Crandall CJ, Danielson ME, Ouchi Y, Karlamangla AS.	老年病科	C-Reactive Protein, Bone Strength, and 9-year Fracture Risk: Data from The Study of Women's Health Across the Nation (SWAN).	J Bone Miner Res. 2013;28(7):1688-98
177	Ito A, Shintaku I, Satoh M, Ioritani N, Aizawa M, Tochigi T, Kawamura S, Aoki H, Numata I, Takeda A, Namiki S, Namima T, Ikeda Y, Kambe K, Kyan A, Ueno S, Orikasa K, Katoh S, Adachi H, Tokuyama S, Ishidoya S, Yamaguchi T, Arai Y.	22世紀医療センター	Prospective Randomized Phase II Trial of a Single Early Intravesical Instillation of Pirarubicin (THP) in the Prevention of Bladder Recurrence After Nephroureterectomy for Upper Urinary Tract Urothelial Carcinoma: The THP Monotherapy Study Group Trial.	J Clin Oncol. 2013 Apr 10;31(11):1422-7.
178	Nagura Y, Tsuno NH, Ohkawa R, Nojiri T, Tokuhara Y, Matsuhashi M, Yatomi Y, Takahashi K.	検査部	Inhibition of Lysophosphatidic Acid (LPA) Increase by Pre-storage Whole-Blood Leukocyte Reduction in Autologous CPDA-1 Whole Blood.	Transfusion 2013 ;53:3139-48.
179	Mori Y, Hoshi K, Takato T, Takahashi M, Hirano Y, Kanno Y, Ohkubo K, Saijo H.	顎口腔外科・歯科矯正歯科	Submucous cleft palate: variations in bony defects of the hard palate.	Br J Oral Maxillofac Surg 2013 Dec;51(8):e220-3.
180	Adachi N, Munesada M, Yamada N, Suzuki H, Futohashi A, Shigeeda T, Kato S, Nishigaki M.	眼科・視覚矯正科	Effects of aromatherapy massage on face-down posture-related pain after vitrectomy: a randomized controlled trial.	Pain Management Nursing, 482-489, 2014
181	Morimura S, Sugaya M, Sato S	皮膚科	Interaction between CX3CL1 and CX3CR1 Regulates Vasculitis Induced by Immune Complex Deposition.	Am J Pathol. 2013;182(5):1640-1647.
182	Fukuda T, Yasunaga H, Horiguchi H, Ohe K, Fushimi K, Matsubara T, Yahagi N.	医療経営政策学講座	Health care costs related to out-of-hospital cardiopulmonary arrest in Japan.	Resuscitation 2013 ;84(7):964-9.
183	Watanabe K, Miyagawa R, Tomikawa C, Mizuno R, Takahashi A, Hori H et al.	人体病理学教室	Degradation of initiator tRNAMet by Xrn1/2 via its accumulation in the nucleus of heat-treated HeLa cells.	Nucleic Acids Res. 2013 Apr;41(8):4671-85.
184	Shiraishi Y, Sato Y, Chiba K, Okuno Y, Nagata Y, Yoshida K, Shiba N, Hayashi Y, Kume H, Homma Y, Sanada M, Ogawa S, Miyano S.	泌尿器科	An empirical Bayesian framework for somatic mutation detection from cancer genome sequencing data.	Nucleic Acids Res. 2013 Apr;41(7):e89.

番号	発表者氏名	発表者の所属	題名	雑誌名
185	Shimabukuro M, Hirata Y, Tabata M, Dagvasumberel M, Sato H, Kurobe H, Fukuda D, Soeki T, Kitagawa T, Takanashi S, et al.	小児科	Epicardial adipose tissue volume and adipocytokine imbalance are strongly linked to human coronary atherosclerosis.	Arterioscler Thromb Vasc Biol. 2013;33:1077-84
186	Ishimoto Y, Yoshimura N, Muraki S, Yamada H, Nagata K, Hashizume H, Takiguchi N, Minamide A, Oka H, Kawaguchi H, Nakamura K, Akune T, Yoshida M.	22世紀医療センター	Associations between radiographic lumbar spinal stenosis and clinical symptoms in the general population: the Wakayama Spine Study.	Osteoarthritis Cartilage. 2013; 21: 783-8
187	Yamashita H, Niibe Y, Toita T, Kazumoto T, Nishimura T, Kodaira T, Eto H, Kinoshita R, Tsujino K, Onishi H, Takemoto M, Hayakawa K.	放射線科	High-dose-rate intra-cavitary brachytherapy combined with external beam radiation therapy for under 40-year-old patients with invasive uterine cervical carcinoma: clinical outcomes in 118 Patients in a Japanese multi-institutional study, JASTRO.	Jpn J Clin Oncol. 2013; 43(5): 547-52
188	Zhang Y, Ogata N, Yozu A, Haga N	リハビリテーション科・部	Two-dimensional video gait analyses in patients with congenital insensitivity to pain.	Dev Neurorehabil. 2013; 16(4): 266-270
189	Yasaka K, Gonoi W, Akai H, Katsura M, Akahane M, Kiryu S, Ohtomo K.	放射線科	Differentiation of adrenal tumors in patients with hepatocellular carcinoma: Adrenal adenoma versus metastasis.	Eur J Radiol. 2013; 82(8): 1213-8
190	Endler A, Chen L, Li Q, Uchida K, Hashimoto T, Lu L, et al.	大腸肛門外科・血管外科	Int6/eIF3e silenced HIF2alpha stabilization enhances migration and tube formation of HUVECs via IL-6 and IL-8 signaling.	Cytokine. 2013 Apr. 62(1):115-22.
191	Aoki T, Kokudo N, Matsuyama Y, Izumi N, Ichida T, Kudo M, Ku Y, Sakamoto M, Nakashima O, Matsui O, Makuchi M	肝胆脾外科、人工臓器・移植外科	Prognostic impact of spontaneous tumor rupture in patients with hepatocellular carcinoma: an analysis of 1160 cases from a nationwide survey.	Ann Surg. 2014 Mar;259(3):532-42.
192	Haga A, Sakumi A, Okano Y, Itoh S, Saotome N, Kida S, Igaki H, Shiraishi K, Yamashita H, Ohtomo K, Nakagawa K.	放射線科	Dose verification of volumetric modulated arc therapy (VMAT) by use of in-treatment linac parameters.	Radiol Phys Technol. 2013; 6(2): 335-42
193	Takeuchi M, Yasunaga H, Horiguchi H, Hashimoto H, Matsuda S.	医療経営政策学講座	Pyloromyotomy versus intravenous atropine therapy for the treatment of infantile pyloric stenosis: an analysis using nationwide hospital discharge database.	Pediatrics International 2013;55(4):488-91
194	Nakamura M, Yasunaga H, Ando S, Haraguchi T, Sugihara T, Horiguchi H, Ohe K, Matsuda S, Fushimi K.	医療経営政策学講座	Length of mechanical restraint following haloperidol injections versus oral atypical antipsychotics for the initial treatment of acute schizophrenia: A Propensity-Matched Analysis from the Japanese Diagnosis Procedure Combination Database.	Psychiatry Research 2013;209:412-6
195	Asada-Hirayama I, Kodashima S, Goto O, Yamamichi N, Ono S, Niimi K et al.	人体病理学教室	Factors predictive of inaccurate determination of horizontal extent of intestinal-type early gastric cancers during endoscopic submucosal dissection: a retrospective analysis.	Dig Endosc. 2013 Nov;25(6):593-600.

番号	発表者氏名	発表者の所属	題名	雑誌名
196	Hirasawa H, Araie M, Tomidokoro A, Saito H, Iwase A, Ohkubo S, Sugiyama K, Ootani T, Kishi S, Matsushita K, Maeda N,	眼科・視覚矯正科	Reproducibility of thickness measurements of macular inner retinal layers using SD-OCT with or without correction of ocular rotation.	Invest Ophthalmol Vis Sci 54:2562-2570, 2013
197	Haga N, Kubota M, Miwa Z	リハビリテーション科・部	Epidemiology of hereditary sensory and autonomic neuropathy type IV and V in Japan.	Am J Med Genet A. 2013; 161A: 871-874
198	Minamiguchi, H.Sakata, Y.Ohtani, T.Mizote, I.Takeda, Y.Mizuno, H.Okuyama, Y.Nakatani, S.Fujita, M.Watanabe, T.Uematsu, M.Komuro, I.	循環器内科	Usefulness of overlapping of the E and A waves of the transmural flow as a predictor of responders to cardiac resynchronization therapy	Am J Cardiol 2013;111(11):1613-8
199	Shirakawa R, Arita R, Amano S.	眼科・視覚矯正科	Meibomian gland morphology in Japanese infants, children, and adults observed using a mobile pen-shaped infrared meibography device.	Am J Ophthalmol 155:1099-1110, 2013
200	Inui H, Taketomi S, Nakamura K, Sanada T, Tanaka S, Nakagawa T.	整形外科・脊椎外科	An additional reference axis improves femoral rotation alignment in image-free computer navigation assisted total knee arthroplasty	J Arthroplasty 28(5):766-771, 2013
201	Katagiri D, Doi K, Matsubara T, Negishi K, Hamasaki Y, Nakamura K, Ishii T, Yahagi N, Noiri E.	救急部・集中治療部	New biomarker panel of plasma neutrophil gelatinase-associated lipocalin and endotoxin activity assay for detecting sepsis in acute kidney injury.	J Crit Care. 2013 Oct;28(5):564-70.
202	Hau CS, Kanda N, Noda S, Tatsuta A, Kamata M, Shibata S, Asano Y, Sato S, Watanabe S, Tada Y	皮膚科	Visfatin Enhances the Production of Cathelicidin Antimicrobial Peptide, Human beta-Defensin-2, Human beta-Defensin-3, and S100A7 in Human Keratinocytes and Their Orthologs in Murine Imiquimod-induced Psoriatic Skin.	Am J Pathol. 2013;182(5):1705-1717.
203	Nabeno M, Akahoshi F, Kishida H, Miyaguchi I, Tanaka Y, Ishii S, Kadokawa T.	糖尿病・代謝内科	A comparative study of the binding modes of recently launched dipeptidyl peptidase IV inhibitors in the active site.	Biochem Biophys Res Commun. 2013;434(2):191-6.
204	Hochhaus A, Saglio G, Larson RA, Kim DW, Etienne G, Rosti G, De Souza C, Kurokawa M, Kalaycio ME, Hoeneckopp A, Fan X, Shou Y, Kantarjian HM, Hughes	血液腫瘍内科	Nilotinib is associated with a reduced incidence of BCR-ABL mutations vs imatinib in patients with newly diagnosed chronic myeloid leukemia in chronic phase.	Blood. 121(18):3703-8
205	Shimizu A, Suhara T, Ito T, Omichi K, Naruse K, Hasegawa K, Kokudo N.	肝胆脾外科、人工臓器・移植外科	A new hepatectomy-induced postoperative adhesion model in rats, and evaluation of the efficacy of anti-adhesion materials.	Surg Today. 2014 Feb;44(2):314-23.
206	Hiki N, Nunobe S, Kubota T, Jiang X.	胃食道・乳腺内分泌外科	Function-preserving gastrectomy for early gastric cancer.	Ann Surg Oncol. 2013 Aug;20(8):2683-92.
207	Saito Y, Yoshida M, Ushiku T, Omura G, Ebihara Y, Shimono T et al.	人体病理学教室	Prognostic value of p16 expression and alcohol consumption in Japanese patients with oropharyngeal squamous cell carcinoma.	Cancer. 2013 Jun;119(11):2005-11.

番号	発表者氏名	発表者の所属	題名	雑誌名
208	Nagafuchi, Y., Sumitomo, S., Soroida, Y., Kanzaki, T., Iwasaki, Y., Michishita, K., Iwai ,T., Ikeda, H., Fujio, K., and Yamamoto,K.	検査部	The power Doppler twinkling artefact associated with periarticular calcification induced by intra-articular corticosteroid injection in patients with rheumatoid arthritis.	Ann. Rheum Dis. 2013 ;72:1267-1269.
209	Fukuda S, Shimada K, Fujita M, Yoshiyama M, Yoshikawa, J. Kohro T, Hayashi D, Yamazaki T, Nagai R.	循環器内科	Changes in serum cholesterol levels determine future risk of cardiovascular events in patients with acute coronary syndrome in the Japanese Coronary Artery Disease (JCAD) Study	J Cardiol 2013;61(6):387-92
210	Araki T, Niznikiewicz M, Kawashima T, Nestor PG, Shenton ME, McCarley RW	精神神経科	Disruption of function-structure coupling in brain regions sub-serving self monitoring in schizophrenia.	Schizophr Res 146: 336-343, 2013
211	Kawakubo K, Isayama H, Sasahira N, Nakai Y, Kogure H, Hamada T, Miyabayashi K, Mizuno S, Sasaki T, Ito Y, Yamamoto N, Hirano K, Tada M, Koike K.	消化器内科	Clinical utility of an endoscopic ultrasound-guided rendezvous technique via various approach routes.	Surg Endosc. 2013 Sep;27(9):3437-43.
212	Yanagisawa S, Maeda K, Tazuke Y, Kubota I, Koike Y, Yada Y, Kono Y, <u>Takahashi N</u> , Matsubara S	小児科	Do neonates conceived after assisted reproductive technology require neonatal surgery more frequently? A 5-year-long single-center experience.	J Obstet Gynecol Res. 2013;39(5):974-8
213	Yamamoto T; Yokota K, Amao R, Maeno T, Haga N, Taguri M, Ohtsu H, Ichikawa Y, Goto J, Tsuji S.	神経内科	An open trial of long-term testosterone suppression in spinal and bulbar muscular atrophy.	Muscle & Nerve 47:816-22, 2013
214	Takeuchi M, Yasunaga H, Horiguchi H, Matsuda S.	医療経営政策学講座	The Burden of Epiglottitis Among Japanese Children Before the Vaccination Era: an Analysis Using a Nationwide Administrative Database.	Journal of Infection and Chemotherapy 2013;19:876-9.
215	Obata R, Takahashi H, Ueta T, Yuda K, Kure K, Yanagi Y,	眼科・ 視覚矯正科	Tomographic and angiographic characteristics of eyes with macular focal choroidal excavation.	Retina 33:1201-1210, 2013
216	Kamiura N, Hirahashi J, Matsuzaki Y, Idei M, Takase O, Fujita T, Takato T, Hishikawa K.	腎臓・ 内分泌内科	Basic helix-loop-helix transcriptional factor MyoR regulates BMP-7 in acute kidney injury.	Am J Physiol Renal Physiol. 2013;304(9):F1159-66.
217	Shirota Y, Ohtsu H, Hamada M, Enomoto H, Ugawa Y; Research Committee on rTMS Treatment of Parkinson's Disease.	22世紀医療センター	Supplementary motor area stimulation for Parkinson disease: a randomized controlled study.	Neurology. 2013 Apr 9; 80(15): 1400-5.
218	Kogure H, Isayama H, Nakai Y, Tsujino T, Matsubara S, Yashima Y, Ito Y, Hamada T, Takahara N, Miyabayashi K, Mizuno S, Mohri D, Kawakubo K, Sasaki T, Yamamoto N, Hirano K, Sasahira N, Tada M, Koike	消化器内科	High single-session success rate of endoscopic bilateral stent-in-stent placement with modified large cell Niti-S stents for malignant hilar biliary obstruction.	Dig Endosc. 2014 Jan;26(1):93-9.
219	Homma Y.	泌尿器科	Hypersensitive bladder: towards clear taxonomy surrounding interstitial cystitis.	Int J Urol. 2013 Aug;20(8):742-3.

番号	発表者氏名	発表者の所属	題名	雑誌名
220	Enooku K, Kato R, Ikeda H, Kurano M, Kume Y, Yoshida H, Ono T, Aizawa K, Suzuki T, Yamazaki T, Yatomi Y.	検査部	Inverse correlations between serum ADAMTS13 levels and systolic blood pressure, pulse pressure, and serum C-reactive protein levels observed at a general health examination in a Japanese population: a cross-sectional study.	Clin Chim Acta 2013;421: 147-151.
221	Otani Y, Nakatsu Y, Sakoda H, Fukushima T, Fujishiro M, Kushiyama A, Okubo H, Tsuchiya Y, Ohno H, Takahashi S, Nishimura F, Kamata H, Katagiri H, Asano	糖尿病・代謝内科	Integrator complex plays an essential role in adipose differentiation.	Biochem Biophys Res Commun. 2013;434(2):197-202.
222	Nakaya T, Kikuchi Y, Kunita A, Ishikawa S, Matsusaka K, Hino R et al.	人体病理学教室	Enrichment of stem-like cell population comprises transformation ability of Epstein-Barr virus Latent membrane protein 2A for non-transformed cells.	Virus Res. 2013 Jun;174(1-2):108-15.
223	Kato M, Matsumoto K, Suzuki R, Yabe H, Inoue M, Kigasawa H, Inagaki J, Koh K, Hashii Y, Tauchi H, Suminoe A, Kikuta A, Sakamaki H, Kawa K, Kato	小児科	Salvage allogeneic hematopoietic SCT for primary graft failure in children.	Bone Marrow Transplant. 2013;48(9):1173-8
	Nagai Y, Osawa K, Fukushima H, Tamura Y, Aoki K, Ohya K, Yasuda H, Hikiji H, Takahashi M, Seta Y, Seo S, Kurokawa M, Kato S, Honda H, Nakamura I,	血液腫瘍内科	p130Cas, Crk-associated substrate, plays important roles in osteoclastic bone resorption.	J Bone Miner Res. 2013;28(12):2449-62
225	Yamaga R, Ikeda K, Horie-Inoue K, Ouchi Y, Suzuki Y, Inoue S	老年病科	RNA-sequencing of MCF-7 breast cancer cells identifies novel estrogen-responsive genes with functional estrogen receptor-binding sites in the vicinity of their transcription start sites.	Horm Cancer. 2013;4(4):222-32
226	Tumurkhuu M, Saitoh M, Takita J, Mizuno M, Mizuguchi M	小児科	A novel SOS1 mutation in Costello/CFC syndrome affects signaling in both RAS and PI3K pathways.	J Recept Signal Transduct Res. 2013;33:124-8
227	Furukawa M, Tochigi M, Otowa T, Arinami T, Inada T, Ujike H, Watanabe Y, Iwata N, Itokawa M, Kunugi H, Hashimoto R, Ozaki N, Kakiuchi C, Kasai K, Sasaki	精神神経科	An association analysis of the cardiomyopathy-associated 5 (CMYA5) gene with schizophrenia in a Japanese population.	Psychiatr Genet. 2013;23(4):179-180
228	Takekoshi T, Wu X, Mitsui H, Tada Y, Kao MC, Sato S, Dwinell MB, Hwang ST	皮膚科	CXCR4 negatively regulates keratinocyte proliferation in IL-23-mediated psoriasiform dermatitis.	J Invest Dermatol. 2013;133(11):2530-2537.in press.
229	Honma M, Ikebuchi Y, Kariya Y, Hayashi M, Hayashi N, Aoki S, et al.	22世紀医療センター	RANKL subcellular trafficking and regulatory mechanisms in osteocytes.	J Bone Miner Res. 2013;28(9):1936-49.

番号	発表者氏名	発表者の所属	題名	雑誌名
230	Sugiyama M, Takao M, Hatsuta H, Funabe S, Ito S, Obi T et al.	人体病理学教室	Increased number of astrocytes and macrophages/microglial cells in the corpus callosum in amyotrophic lateral sclerosis	Neuropathology. 2013 Dec;33(6):591-9.
231	Hasegawa K, Makuuchi M, Kokudo N, Izumi N, Ichida T, Kudo M, Ku Y, Sakamoto M, Nakashima O, Matsui O, Matsuyama Y;	肝胆脾外科、人工臓器・移植外科	Impact of histologically confirmed lymph node metastases on patient survival after surgical resection for hepatocellular carcinoma: report of a Japanese nationwide survey.	Ann Surg. 2014 Jan;259(1):166-70
232	Greendale GA, Ishii S, Huang MH, Karlamangla AS.	老年病科	Predicting the Timeline to the Final Menstrual Period: the Study of Women's Health Across the Nation.	J Clin Endocrinol Metab. 2013;98(4):1483-91
233	Kurobe H, Matsuoka Y, Hirata Y, Sugawara N, Maxfield MW, Sata M, Kitagawa T	小児科	Azelnidipine suppresses the progression of aortic aneurysm in wild mice model through anti-inflammatory effects.	J Thorac Cardiovasc Surg. 2013;146:1501-8
234	Shinohara M, Saitoh M, Nishizawa D, Ikeda K, Hirose S, Takanashi J, Takita J, Kikuchi K, Kubota M, Yamanaka G, Shihara T, Kumakura A, Kikuchi M, Toyoshima M, Goto T, Yamanouchi H, Mizuguchi M	小児科	ADORA2A polymorphism predisposes children to encephalopathy with febrile status epilepticus.	Neurology. 2013;80:1571-6
235	Abe H, Hino R, Fukayama M.	人体病理学教室	Platelet-derived growth factor-A and vascular endothelial growth factor-C contribute to the development of pulmonary tumor thrombotic microangiopathy in gastric cancer.	Virchows Arch. 2013 May;462(5):523-31.
236	Iriyama A, Aihara Y, Yanagi Y.	眼科・視覚矯正科	Outer retinal tubulation in inherited retinal degenerative disease.	Retina 33:1462-1465, 2013
237	Saito A, Miyata H, Motomura N, Ono M, Takamoto S; Japan Cardiovascular Surgery Database Organization.	心臓外科	Propensity-matched analysis of bilateral internal mammary artery vs single internal mammary artery in 7702 cases of isolated coronary artery bypass grafting	Eur J Cardiothorac Surg. 2013 Oct;44(4):711-7
238	Watanabe-Okochi N, Yoshimi A, Sato T, Ikeda T, Kumano K, Taoka K, Satoh Y, Shinohara A, Tsuruta T, Masuda A, Yokota H, Yatomi Y, Takahashi K, Kitaura J, Kitamura T, Kurokawa M.	検査部	The shortest isoform of C/EBPbeta, Liver inhibitory protein (LIP), collaborates with Evi1 to induce AML in a mouse BMT model.	Blood. 2013 ;121:4142-4155.
239	Taniguchi T, Ohtani T, Mizote I, Kanzaki M, Ichibori Y, Minamiguchi H, Asano Y, Sakata Y, Komuro I.	循環器内科	Switching from carvedilol to bisoprolol ameliorates adverse effects in heart failure patients with dizziness or hypotension	J Cardiol 2013;61(6):417-22
240	Amiya E, Watanabe M, Takeda N, Saito T, Shiga T, Hosoya Y, Nakao T, Imai Y, Manabe I, Nagai R, Komuro I, Maemura K.	検査部	Angiotensin II impairs endothelial nitric-oxide synthase bioavailability under free cholesterol-enriched conditions via intracellular free cholesterol-rich membrane microdomains	J Biol Chem. 2013 May 17;288(20):14497-509.

番号	発表者氏名	発表者の所属	題名	雑誌名
241	Hikichi T, Matoba R, Ikeda T, Watanabe A, Yamamoto T, Yoshitake S, Tamura-Nakano M, Kimura T, Kamon M, Shimura M, Kawakami K, Okuda A, Okochi H, Inoue T, Suzuki A, Masui S	皮膚科	Transcription factors interfering with dedifferentiation induce cell type-specific transcriptional profiles.	Proc Natl Acad Sci U S A. 2013;110(16):6412-6417.
242	Hanafusa N, Noiri E, Nangaku M.	22世紀医療センター	Differences in reduction of coagulation factor XIII (F13) between immunoabsorption plasmapheresis and double filtration plasmapheresis.	Ther Apher Dial. 2013;17(2):241-2.
243	Kobayashi R, Yamashita H, Okuma K, Shiraishi K, Ohtomo K, Nakagawa K.	放射線科	Salvage radiation therapy and chemoradiation therapy for postoperative locoregional recurrence of esophageal cancer.	Dis Esophagus. 2014; 27(1): 72-8
244	Komura M, Komura H, Otani Y, Kanamori Y, Iwanaka T, Hoshi K, Tsuyoshi T, Tabata Y.	小児外科	The junction between hyaline cartilage and engineered cartilage in rabbits.	Laryngoscope. 2013 jun;123(6):1547-51.
245	Kuwano H, Tsuchiya T, Murayama T, Sano A, Nagayama K, Yoshida Y, Murakawa T, Nakajima J	呼吸器外科	Outcomes of combined modality therapy for patients with stage III or IV mediastinal malignant germ cell tumors	Surg Today. 2014 Mar;44(3):499-504.
246	Yamada T, Hara K, Umematsu H, Kadokawa T.	22世紀医療センター	Male pattern baldness and its association with coronary heart disease: a meta-analysis.	BMJ Open. 2013;3(4): e002537
247	Akamata K, Asano Y, Noda S, Taniguchi T, Takahashi T, Ichimura Y, Toyama T, Sumida H, Kuwano Y, Yanaba K, Tada Y, Sugaya	皮膚科	An inverse correlation of serum angiogenin levels with estimated glomerular filtration rate in systemic sclerosis patients with renal dysfunction.	Eur J Dermatol. 2013;23(2):269-270.
248	Sakakibara E, Takizawa R, Nishimura Y, Kawasaki S, Satomura Y, Kinoshita A, Koike S, Marumo K, Kono T, Kuwabara H, Ishii-Takahashi A, Kawakubo Y, Kasai K.	こころの発達診療部	Genetic influences on prefrontal activation during a verbal fluency task in adults: A twin study based on multichannel near-infrared spectroscopy.	Neuroimage. 85 Pt1: 508-17, 2014.
249	Yamazaki O, Yamada H, Suzuki M, Horita S, Shirai A, Nakamura M, Satoh N, Fujita T, Seki G	感染制御部	Identification of dominant negative effect of L522P mutation in the electrogenic Na ⁺ -HCO ₃ ⁻ cotransporter NBCe1.	Pflugers Arch. 2013 Sep;465(9):1281-91
250	Imamura T, Kinugawa K, Hatano M, Kato N, Minatsuki S, Muraoka H, Inaba T, Maki H, Kimura M, Kinoshita O, Shiga T, Yao A, Kyo S, Ono M, Komuro I.	心臓外科	Acute pulmonary vasoreactivity test with sildenafil or nitric monoxide before left ventricular assist device implantation	J Artif Organs. 2013 Sep;16(3):389-92
251	Hori M, Nagai R, Izumi T, Matsuzaki M.	循環器内科	Efficacy and safety of bisoprolol fumarate compared with carvedilol in Japanese patients with chronic heart failure: results of the randomized, controlled, double-blind, Multistep Administration of bisoprolol IN Chronic Heart Failure II (MAIN-CHF II)	Heart Vessels Mar;29(2):238-47.

番号	発表者氏名	発表者の所属	題名	雑誌名
252	Takahashi W, Yamashita H, Kida S, Masutani Y, Sakumi A, Ohtomo K, Nakagawa K, Haga A.	放射線科	Verification of planning target volume settings in volumetric modulated arc therapy for stereotactic body radiation therapy by using in-treatment 4-dimensional cone beam computed tomography.	Int J Radiat Oncol Biol Phys. 2013; 86(3): 426-31
253	Kurosawa S, Yakushijin K, Yamaguchi T, Atsuta Y, Nagamura-Inoue T, Akiyama H, Taniguchi S, Miyamura K, Takahashi S, Eto T, Ogawa H, Kurokawa M, Tanaka J, Kawa K, Kato K, Suzuki R, Morishima Y, Sakamaki H, Fukuda T.	血液腫瘍内科	Recent decrease in non-relapse mortality due to GVHD and infection after allogeneic hematopoietic cell transplantation in non-remission acute leukemia.	Bone Marrow Transplant. 48(9):1198-204
254	Harada N, Sugawara Y, Akamatsu N, Kaneko J, Tamura S, Aoki T, Sakamoto Y, Hasegawa K, Yamashiki N,	肝胆脾外科、人工臓器・移植外科	New-onset diabetes mellitus developing in Asian adult living donor liver transplant recipients: a single-center experience.	J Hepatobiliary Pancreat Sci. 2013 Apr 9.
255	Watanabe K, Sasaki I, Fukushima K, Futami K, Ikeuchi H, Sugita A, et al.	大腸肛門外科	Long-term incidence and characteristics of intestinal failure in Crohn's disease: a multicenter study.	Journal of gastroenterology. 2014 Feb. 49(2):231-8.
256	Miyashita A, Kolke A, Jun G, Wang L-S, Takahashi S, Matsubara E, Kawarabayashi T, Shoji M, Tomita N, Arai H, Asada T, Harigaya Y, Ikeda M, Amari M, Hanyu H, Higuchi S, Ikeuchi T, Nishizawa M, Suga M, Kawase Y, Akatsu H, Kosaka K, Yamamoto T, Imagawa M, Hamaguchi T, Yamada M, Morihata T, Takeda M, Takao T, Nakata K, Fujisawa Y, Sasaki K, Watanabe K, Nakashima K, Urakami K, Ooya T, Takahashi M, Yuzuriha T, Serikawa T, Yoshimoto S, Nakagawa R, Kim J-W, Ki C-S, Won H-H, Na DL, Seo SW, Mook-Jung I, The Alzheimer Disease Genetics Consortium, St. George-Hyslop P, Mayeux R, Haines JL, Pericak-Vance MA, Yoshida M, Nishida N, Tokunaga K, Yamamoto K, Tsuji S, Kanazawa I, Ihara Y, Schellenberg GD, Farrer LA, and Kuwano R.	神経内科	SORL1 Is Genetically Associated with Late-Onset Alzheimer's Disease in Japanese, Koreans and Caucasians.	PLoS ONE 8: e58618, 2013
257	Kunishima S, Imai S, Kobayashi R, <u>Kato M</u> , Ogawa S, Saito H	小児科	Bernard-Soulier caused by a hemizygous GlibB mutation and 22q11.2 deletion	Pediatr Int. 2013;55:434-7

番号	発表者氏名	発表者の所属	題名	雑誌名
258	Gonoi W, Akai H, Hagiwara K, Akahane M, Hayashi N, Maeda E, Yoshikawa T, Kiryu S, Tada M, Uno K, Okura N, Koike K, Ohtomo K.	放射線科	Santorinicele without pancreas divisum pathophysiology: Initial clinical and radiographic investigations.	BMC Gastroenterol. 2013; 13(1): 62
259	Bourin P, Bunnell BA, Casteilla L, Domonici M, Katz AJ, March KL, Redl H, Rubin JP, Yoshimura K, Gimble JM.	形成外科	Stromal cells from the adipose tissue derived stromal vascular fraction (SVF) and culture expanded adipose-derived stromal/stem cells (ASC): a joint statement of IFATS and ISCT.	Cyotherapy 15: 641-648, 2013.
260	Akai A, Okamoto H, Shigematsu K, Miyata T, Watanabe T.	大腸肛門外科・血管外科	Revascularization surgery for penile calciphylaxis.	Journal of vascular surgery. 2013 Dec. 58(6):1665-7.
261	Shimamura M, Nakagami H, Sata M, Takaoka M, Azuma J, Kiomy Osako M, Koriyama H, Kurinami H, Wakayama K, Miyake T, Morishita R	22世紀医療センター	Unique remodeling processes after vascular injury in intracranial arteries: analysis using a novel mouse model	J Cereb Blood Flow Metab.2013;33: 1153-9
262	Tsuji S.	神経内科	Neurogenomics view of neurological diseases.	Arch. Neurol. 70:689-94, 2013
263	Kaneko J, Sugawara Y, Tamura S, Aoki T, Sakamoto Y, Hasegawa K, Yamashiki N, Kokudo N.	肝胆脾外科、人工臓器・移植外科	De novo malignancies after adult-to-adult living-donor liver transplantation with a malignancy surveillance program: comparison with a Japanese population-based study.	Transplantation. 2013 May 15;95(9):1142-7.
264	Nakashima R, Kobayashi K, Maeda E, Yoshikawa T, Yokosawa K.	放射線科	Visual search of experts in medical image reading: the effect of training, target prevalence, and expert knowledge.	Front Psychol. 2013; 4: 166
265	Shirasu T, Kawaguchi Y, Tanaka J, Kubota Y, Watanabe T.	大腸肛門外科・血管外科	Single-incision laparoscopic cholecystectomy for cholezystolithiasis coinciding with cavernous transformation of the portal vein: report of a case.	BMC surgery. 2013 13(10).
266	Nishimura R, Takita J, Sato-Otsubo A, Kato M, Koh K, Hanada R et al.	人体病理学教室	Characterization of genetic lesions in rhabdomyosarcoma using a high-density single nucleotide polymorphism array.	Cancer Sci. 2013 Jul;104(7):856-64.
267	Oshima K, Kanda Y, Kako S, Ohno K, Kishino S, Kurokawa M.	血液腫瘍内科	Pharmacokinetics of micafungin in patients undergoing allogeneic hematopoietic stem cell transplantation.	Transpl Infect Dis.15(3):323-7
268	Koya J, Nannya Y, Kobayashi H, Okugawa S, Moriya K, Kurokawa M.	血液腫瘍内科	Simultaneous increase in 1,3-beta-D-glucan and procalcitonin levels in <i>Pseudomonas aeruginosa</i> infection.	J Infect.67(2):164-6
269	Arita R, Shirakawa R, Maeda S, Yamaguchi M, Ohashi Y, Amano S.	眼科・視覚矯正科	Decreased surface temperature of tarsal conjunctiva in patients with meibomian gland dysfunction.	JAMA Ophthalmol 131:818-819, 2013
270	Kataoka M, Aimi Y, Yanagisawa R, Ono M, Oka A, Fukuda K, Yoshino H, Satoh T, Gamou S	小児科	Alu-mediated nonallelic homologous and nonhomologous recombination in the BMPR2 gene in heritable pulmonary arterial hypertension.	Genet Med. 2013;15:941-7

番号	発表者氏名	発表者の所属	題名	雑誌名
271	Ota M, Sato N, Nakata Y, Ito K, Kamiya K, Maikusa N, Ogawa M, Okamoto T, Obu S, Noda T, Araki M, Yamamura T, Kunugi H.	放射線科	Abnormalities of cerebral blood flow in multiple sclerosis: A pseudocontinuous arterial spin labeling MRI study.	Magn Reson Imaging. 2013; 31(6): 990-5
272	Yoshida M, Matsuoka K, Nakazawa A, Yoshida M, Inoue T, kishimoto H, Nakayama M, Takaba E, Hamazaki M, Yokoyama S, Horie H, Tanaka M, Gomi K, Ohama Y, Kigasawa H, Kitano Y, Uchida H, Kanamori Y, Iwanaka T, Tanaka Y.	小児外科	Sacrococcygeal yolk sac tumor developing after teratoma: a clinicopathological study of pediatric sacrococcygeal germ cell tumors and a proposal of the pathogenesis of sacrococcygeal yolk sac tumors.	J Pediatr Surg. 2013 Apr; 48(4):776-81.
273	Yanaba K, Kamata M, Asano Y, Tada Y, Sugaya M, Kadono T, Sato S	皮膚科	CD19 expression in B cells regulates atopic dermatitis in a mouse model.	Am J Pathol. 2013; 182(6):2214-2222.
274	Ghatnekar A, Chrobak I, Reese C, Stawski L, Seta F, Wirrig E, Paez-Cortez J, Markiewicz M, Asano Y, Harley R, Silver R, Feghali-Bostwick C, Trojanowska M	皮膚科	Endothelial Gata-6 deficiency promotes pulmonary arterial hypertension.	Am J Pathol. 2013; 182(6):2391-2406.
275	Shiozawa Y, Inuzuka R, Harita Y, Kagawa J	小児科	Age-related differences in the course of the acute phase symptoms of Kawasaki disease.	Pediatr Infect Dis J. 2013; 32:e365-9
276	Arita R, Suehiro J, Haraguchi T, Maeda S, Maeda K, Tokoro H, Amano S.	眼科・ 視覚矯正科	Topical diquafosol for patients with obstructive meibomian gland dysfunction.	Br J Ophthalmol 97:725-729, 2013
277	Higurashi Y, Tatsuno K, Fujimoto F, Kobayashi I, Ida K, Seto Y, Ohkusu K, Ezaki T, Okugawa S, Moriya K.	感染制御部	Two cases of bacteremia caused by Leptotrichia trevisanii in patients with febrile neutropenia.	J Infect Chemother. 2013 Dec; 19(6):1181-4
278	Endo A, Kohsaka S, Miyata H, Kawamura A, Noma S, et al.	22世紀医療センター	Disparity in the application of guideline-based medical therapy after percutaneous coronary intervention: analysis from the Japanese prospective multicenter registry.	Am J Cardiovasc Drugs. 2013; 13(2):103-12.
279	Okamoto K, Brown JD.	感染症内科	Hepatosplenic schistosomiasis presenting as spontaneous hemoperitoneum in a Filipino immigrant.	Am J Med Sci. 2013; 346:334-7
280	Inokuchi R, Kurata H, Harada M, et al	救急部・ 集中治療部	Coronary artery aneurysms after adult-onset Kawasaki disease.	Circulation. 2013; 127(15):1636-7.
281	Kubota T, Kubota N, Kadowaki T.	糖尿病・ 代謝内科	The role of endothelial insulin signaling in the regulation of glucose metabolism.	Rev Endocr Metab Disord. 2013; 14(2):207-16.
282	Makinae H, Numata N, Kitaoka H, Daimon M, Yamamoto T, Amano A.	検査部	Use of pacemaker programmers for disaster victim identification.	Forensic Sci Med Pathol. 2013; 9(4): 551-3.
283	Otsuka K, Taguri M, Dennis CL, Wakutani K, Awano M, Yamaguchi T, Jimba M.	22世紀医療センター	Effectiveness of a breastfeeding self-efficacy intervention: do hospital practices make a difference?	Matern Child Health J. 2014 Jan; 18(1):296-306.

番号	発表者氏名	発表者の所属	題名	雑誌名
284	Tateishi R, Shiina S, Akahane M, Sato J, Kondo Y, Masuzaki R, Nakagawa H, Asaoka Y, Goto T, Otomo K, Omata M, Yoshida H, Koike K.	消化器内科	Frequency, risk factors and survival associated with an intrasubsegmental recurrence after radiofrequency ablation for hepatocellular carcinoma.	PLoS One. 2013;8(4):e59040
285	Komiyama Y, Ohba S, Shimohata N, Nakajima K, Hojo H, Yano F, Takato T, Docheva D, Shukunami C, Hiraki Y, Chung UI.	救急部・集中治療部	Tenomodulin expression in the periodontal ligament enhances cellular adhesion.	PLoS One. 2013 Apr 10;8(4):e60203.
286	Kinoshita H, Hirata Y, Nakagawa H, Sakamoto K, Hayakawa Y, Takahashi R, Nakata W, Sakitani K, Serizawa T, Hikiba Y, Akanuma M, Shibata W,	消化器内科	Interleukin-6 mediates epithelial-stromal interactions and promotes gastric tumorigenesis.	PLoS One. 2013 Apr 12;8(4):e60914.
287	Lo PH, Urabe Y, Kumar V, Tanikawa C, Koike K, Kato N, Mikl D, Chayama K, Kubo M, Nakamura Y, Matsuda K.	消化器内科	Identification of a functional variant in the mica promoter which regulates mica expression and increases HCV-related hepatocellular carcinoma risk.	PLoS One 2013;8(4):e61279.
288	Kawaguchi T, Azuma K, Yamaguchi T, Soeda H, Sekine Y, Koinuma M, Takeuchi H, Akashi T, Umezaki S.	22世紀医療センター	Development and validation of the Japanese version of the Decisional Conflict Scale to investigate the value of pharmacists' information: a before and after study.	BMC medical informatics and decision making 2013; 13(1): 50.
289	Tamura Y, Suda T, Arii S, Sata M, Moriyasu F, Imamura H, Kawasaki S, Izumi N, Takayama T, Kokudo N, Yamamoto M, Iijima H, Aoyagi Y.	肝胆脾外科、人工臓器・移植外科	Value of highly sensitive fucosylated fraction of alpha-fetoprotein for prediction of hepatocellular carcinoma recurrence after curative treatment.	Dig Dis Sci. 2013Aug;58(8):2406-12
290	Kaneko J, Inagaki Y, Ishizawa T, Gao J, Tang W, Aoki T, Sakamoto Y, Hasegawa K, Sugawara Y, Kokudo N.	肝胆脾外科、人工臓器・移植外科	Photodynamic therapy for human hepatoma-cell-line tumors utilizing biliary excretion properties of indocyanine green.	J Gastroenterol. 2014 Jan;49(1):110-6.
291	Hamaguchi T, Sakai K, Noguchi-Shinohara M, Nozaki I, Takumi I, Sanjo N, Sadakane A, Nakamura Y, Kitamoto T, Saito N,	脳神経外科	Insight into the frequent occurrence of dura mater graft-associated Creutzfeldt-Jakob disease in Japan	J Neurol Neurosurg Psychiatry. 2013;84(10):1171-5
292	Websky Mv,Fujishiro J,Ohsawa I,PraktiknjoM,Wehner S,Abu-Elmagd K,Kitamura K,Kalff JC ,Schaefer N,Pech T.	小児外科	The novel guanylhydrazone CPSI-2364 ameliorates ischemia reperfusion injury after experimental small bowel transplantation.	Transplantation.2013 Jun 15;95(11):1315-23.
293	Yamada D, Nishimatsu H, Kumano S, Hirano Y, Suzuki M, Fujimura T, Fukuhara H, Enomoto Y, Kume H, Homma Y.	泌尿器科	Reduction of prostate cancer incidence by naftopidil, an alpha1 -adrenoceptor antagonist and transforming growth factor-beta signaling inhibitor.	Int J Urol. 2013 Dec;20(12):1220-7.
294	Sugihara T, Yasunaga H, Horiguchi H, Ujimura T, Nishimatsu H, Kume H, Ohe K, Matsuda S, Fushimi K, Homma Y.	泌尿器科	Longer operative time is associated with higher risk of severe complications after percutaneous nephrolithotomy: analysis of 1511 cases from a Japanese nationwide database.	Int J Urol. 2013 Dec;20(12):1193-8.

番号	発表者氏名	発表者の所属	題名	雑誌名
295	Shoji K, Murayama T, Mimura I, Wada T, Kume H, Goto A et al.	人体病理学教室	Sperm-associated antigen 4, a novel hypoxia-inducible factor 1 target, regulates cytokinesis, and its expression correlates with the prognosis of renal cell carcinoma.	Am J Pathol. 2013 Jun;182(6):2191-203.
296	Ichikawa M, Yoshimi A, Nakagawa M, Nishimoto N, Watanabe-Okochi N, Kurokawa M.	血液腫瘍内科	A role for RUNX1 in hematopoiesis and myeloid leukemia.	Int J Hematol. 2013 Jun;97(6):726-34
297	Niikura R, Nagata N, Shimbo T, Akiyama J, Uemura N.	消化器内科	Colonoscopy can miss diverticula of the left colon identified by barium enema.	World J Gastroenterol. 2013 Apr 21;19(15):2362-7.
298	Fukui S, Fujita J, Yoshiuchi K.	心療内科	Associations with the Japanese people's preference for place of end-of-life care and their self-perceived burden/concern to family members.	Journal of Palliative Care 2013;29:22-28
299	Hirasawa K, Sato C, Sasaki T, Koh R, Oka H, Kokawa A et al.	人体病理学教室	Adenocarcinoma arising from short-segment Barrett's esophagus in a young man.	Dig Endosc. 2013 May;25 Suppl 2:190-5.
300	Yotsumoto S, Meguro A, Ishihara M, Uemoto R, Ota M, Morimoto S, Kaburaki T, Ando Y, Takenaka S, Ohno S, Inoko H, Mizuki N.	眼科・ 視覚矯正科	Investigation of the association between Toll-like receptor 9 gene polymorphisms and sarcoidosis in Japanese patients.	Ocul Immunol Inflamm. 2013;21:234-236, 2013
301	Goto M, Abe O, Aoki S, Hayashi N, Miyati T, Takao H, Iwatsubo T, Yamashita F, Matsuda H, Mori H, Kunimatsu A, Ino K, Yano K, Ohtomo K.	放射線科	Diffeomorphic Anatomical Registration Through Exponentiated Lie Algebra provides reduced effect of scanner for cortex volumetry with atlas-based method in healthy subjects.	Neuroradiology. 2013; 55(7): 869-75
302	Kodashima S, Fujishiro M, Ono S, Niimi K, Mochizuki S, Asada-Hirayama I, Konno-Shimizu M, Matsuda R, Minatsuki C, Nakayama C, Takahashi Y, Sakaguchi Y, Yamamichi N, Tanaka C,	消化器内科	Evaluation of a new image-enhanced endoscopic technology using band-limited light for detection of esophageal squamous cell carcinoma.	Dig Endosc. 2014 Mar;26(2):164-71.
303	Hamada T, Isayama H, Nakai Y, Kogure H, Togawa O, Kawakubo K, Yamamoto N, Ito Y, Sasaki T, Tsujino T, Sasahira N, Hirano K, Tada M, Koike K.	消化器内科	Novel antireflux covered metal stent for recurrent occlusion of biliary metal stents: a pilot study.	Dig Endosc. 2014 Mar;26(2):264-9.
304	Koh R, Hirasawa K, Yahara S, Oka H, Sugimori K, Morimoto M et al.	人体病理学教室	Antithrombotic drugs are risk factors for delayed postoperative bleeding after endoscopic submucosal dissection for gastric neoplasms.	Gastrointest Endosc. 2013 Sep;78(3):476-83.
305	Maeda Y, Hojo H, Shimohata N, Choi S, Yamamoto K, Takato T, Chung UI, Ohba S.	顎口腔外科・ 歯科矯正歯科	Bone healing by sterilizable calcium phosphate tetrapods eluting osteogenic molecules.	Biomaterials. 2013 Jul;34(22):5530-7.
306	Yano F, Hojo H, Ohba S, Saito T, Honnami M, Mochizuki M, Takato T, Kawaguchi H, Chung UI.	整形外科・ 脊椎外科	Cell-sheet technology combined with a thienoindazole derivative small compound TD-198946 for cartilage regeneration.	Biomaterials. 2013 Jul;34(22):5581-7

番号	発表者氏名	発表者の所属	題名	雑誌名
307	Marumo K, Takizawa R, Kinou M, Kawasaki S, Kawakubo Y, Fukuda M, Kasai K.	こころの発達診療部	Functional abnormalities in the left ventrolateral prefrontal cortex during a semantic fluency task, and their association with thought disorder in patients with schizophrenia.	Neuroimage. 85 Pt1: 518-26, 2014.
308	Nukui Y, Hatakeyama S, Okamoto K, Yamamoto T, Hisaka A, Suzuki H, Yata N, Yotsuyanagi H, Moriya K.	感染症内科	High plasma linezolid concentration and impaired renal function affect development of linezolid-induced thrombocytopenia.	J Antimicrob Chemother. 2013;68:2128-33
309	Morita S, Yoshida A, Goto A, Ota S, Tsuta K, Yokozawa K et al.	人体病理学教室	High-grade lung adenocarcinoma with fetal-lung-like morphology - A clinicopathological, immunohistochemical, and molecular analysis of 17 cases.	Am J Surg Pathol. 2013 Jun;37(6):924-32.
310	Yamauchi M, Lochhead P, Imamura Y, Kuchiba A, Liao X, Qian ZR et al.	人体病理学教室	Physical activity, tumor PTGS2 expression, and survival in patients with colorectal cancer.	Cancer Epidemiol Biomarkers Prev. 2013 Jun;22(6):1142-52.
311	Ohki T, Tateishi R, Akahane M, Mikami S, Sato M, Uchino K, Arano T, Enooku K, Kondo Y, Yamashiki N, Goto T, Shihira S, Yoshida H, Matsuyama Y, Omata M, Ohtomo K, Koike K.	消化器内科	CT with hepatic arteriography as a pretreatment examination for hepatocellular carcinoma patients: a randomized controlled trial.	Am J Gastroenterol 2013 ;108:1305-1313.
312	Yanaba K, Kamata M, Ishiura N, Shibata S, Asano Y, Tada Y, Sugaya M, Kadono T, Tedder TF, Sato S	皮膚科	Regulatory B cells suppress imiquimod-induced psoriasis-like skin inflammation.	J Leukoc Biol. 2013;94(4):563-573.
313	Imai M, Watanabe H, Yasui K, Kimura Y, Shitara Y, Tsuchida S, Takahashi N, Taga G	小児科	Functional connectivity of the cortex of term and preterm infants and infants with Down's syndrome.	NeuroImage 2014; Jan 15; 85:272-278.
314	Sawamura H, Aihara M, Araie M.	眼科・ 視覚矯正科	Juvenile onset of ocular hypertension associated with de novo nail-patellar syndrome.	J Glaucoma. 2014 Feb;23(2):e122-5. doi: 10.1097/IJG.0b013e3182953b08
315	Matsu T, Kawai K, Uno T, Kunii N, Miyakawa N, Usami K, Kawasaki K, Hasegawa I, Saito N.	脳神経外科	Simultaneous recording of single-neuron activities and broad-area intracranial electroencephalography: electrode design and implantation procedure	Neurosurgery. 2013;73(2 Suppl Operative):146-54
316	Hidaka H, Yamaguchi T, Miyazaki H, Nomura K, Kobayashi T.	22世紀医療センター	Congenital cholesteatoma is predominantly found in the posterior-superior quadrant in the Asian population: systematic review and meta-analysis, including our clinical experience.	Otol Neurotol. 2013 Jun;34(4):630-8.
317	Tokura Y, Yoshino O, Ogura-Nose S, Motoyama H, Harada M, Osuga Y, Shimizu Y, Ohara M, Yorimitsu T, Nishii O, Kozuma S, Kawamura T.	女性診療科・ 産科 / 女性外科	The significance of serum anti-Müllerian hormone (AMH) levels in patients over age 40 in first IVF treatment.	J Assist Reprod Genet. 2013 Jun;30(6):821-5.

番号	発表者氏名	発表者の所属	題名	雑誌名
318	Takanashi J, Osaka H, Saitsu H, Sasaki M, Mori H, Shibayama H, Tanaka M, Nomura Y, Terao Y, Inoue K, Matsumoto N, James Barkovich A.	放射線科	Different patterns of cerebellar abnormality and hypomyelination between POLR3A and POLR3B mutations.	Brain Dev. 2014; 36(3): 259-63
319	Hara H, Mihara M, Seki Y, Koshima I.	形成外科	Lymphoedema caused by idiopathic lymphatic thrombus.	J Plast Reconstr Aesthet Surg. 2013 Dec;66(12):1780-3
320	Takayama K, Horie-Inoue K, Katayama S, Suzuki T, Tsutsumi S, Ikeda K, Urano T, Fujimura T, Takagi K, Takahashi S, Homma Y, Ouchi Y, Aburatani H, Hayashizaki Y, Inoue S.	泌尿器科	Androgen-responsive long noncoding RNA CTBP1-AS promotes prostate cancer.	EMBO J. 2013 Jun 12;32(12):1665-80.
321	Torato T, Doi K, Negishi K, Hamasaki Y, Satonaka H, Hanafusa N, Noiri E.	22世紀医療センター	Efficacy of vitamin E-bonded polysulfone dialyzer and polysulfone dialyzer on a series of non-anticoagulant hemodialysis.	ASAIO J. 2013;59(3):284-5.
322	Amiya E, Takata M, Watanabe M, Takahashi T, Asano Y, Hatano M, Ozeki A, Watanabe A, Kawarasaki S, Tamaki Z, Taniguchi T, Ichimura Y, Toyama T, Nagai R, Sato S, Komuro I.	22世紀医療センター	Presence of desaturated hemoglobin enhances the contribution of blood cells to flow-mediated dilation in subjects with systemic sclerosis	Int.J.Cardiol. 2013;168(3):3125-3127
323	Kimura T, Sugaya M, Blauvelt A, Okochi H, Sato S	皮膚科	Delayed wound healing due to increased interleukin-10 expression in mice with lymphatic dysfunction.	J Leukoc Biol. 2013;94(1):137-145.
324	Hamada T, Nakai Y, Isayama H, Togawa O, Kogure H, Kawakubo K, Tsujino T, Sasahira N, Hirano K, Yamamoto N, Ito Y, Sasaki T, Mizuno S, Toda N,	消化器内科	Estimation and comparison of cumulative incidences of biliary self-expandable metallic stent dysfunction accounting for competing risks.	Dig Endosc. 2014 Mar;26(2):270-5.
325	Nishimatsu H, Suzuki E, Nomiya A, Niimi A, Suzuki M, Fujimura T, Fukuhara H, Homma Y.	泌尿器科	Adrenomedullin and angiopoietin-1 additively restore erectile function in diabetic rats: comparison with the combination therapy of vascular endothelial growth factor and angiopoietin-1.	J Sex Med. 2013 Jul;10(7):1707-19.
326	Suga H, Sugaya M, Miyagaki T, Ohmatsu H, Okochi H, Sato S	皮膚科	: CXCR3 deficiency prolongs Th1-type contact hypersensitivity.	J Immunol. 2013;190(12):6059-6070.
327	Watanabe T, Yoshino T, Uetake H, Yamazaki K, Ishiguro M, Kurokawa T, et al.	大腸肛門外科・血管外科	KRAS mutational status in Japanese patients with colorectal cancer: results from a nationwide, multicenter, cross-sectional study.	Japanese journal of clinical oncology. 2013 Jul. 43(7):706-12.
328	Takazawa S, Uchida H, Kawashima H, Tanaka Y, Sato K, Jimbo T, Deie K, Koibai K, Nomura K, Iwanaka T.	小児外科	Massive hemorrhage after Kasai Portacenterostomy in a patient with a congenital extrahepatic portosystemic shunt, malrotation and a double aortic arch: report of a case.	Surg Today. 2013 May 9.[Epub ahead of print]

番号	発表者氏名	発表者の所属	題名	雑誌名
329	Inoue T, Tamura A, Tsutsumi K, Saito I, Saito N.	脳神経外科	Surgical embolectomy for large vessel occlusion of anterior circulation	Br J Neurosurg. 2013;27(6):783-90
330	Ando M, Kawazu M, Ueno T, Fukumura K, Yamato A, Soda M, Yamashita Y, Choi YL, Yamasoba T, Mano H.	耳鼻咽喉科・聴覚音声外科	Cancer-associated missense mutations of caspase-8 activate nuclear factor-kappaB signaling.	Cancer Sci. 2013; 104: 1002-8
331	Yamada Y, Fujimura T, Takahashi S, Takayama K, Urano T, Murata T, Obinata D, Ouchi Y, Homma Y, Inoue S.	泌尿器科	Clinical significance of amyloid precursor protein in patients with testicular germ cell tumor.	Adv Urol. 2013;2013:348438.
332	Dohi T, Miyauchi K, Ohkawa R, Nakamura K, Kurano M, Kishimoto T, Yanagisawa N, Ogita M, Miyazaki T, Nishino A, Yaginuma K, Tamura H, Kojima T, Yokoyama K, Kurata, T, Shimada K, Daida H, Yatomi Y.	検査部	Increased lysophosphatidic acid levels in culprit coronary arteries of patients with acute coronary syndrome.	Atherosclerosis 2013 ;229: 192-197.
333	Kurano M, Tsukamoto K, Ohkawa R, Hara M, Iino J, Kageyama Y, Ikeda H, Yatomi Y.	検査部	Liver involvement in sphingosine 1-phosphate dynamism revealed by adeniviral hepatic overexpression of apolipoprotein M.	Atherosclerosis Atherosclerosis 2013 ;229:102-109.
334	Saeki H, Hirota T, Nakagawa H, Tsunemi Y, Kato T, Shibata S, Sugaya M, Sato S, Doi S, Miyatake A, Ebe K, Noguchi E, Ebihara T, Amagai M, Esaki H, Takeuchi S, Furue M,	皮膚科	Genetic polymorphisms in the IL22 gene are associated with psoriasis vulgaris in a Japanese population.	J Dermatol Sci. 2013;71(2):148-150.
335	Morita T, Miyashita M, Yamagishi A, Akiyama M, Akizuki N, Hirai K, Imura C, Kato M, Kizawa Y, Shirahige Y, Yamaguchi T, Eguchi K.	22世紀医療センター	Effects of a programme of interventions on regional comprehensive palliative care for patients with cancer: a mixed-methods study.	Lancet Oncol. 2013 Jun;14(7):638-46.
336	Mimura T, Yamagami S, Kamei Y, Goto M, Matsubara M.	眼科・視覚矯正科	Influence of axial length on conjunctivochalasis.	Cornea 32:1126-1130, 2013
337	Mitsuda M, Yamaguchi M, Nakagami R, Furuta T, Sekine N, Niitsu M, Moriyama N, Fujii H.	放射線科	Intensity correction method customized for multi-animal abdominal MR imaging with 3T clinical scanner and multi-array coil.	Magn Reson Med Sci. 2013; 12(2): 95-103
338	Tsuchiya K, Aoki S, Shimoji K, Mori H, Kunimatsu A.	放射線科	Consecutive acquisition of time-resolved contrast-enhanced MR angiography and perfusion MR imaging with added dose of Gadolinium-based contrast agent aids diagnosis of suspected brain metastasis.	Magn Reson Med Sci. 2013; 12(2): 87-93
339	Miyabe Y, Miyabe C, Iwai Y, Takayasu A, Fukuda S, Yokoyama W, Nagai J, Jona M, Tokuhara Y, Ohkawa R, Albers HM, Ovaa H, Aoki J, Chun J, Yatomi Y, Ueda H, Miyasaka, M, Miyasaka N,	検査部	Lysophosphatidic acid receptor LPA is essential for development of arthritis.	Arthritis. Rheum. 2013 ;65:2037-2047.

番号	発表者氏名	発表者の所属	題名	雑誌名
340	Zhang S, Fujita H, Mitsui H, Fuentes-Duculan J, Yanofsky VR, Pettersen JS, Suárez-Fariñas M, Gonzalez J, Wang QF, Bruce MJ, Krueger JG, Felsen D,	皮膚科	Increased Tc22 and Treg/CD8 ratio contribute to aggressive growth of transplant associated squamous cell carcinoma.	PLOS ONE. 2013;8(5):e62154.
341	Kawaguchi Y, Ishizawa T, Kokudo N.	肝胆脾外科、人工臓器・移植外科	Reply to: "portal uptake function in veno-occlusive regions evaluated by real-time fluorescent imaging using indocyanine green"	J Hepatol. 2013 Sep;59(3):632-3.
342	Fujimoto H, Suzuki T, Aizawa K, Sawaki D, Ishida J, Ando J, Fujita H, Komuro I, Nagai R.	22世紀医療センター	Processed B-type natriuretic peptide is a biomarker of postinterventional restenosis in ischemic heart disease.	Clin Chem. 2013 Sep;59(9):1330-7.
343	Taketani T, Takita J, Ueyama J, Kanai R, Kumori K, Maruyama R, Hayashi K, Ogawa S, Fukuda S, Yamaguchi S.	小児科	Ectopic neuroblastoma in monozygotic twins with different ages of onset: possible twin-to-twin metastasis in utero with distinct genetic alterations after birth.	J Pediatr Hematol Oncol. 2014 Mar;36(2):166-8.
344	Saito A, Taketani T, Kanai R, Kanagawa T, Kumori K, Yamamoto N, Ishikawa N, Takita J, Yamaguchi S	小児科	A Case With Sacrococcygeal Primitive Myxoid Mesenchymal Tumor of Infancy: A Case Report and Review of the Literature.	J Pediatr Hematol Oncol. 2013;35:e280-2
345	Yoshimura N, Muraki S, Oka H, Morita M, Yamada H, Tanaka S, Kawaguchi H, Nakamura K, Akune T	22世紀医療センター	Profiles of vitamin D insufficiency and deficiency in Japanese men and women: association with biological, environmental, and nutritional factors and coexisting disorders: the ROAD study.	Osteoporos Int. 2013; 24: 2775-87
346	Utsunomiya T, Shimada M, Kudo M, Ichida T, Matsui O, Izumi N, Matsuyama Y, Sakamoto M, Nakashima O, Ku Y, Kokudo N, Makuchi M	肝胆脾外科、人工臓器・移植外科	Nationwide study of 4741 patients with non-B non-C hepatocellular carcinoma with special reference to the therapeutic impact.	Ann Surg. 2014 Feb;259(2):336-45
347	Hirano K, Ikemura M, Mizuno S, Tada M, Isayama H, Watanabe T et al.	人体病理学教室	Two cases with hepatic amyloidosis suspected of having primary sclerosing cholangitis.	Hepatol Res. 2013 Aug;43(8):911-6.
348	Fujimura S, Ueta T, Takahashi H, Obata R, Smith RT, Yanagi Y.	眼科・視覚矯正科	Characteristics of fundus autofluorescence and drusen in the fellow eyes of Japanese patients with exudative age-related macular degeneration.	Graefes Arch Clin Exp Ophthalmol 251:1-9, 2013
349	Kato M, Koh, K, Oshima K, Oguma E, Uchida H, Kishimoto H, Kikuchi A, Hanada R	小児科	A long-term survivor of relapsed stage IV malignant rhabdoid tumor of the kidney.	Pediatrics International. 2013;55:245-8
350	Shimizu K, Yamagata K, Kurokawa M, Mizutani S, Tsunematsu Y, Kitabayashi I.	血液腫瘍内科	Roles of AML1/RUNX1 in T-cell malignancy induced by loss of p53.	Cancer Sci. 104(8):1033-8
351	Sonoo T, Wada T, Inokuchi R, et al	救急部・集中治療部	Putamen hemorrhage occurred simultaneously with Stanford type A acute aortic dissection: a case report.	Am J Emerg Med. 2013 Jun;31(6):995.e3-4. doi: 10.1016/j.jem.2013.01.023. Epub 2013 May 13

番号	発表者氏名	発表者の所属	題名	雑誌名
352	Tomizawa N, Maeda E, Akahane M, Torigoe R, Kiryu S, Ohtomo K.	放射線科	Coronary CT angiography using the second-generation 320-detector row CT: assessment of image quality and radiation dose in various heart rates compared with the first-generation scanner.	Int J Cardiovasc Imaging. 2013; 29(7): 1613-8
353	Toya T, Shinohara A, Tatsuno K, Seo S, Nannya Y, Ichikawa M, Makimura K, Moriya K, Kurokawa M.	感染制御部	A case of <i>Schizophyllum commune</i> sinusitis following unrelated cord blood transplantation for acute lymphoblastic leukemia.	Int J Hematol. 2013 Aug;98(2):261-3
354	Ogura S, Shimosawa T, Mu S, Sonobe T, Kawakami-Mori F, Wang H, Uetake, Y, Yoshida K, YatomiY, Shirai M, Fujita T.	検査部	Oxidative stress augments pulmonary hypertension in chronically hypoxic mice overexpressing oxidized LDL receptor.	Am. J. Physiol. Heart Circ. Physiol. 2013 ;305:H155-162.
355	Tanaka K, Inokuchi R, Namai Y, et al	救急部・集中治療部	Retropharyngeal cellulitis in adolescence.	BMJ Case Rep. 2013 May 17;2013. pii: bcr2013009684. doi: 10.1136/bcr-2013-009684
356	Yasaka K, Katsura M, Akahane M, Sato J, Matsuda I, Ohtomo K.	放射線科	Model-based iterative reconstruction for reduction of radiation dose in abdominopelvic CT: comparison to adaptive statistical iterative reconstruction.	Springerplus. 2013; 2(1): 209
357	Kubota H, Miyata H, Motomura N, Ono M, Takamoto S, Harii K, Oura N, Hirabayashi S, Kyo S.	心臓外科	Deep sternal wound infection after cardiac surgery	J Cardiothorac Surg. 2013 May 20;8:132
358	Aoki Y, Orikabe L, Takayanagi Y, Yahata N, Mozue Y, Sudo Y, Ishii T, Itokawa M, Suzuki M, Kurachi M, Okazaki Y, Kasai K, Yamasue H	精神神経科	Volume reductions in frontopolar and left perisylvian cortices in methamphetamine induced psychosis.	Schizophr Res. 2013;147(2-3): 355-361
359	Coggon D, Ntani G, Palmer KT, Felli VE, Harari R, Barrero LH, Felknor SA, Gimeno D, Cattrell A, Serra C, Bonzini M, Solidaki E, Merisalu E, Habib RR, Sadeghian F, Masood Kadir M, Warnakulasuriya SS, Matsudaira K, Nyantumbu B, Sim MR, Harcombe H, Cox K, Ma	22世紀医療センター	Disabling musculoskeletal pain in working populations: Is it the job, the person or the culture?	Pain 2013; 154: 856-63
360	Sugihara T, Tsuru N, Kume H, Homma Y, Ihara H.	泌尿器科	Relapse of Scrotal Calcinosis 7 Years after Primary Excision.	Urol Int. 2013 May 14.
361	Endre ZH, Kellum JA, Di Somma S, Doi K, Goldstein SL, Koyner JL, Macedo E, Mehta RL, Murray PT.	救急部・集中治療部	Differential diagnosis of AKI in clinical practice by functional and damage biomarkers: workgroup statements from the tenth Acute Dialysis Quality Initiative Consensus Conference.	Contrib Nephrol. 2013;182:30-44.

番号	発表者氏名	発表者の所属	題名	雑誌名
362	Suka M, Odajima T, Kasai M, Igarashi A, Ishikawa H, Kusama M, Nakayama T, Sumitani M, Sugimori H	麻酔科・痛みセンター	The 14-item health literacy scale for Japanese adults (HLS-14)	Environ Health Prev Med. 2013 Sep;18(5):407-15. doi: 10.1007/s12199-013-0340-z. Epub 2013 May 21.
363	Sato M, Kato N, Tateishi R, Muroyama R, Kowatari N, Li W, Goto K, Otsuka M, Shiina S, Yoshida H, Omata M, Koike K	消化器内科	IL28B minor allele is associated with a younger age of onset of hepatocellular carcinoma in patients with chronic hepatitis C virus infection.	J Gastroenterol 2013
364	Ogura K, Yasunaga H, Horiguchi H, Ohe K, Shinoda Y, Tanaka S, Kawano H.	医療経営政策学講座	Incidence and risk factors for pulmonary embolism following primary musculoskeletal tumor surgery: Analysis of a national administrative database.	Clin Orthop Relat Res 2013;471:3310-6.
365	Nakai Y, Isayama H, Ijichi H, Sasaki T, Takahara N, Ito Y, Matsubara S, Uchino R, Yagioka H, Arizumi T, Hamada T, Miyabayashi K, Mizuno S, Yamamoto K, Kogure H, Yamamoto N, Hirano K, Sasahira N, Tateishi K, Tada M, Koike K.	消化器内科	A multicenter phase II trial of gemcitabine and candesartan combination therapy in patients with advanced pancreatic cancer: GECA2.	Invest New Drugs. 2013 Oct;31(5):1294-9.
366	Coggon D, Ntani G, Vargas-Prada S, Martinez JM, Serra C, Benavides FG, Palmer KT and other members of the CUPID Collaborators (Felli VE, Harari R, Barrero LH, Felknor SA, Gimeno D, Cattrell A, Bonzini M, Solidaki E, Merisalu E, Habib RR, Sadeghian F, Kadi	22世紀医療センター	International variation in absence from work attributed to musculoskeletal illness: findings from the CUPID study.	Occup Environ Med 2013; 70: 575-84
367	Yoshizato T, Watanabe-Okochi N, Nannya Y, Ichikawa M, Takahashi T, Sato T, Masuda A, Yatomi Y, Tsuno NH, Kurokawa M, Takahashi K	検査部	Prediction model for CD34 positive cell yield in peripheral blood stem cell collection on the fourth day after G-CSF administration in healthy donors.	Int. J. Hematol. 2013 ;98:56-65.
368	Hamada T, Yasunaga H, Nakai Y, Isayama H, Horiguchi H, Matsuda S, Fushimi K, Koike K.	医療経営政策学講座	Rarity of severe bleeding and perforation in endoscopic ultrasound-guided fine needle aspiration for submucosal tumors.	Digestive Diseases Science 2013;58:2634-8.
369	Uni M, Yoshimi A, Maki H, Maeda D, Nakazaki K, Nakamura F et al.	人体病理学教室	Successful treatment with recombinant thrombomodulin for B-cell lymphoma-associated hemophagocytic syndrome complicated by disseminated intravascular coagulation.	Int J Clin Exp Pathol. 2013 May;6(6):1190-4.
370	Hoshina K, Akai T, Takayama T, Kato M, Nakazawa T, Okamoto H, et al.	大腸肛門外科・血管外科	Outcomes and morphologic changes after endovascular repair for abdominal aortic aneurysms with a severely angulated neck-a device-specific analysis.	Circulation journal : official journal of the Japanese Circulation Society. 2013 77(8):1996-2002.

番号	発表者氏名	発表者の所属	題名	雑誌名
371	Yamamoto S, Tateishi K, Kudo Y, Yamamoto K, Isagawa T, Nagae G, Nakatsuka T, Asaoka Y, Ijichi H, Hirata Y, Otsuka M, Ikenoue T, Aburatani H,	消化器内科	Histone demethylase KDM4C regulates sphere formation by mediating the cross talk between Wnt and Notch pathways in colonic cancer cells.	Carcinogenesis. 2013 Oct;34(10):2380-8.
372	Yoshikawa T, Hayashi N, Maeda E, Matsuda I, Sasaki H, Ohtsu H, Ohtomo K.	放射線科	Peritoneal fluid accumulation in healthy men and postmenopausal women: evaluation on pelvic MRI.	AJR Am J Roentgenol. 2013; 200(6): 1181-5
373	Ohashi N, Nakamura K, Inokuchi R, et al	救急部・集中治療部	EDTA-dependent pseudothrombocytopenia complicated by eosinophilic pneumonia.	Am J Emerg Med.2013;31(7):1157.e 5-7.
374	Kushiyama A, Sakoda H, Oue N, Okubo M, Nakatsu Y, Ono H, Fukushima T, Kamata H, Nishimura F, Kikuchi T, Fujishiro M, Nishiyama K, Aburatani H, Kushiyama S, Iizuka M, Taki N, Encinas J, Sentani K, Ogonuki N, Ogura A, Kawazu S, Yasui W, Higashi Y, Kurihara H, Katagiri H, Asano T	糖尿病・代謝内科	Resistin-like molecule beta is abundantly expressed in foam cells and is involved in atherosclerosis development.	Arterioscler Thromb Vasc Biol. 2013;33(8):1986-93.
375	Toyono T, Usui T, Yokoo S, Kimakura M, Nakagawa S, Yamagami S, Miyata K, Oike Y, Amano S.	眼科・視覚矯正科	Angiopoietin-like protein 2 is a potent hemangiogenic and lymphangiogenic factor in corneal inflammation.	Invest Ophthalmol Vis Sci 54:4278-4285, 2013
376	Suenaga H, Hoang Tran H, Liao H, Masamune K, Dohi T, Hoshi K, Mori Y, Takato T	顎口腔外科・歯科矯正歯科	Real-time <i>in situ</i> three-dimensional integral videography and surgical navigation using augmented realitya pilot study.	Int J Oral Sci. 2013 Jun;5(2):98-102.
377	Yotsuyanagi H, Ito K, Yamada N, Takahashi H, Okuse C, Yasuda K, Suzuki M, Moriya K, Mizokami M, Miyakawa Y, Koike K.	感染症内科	High levels of hepatitis B virus after the onset of disease lead to chronic infection in patients with acute hepatitis B.	Clin Infect Dis. 2013;57:935-42.
378	Koike S, Sasaki R.	精神神経科	Multi-modal brain imaging showing brain damage to the orbitofrontal cortex and left hemisphere, in a case of prolonged hypoglycemia-induced transient hemiplegia followed by persistent encephalopathy.	Psychiatry Clin Neurosci. 2013;67(5):360-2.
379	Chikuda H, Yasunaga H, Horiguchi H, Takeshita K, Sugita S, Taketomi S, Fushimi K, Tanaka S.	医療経営政策学講座	Impact of Age and Comorbidity Burden on Mortality and Major Complications in Older Adults Undergoing Orthopaedic Surgery: An Analysis Using the Japanese Diagnosis Procedure Combination Database.	BMC Musculoskeletal Disorders 2013;14(1):173
380	Saito T, Takeda N, Amiya E, Nakao T, Abe H, Semba H, Soma K, Koyama K, Hosoya Y, Imai Y, Isagawa T, Watanabe M, Manabe I, Komuro I, Nagai R,	検査部	VEGF-A induces its negative regulator, soluble form of VEGFR-1, by modulating its alternative splicing.	FEBS Lett. 2013 Jul 11;587(14):2179-85.
381	Mimura T, Yamagami S, Kamei Y, Goto M, Matsubara M.	眼科・視覚矯正科	Specific IgE in tear fluid and features of allergic conjunctivitis.	Curr Eye Res 38:917-925, 2013

番号	発表者氏名	発表者の所属	題名	雑誌名
382	Taketomi S, Inui H, Hirota J, Nakamura K, Sanada T, Masuda H, Tanaka S, Nakagawa T.	整形外科・脊椎外科	Iliotibial band irritation caused by the EndoButton after anatomic double-bundle anterior cruciate ligament reconstruction: report of two cases.	Knee. 2013 Aug;20(4):291-4
383	Narushima M, Yamasoba T, Iida T, Sakamoto T, Kashio A, Karino S, Yamamoto T, Kikuchi K, Mihara M, Koshima I	耳鼻咽喉科・聴覚音声外科	Supermicrosurgical Reconstruction for Congenital Aural Atresia Using a Pure Skin Perforator Flap: Concept and Long-Term Results	Plastic and Reconstructive Surgery. 2013; 131: 1359-1366
384	Gao J, Inagaki Y, Li X, Kokudo N, Tang W.	肝胆脾外科、人工臓器・移植外科	Research progress on natural products from traditional Chinese medicine in treatment of Alzheimer's disease.	Drug Discov Ther. 2013 Apr;7(2):46-57
385	Kokudo N, Shindoh J.	肝胆脾外科、人工臓器・移植外科	How can we safely climb the ALPPS?	Updates Surg. 2013 Sep;65(3):175-7
386	Kurosawa S, Miyawaki S, Yamaguchi T, Kanamori H, Sakura T, Moriuchi Y, Sano F, Kobayashi T, Yasumoto A, Hatanaka K, Yanada M, Nawa Y, Takeuchi J, Nakamura Y, Fujisawa S, Shibayama H, Miura I, Fukuda T.	22世紀医療センター	Prognosis of patients with core binding factor acute myeloid leukemia after first relapse.	Haematologica 2013; 98(10): 1525-31.
387	Ozasa Y, Akazawa H, Qin Y, Tateno K, Ito K, Kudo-Sakamoto Y, Yano M, Yabumoto C, Naito AT, Oka T, Lee JK, Minamino T, Nagai T, Kobayashi Y, Komuro I	22世紀医療センター	Notch activation mediates angiotensin II-induced vascular remodeling by promoting the proliferation and migration of vascular smooth muscle cells	Hypertens Res. 2013;36: 859-65
388	Yamaguchi S, Wu SI, Biswas M, Yate M, Aoki Y, Barley EA, Thornicroft G	精神神経科	Effects of short-term interventions to reduce mental health-related stigma in university or college students: a systematic review.	J Nerv Ment Dis. 2013;201(6):490-503
389	Mizuno S, Nakai Y, Isayama H, Takahara N, Miyabayashi K, Yamamoto K, Kawakubo K, Mohri D, Kogure H, Sasaki T, Yamamoto N, Sasahira N, Hirano K, Tsujino T, Ijichi H, Tateishi K, Tada M, Koike K.	消化器内科	Diabetes is a useful diagnostic clue to improve the prognosis of pancreatic cancer.	Pancreatology. 2013 May-Jun;13(3):285-9.
390	Zhang J, Nakatsu Y, Shinjo T, Guo Y, Sakoda H, Yamamotoya T, Otani Y, Okubo H, Kushiyama A, Fujishiro M, Fukushima T, Tsuchiya Y, Kamata H, Iwashita M, Nishimura F, Katagiri H, Takahashi S, Kurihara H, Uchida T, Asano T.	糖尿病・代謝内科	Par14 protein associates with insulin receptor substrate 1 (IRS-1), thereby enhancing insulin-induced IRS-1 phosphorylation and metabolic actions.	J Biol Chem. 2013;288(28):20692-701.
391	Yoshino M, Kin T, Nakatomi H, Oyama H, Saito N.	脳神経外科	Presurgical planning of feeder resection with realistic three-dimensional virtual operation field in patient with cerebellopontine angle meningioma	Acta Neurochir (Wien). 2013;155(8):1391-9

番号	発表者氏名	発表者の所属	題名	雑誌名
392	Ito N, Ito K, Koshimichi H, Hisaka A, Honma M, Igarashi T, Suzuki H	小児科	Contribution of protein binding, lipid partitioning, and asymmetrical transport to drug transfer into milk in mouse versus human.	Pharm Res. 2013;30(9):2410-22
393	Ushiku T, Arnason T, Ban S, Hishima T, Shimizu M, Fukayama M et al.	人体病理学教室	Very well-differentiated gastric carcinoma of intestinal type: analysis of diagnostic criteria.	Mod Pathol. 2013 Dec;26(12):1620-31.
394	Kojima T, Imai Y, Fujiu K, Asada K, Ando J, Watanabe M, Yamashita H, Komuro I	循環器内科	An elevated cibenzoline level interacted with cyclosporine caused ventricular tachyarrhythmia and high defibrillation threshold in hypertrophic cardiomyopathy	Int J Cardiol 2013; 168(1):e24-6
395	Homma Y, Nomiya A, Tagaya M, Oyama T, Takagaki K, Nishimatsu H, Igawa Y.	泌尿器科	Increased mRNA expression of genes involved in pronociceptive inflammatory reactions in bladder tissue of interstitial cystitis.	J Urol. 2013 Nov;190(5):1925-31.
396	Coggon D, Ntani G, Palmer KT, Fell VE, Harari R, Barrero LH, Felknor SA, Gimeno D, Cattrell A, Vargas-Prada S, Bonzini M, Solidaki E, Merisalu E, Habib RR, Sadeghian F, Masood Kadir M, Warnakulasuriya SS, Matsudaira K, Nyantumbu B, Sim MR, Harcombe H, Co	22世紀医療センター	Patterns of multi-site pain and associations with risk factors.	Pain 2013; 154: 1769-77
397	Miura K, Sekine T, Takahashi K, Takita J, Harita Y, Ohki K, Park MJ, Hayashi Y, Tajima A, Ishihara M, Hisano M, Murai M, Igarashi T	小児科	Mutational analyses of the ATP6V1B1 and ATP6V0A4 genes in patients with primary distal renal tubular acidosis.	Nephrol Dial Transplant. 2013;28:2123-30
398	Mitsuzuka K, Koie T, Narita S, Kaiho Y, Yoneyama T, Tsuchiya N, Kakoi N, Kawamura S, Tochigi T, Ohyama C, Habuchi T, Yamaguchi T, Arai Y.	22世紀医療センター	Changes in indications and oncological outcomes of radical prostatectomy after 2000--data from 1268 Japanese patients treated with radical prostatectomy between 2000 and 2009.	Jpn J Clin Oncol. 2013 Aug;43(8):821-6.
399	Yasuda Y, Fukumura K, Fukuda T, Uchida Y, Iida H, Meguro M, Sato Y, Yamasoba T, Nakajima T.	22世紀医療センター	Muscle size and arterial stiffness after blood flow-restricted low-intensity resistance training in older adults.	Scand J Med Sci Sports. 2013 Jun 3
400	Kurobe H, Hirata Y, Matsuoka Y, Sugawara N, Higashida M, Nakayama T, Maxfield MW, Shimabukuro M, Kitagawa T, Sato M	小児科	Protective effects of selective mineralocorticoid receptor antagonist against aortic aneurysm progression in a novel murine model.	J Surg Res. 2013;185:455-62
401	Ichimura T, Morikawa T, Kawai T, Nakagawa T, Matsushita H, Kakimi K et al.	人体病理学教室	Cyclin D1 harboring the T286I mutation promotes oncogenic activation in endometrial cancer.	Oncol Rep. 2013 Aug;30(2):584-8.
402	Kawaguchi Y, Sugawara Y, Ishizawa T, Satou S, Kaneko J, Tamura S, Aoki T, Sakamoto Y, Hasegawa K, Kokudo N.	肝胆膵外科、人工臓器・移植外科	Identification of veno-occlusive regions in a right liver graft after reconstruction of vein segments 5 and 8: application of indocyanine green fluorescence imaging.	Liver Transpl. 2013 Jul;19(7):778-9.

番号	発表者氏名	発表者の所属	題名	雑誌名
403	Aikou S, Aida J, Takubo K, Yamagata Y, Seto Y, Kaminishi M, Nomura S.	胃食道・乳腺内分泌外科	Columnar metaplasia in a surgical mouse model of gastro-esophageal reflux disease is not derived from bone marrow-derived cell.	Cancer Sci. 2013 Sep;104(9):1154-61.
404	Aoki Y, Inokuchi R, Suwa H, et al	救急部・集中治療部	Age-related change of neurochemical abnormality in attention-deficit hyperactivity disorder: a meta-analysis.	Neurosci Biobehav Rev.2013;37(8):1692-701.
405	Kakutani S, Kume H, Hirano Y, Wakita T, Homma Y.	泌尿器科	Renal cell carcinoma with intraluminal spread of the entire upper urinary tract.	Case Rep Med.2013;2013:371387.
406	Ikegami T, Bundo M, Murata Y, Kasai K, Kato T, Iwamoto K.	精神神経科	DNA methylation of the BDNF gene and its relevance to psychiatric disorders.	Journal of Human Genetics 2013;58:434-438.
407	Fujii K, Nagai R	循環器内科	Contributions of cardiomyocyte-cardiac fibroblast-immune cell interactions in heart failure development	Basic Res Cardiol 2013;108(4):357
408	Ooba N, Setoguchi S, Ando T, Sato T, Yamaguchi T, Mochizuki M, Kubota K.	22世紀医療センター	Claims-based definition of death in Japanese claims database: validity and implications.	PLoS One. 2013 May 31;8(5):e66116.
409	Koike S, Takizawa R, Nishimura Y, Kinou M, Kawasaki S, Kasai K	精神神経科	Reduced but broader prefrontal activity in patients with schizophrenia during n-back working memory tasks: a multi-channel near-infrared spectroscopy study.	J Psychiatr Res.2013;47(9):1240-1246
410	Iwata H., Manabe I., Nagai R.	循環器内科	Lineage of bone marrow-derived cells in atherosclerosis	Circ Res. 2013;112(12):1634-47
411	Dewi N, Yanagie H, Zhu H, Demachi K, Shinohara A, Yokoyama K, Sekino M, Sakurai Y, Morishita Y, Iyomoto N, Nagasaki T, Horiguchi Y, Nagasaki Y, Nakajima J, Ono M, Kakimi K, Takahashi H.	心臓外科	Tumor growth suppression by gadolinium-neutron capture therapy using gadolinium-entrapped liposome as gadolinium delivery agent	Biomed Pharmacother. 2013 Jul;67(6):451-7
412	Matsumoto S, Sakata Y, Suna S, Nakatani D, Usami M, Hara M, Kitamura T, Hamasaki T, Nanto S, Kawahara Y, Komuro I.	循環器内科	Circulating p53-responsive microRNAs are predictive indicators of heart failure after acute myocardial infarction	Circ Res 2013;113(3):322-6
413	Morita K, Yoshimi A, Masuda A, Ichikawa M, Yatomi Y, Kurokawa M.	検査部	Unique association of Waldenström macroglobulinemia with optic neuritis and monoclonal T cell expansion.	Int J. Hematol. 2013 ;98:247-249.
414	Fujita H	皮膚科	The role of IL-22 and Th22 cells in human skin diseases.	J Dermatol Sci. 2013;72(1):3-8.
415	Yoshizato T, Nannya Y, Imai Y, Ichikawa M, Kurokawa M.	血液腫瘍内科	Clinical significance of serum-soluble interleukin-2 receptor in patients with follicular lymphoma.	Clin Lymphoma Myeloma Leuk. 13(4):410-6
416	Sasaki T, Isayama H, Nakai Y, Takahara N, Satoh Y, Takai D, Kogure H, Yamamoto N, Hirano K, Tada M, Yatomi Y, Koike K.	消化器内科	A pilot study of salvage irinotecan monotherapy for advanced biliary tract cancer.	Anticancer Res. 2013 Jun;33(6):2619-22.
417	Thomas BS, Okamoto K, Bankowski MJ, Seto TB.	感染症内科	A lethal case of <i>Pseudomonas putida</i> <td>Infect Dis Clin Pract. 2013;21:147-213.</td>	Infect Dis Clin Pract. 2013;21:147-213.

番号	発表者氏名	発表者の所属	題名	雑誌名
418	Nakayama T, Kurobe H, Sugasawa N, Kinoshita H, Higashida M, Matsuoka Y, Yoahida Y, Hirata Y, Sakata M, Maxfield MW, Shimabukuro M, Takahama Y, Sata M, Toshiaki T,	小児科	Role of macrophage-derived hypoxia-inducible factor (HIF)-1alpha as a mediator of vascular remodeling.	Cardiovasc Res. 2013;99:705-15
419	ishimaru T,Takazawa S,Uchida H,Kawashima H,Fujii M,Harada K,Sugita N,Mitsubishi M,Iwanaka T.	小児外科	Development of a needle driver with multiple degrees of freedom for neonatal laparoscopic surgery.	J Laparoendosc Adv Surg Tech A . 2013 Jul;23(7):644-8.
420	Ohmatsu H, Sugaya M, Fujita H, Kadono T, Sato S	皮膚科・皮膚光線レーザー科	Primary cutaneous follicular helper T-cell lymphoma treated with allogeneic bone marrow transplantation: immunohistochemical comparison with angioimmunoblastic T-cell lymphoma.	Acta Derm Venereol.2014;94(1):54-7.
421	Mitsui J, Matsukawa T, hiura H, Fukuda Y, Ichikawa Y, Date H, Ahsan B, akahara Y, Momose Y, Takahashi Y, Iwata A, Goto J, Yamamoto Y, Komata M, Shirahige K, Hara K, Kakita A, Yamada M, Takahashi H, Onodera O, Nishizawa M, Takashima H, Kuwano R, Watanabe H, Ito M, Sobue G, Soma H, Yabe I, Sasaki H, Aoki M, Ishikawa K, Mizusawa H, Kanai K, attori T, Kuwabara S, Arai K, Koyano S, Kuroiwa Y, Hasegawa K, Yuasa T, Yasui K, Nakashima K, Ito H, Izumi Y, Kaji R, Kato T, Kusunoki S, Osaki Y, oriuchi M, Kondo T, Murayama S, attori N, Yamamoto M, urata M, Satake W, Toda T, Dürr A, Brice A, Filla A, Klockgether T, Wüllner U, Nicholson G, Gilman S, Shults CW, Tanner CM, Kukull WA, Lee VM-Y, Masliah E, Low PA, androni P, Trojanowski JQ, Ozelius L, Foroud T, and Tsuji S.	神経内科	Mutations of COQ2 in familial and sporadic multiple system atrophy.	New Engl. J. Med. 369:233-44, 2013
422	Sugita S, Chikuda H, Ohya J, Taniguchi Y, Takeshita K, Haga N et al.	人体病理学教室	Cervical canal stenosis caused by progressive fusion and enlargement of cervical vertebrae with features of Proteus syndrome and Klippel-Feil syndrome.	Skeletal Radiol. 2013 Dec;42(12):1743-6.
423	Mishima K, Tomidokoro A, Suramethakul P, Mataki N, Kurita N, Mayama C, Araie M.	眼科・視覚矯正科	Iridotrabecular contact observed using anterior segment three-dimensional OCT in eyes with a shallow peripheral anterior chamber.	Invest Ophthalmol Vis Sci 54:4628-4635, 2013

番号	発表者氏名	発表者の所属	題名	雑誌名
424	Mayama C, Saito H, Hirasawa H, Konno S, Tomidokoro A, Araie M, Iwase A, Ohkubo S, Sugiyama K, Otani T, Kishi S, Matsushita K, Maeda N, Hangai M, Yoshimura N.	眼科・視覚矯正科	Circle- and grid-wise analyses of peripapillary nerve fiber layers by spectral domain optical coherence tomography in early-stage glaucoma.	Invest Ophthalmol Vis Sci 54:4519-4526, 2013
425	Niikura R, Nagata N, Yamano K, Shimbo T, Uemura N.	消化器内科	High-dose barium impaction therapy is useful for the initial hemostasis and for preventing the recurrence of colonic diverticular bleeding unresponsive to endoscopic clipping.	Case Rep Gastrointest Med. 2013;2013:365954,
426	Kadota K, Nitadori JI, Adusumilli PS.	呼吸器外科	Prognostic value of the immune microenvironment in lung adenocarcinoma.	Oncimmunology. 2013;2(5):e24036.
427	Iizuka T, Sawabe M, Takubo K, Liu M, Homma Y, Suzuki M, Arai T.	泌尿器科	hTERT promoter polymorphism, -1327C>T, is associated with the risk of epithelial cancer.	Springerplus. 2013 May 31;2(1):249.
428	Takizawa R, Fukuda M, Kawasaki S, Kasai K, Mimura M, Pu S, Noda T, Niwa SI, Okazaki Y; on behalf of the Joint Project for Psychiatric Application of Near-Infrared Spectroscopy (JPSY-NIRS) Group (Ishii-Takahashi A).	こころの発達診療部	Neuroimaging-aided differential diagnosis of the depressive state.	Neuroimage. 85 Pt1: 498-507, 2014.
429	Kadonoono K, Yamane S, Arakawa A, Inoue M, Yamakawa T, Uchio E, Yanagi Y, Amano S.	眼科・視覚矯正科	Endovascular cannulation with a microneedle for central retinal vein occlusion.	JAMA Ophthalmol 131:783-786, 2013
430	Yamashita S, Sakabe M, Ishizawa T, Hasegawa K, Urano Y, Kokudo N.	肝胆脾外科、人工臓器・移植外科	Visualization of the leakage of pancreatic juice using a chymotrypsin-activated fluorescent probe.	Br J Surg. 2013 Aug;100(9):1220-8
431	Iwasaki S, Egami N, Inoue A, Kinoshita M, Fujimoto C, Murofushi T, Yamasoba T.	耳鼻咽喉科・聴覚音声外科	Ocular vestibular evoked myogenic potential elicited from binaural air-conducted stimulations: clinical feasibility in patients with peripheral vestibular dysfunction.	Acta Otolaryngol. 2013; 133: 708-713
432	Konoeda C, Koinuma D, Morishita Y, Sano A, Nagayama K, Motomura N, Kakimi K, Miyazono K, Nakajima J, Nicolls MR, Murakawa T.	呼吸器外科	Epithelial to mesenchymal transition in murine tracheal allotransplantation: an immunohistochemical observation.	Transplant Proc. 2013;45(5):1797-1801
433	Ono M, Nishimura T, Kinoshita O, Shiga T, Kinugawa K, Nagai R, et al.	22世紀医療センター	Improved survival in patients with continuous-flow ventricular assist device for bridge to heart transplantation.	Transplant Proc. 2013;45(5):2017-8. doi: 10.1016/j.transproceed.2013.01.005.
434	Ohno Y, Maekawa Y, Miyata H, Inoue S, Ishikawa S, et al.	22世紀医療センター	Impact of Periprocedural Bleeding on Incidence of Contrast- Induced Acute Kidney Injury in Patients Treated with Percutaneous Coronary Intervention.	J Am Coll Cardiol. 2013;62(14):1260-6.

番号	発表者氏名	発表者の所属	題名	雑誌名
435	Fujimaki Y, Tsunoda K, Ishimoto SI, Okada K, Kinoshita M, Igaki H, Terahara A, Asakage T, Yamasoba T.	放射線科	Non-invasive objective evaluation of radiotherapy-induced dry mouth.	J Oral Pathol Med. 2014; 43(2): 97-102
436	Kamata M, Tada Y, Tatsuta A, Kawashima T, Shibata S, Mitsui H, Asano Y, Sugaya M, Kadono T, Kanda N, Watanabe S, Sato S	皮膚科	Cyclosporine A inhibits Interleukin-12p40 and Interleukin-23 production by human monocyte cell line, THP-1 cells.	Clin Exp Dermatol. 2013;38(5):545-548.
437	Kitamura T, Sakata Y, Nakatani D, Suna S, Usami M, Matsumoto S, Hara M, Hamasaki T, Nanto S, Sato H, Hori M, Iso H, Komuro I.	循環器内科	Living alone and risk of cardiovascular events following discharge after acute myocardial infarction in Japan	J Cardiol 2013;62(4):254-
438	Sato M, Tateishi R, Yasunaga H, Horiguchi H, Yoshida H, Matsuda S, Fushimi K, Koike K.	消化器内科	Acute liver disease in Japan: a nationwide analysis of the Japanese Diagnosis Procedure Combination database.	J Gastroenterol. 2014 Mar;49(3):547-54.
439	Jinzaki M, Hirano M, Hara K, Suzuki T, Yamashina A, Ikari Y, Iino M, Yamaguchi T, Kurabayashi S.	22世紀医療センター	A randomized, double-blind, placebo-controlled, phase II dose-finding study of the short acting beta1-blocker, Iandlol hydrochloride, in patients with suspected ischemic cardiac disease.	Int J Cardiovasc Imaging. 2013 Jun;29 Suppl 1:7-20.
440	Ichikawa Y, Ishiura H, Mitsui J, Takahashi Y, Kobayashi S, Takuma H, Kanazawa I, Doi K, Yoshimura J, Morishita S, Goto J, Tsuji S.	神経内科	Exome analysis reveals a Japanese family with spinocerebellar ataxia, autosomal recessive 1.	J. Neurol. Sci.;331:158-60, 2013.
441	Nishihara R, Morikawa T, Kuchiba A, Lochhead P, Yamauchi M, Liao X et al.	人体病理学教室	A prospective study of duration of smoking cessation and colorectal cancer risk by epigenetics-related tumor classification.	Am J Epidemiol. 2013 Jul;178(1):84-100.
442	Suga H, Sugaya M, Tamaki Z, Yamamoto M, Tada Y, Sato S	皮膚科	Varicella-like generalized pustulosis induced by adalimumab.	Int J Dermatol. 2013;52(7):890-892.
443	Gonoi W, Akahane M, Watanabe Y, Isono S, Maeda E, Hagiwara K, Ohtomo K.	放射線科	Visualization of bile movement using MRI spin-labeling technique: preliminary results.	AJR Am J Roentgenol. 2013; 201(1): 133-41
444	Nakaya K, Kubota N, Takamoto I, Kubota T, Katsuyama H, Sato H, Tokuyama K, Hashimoto S, Goto M, Jomori T, Ueki K, Kadokawa T.	糖尿病・代謝内科	Dipeptidyl peptidase-4 inhibitor anagliptin ameliorates diabetes in mice with haploinsufficiency of glucokinase on a high-fat diet.	Metabolism. 2013;62(7):939-51.
445	Tokuda Y, Miyata H, Motomura N, Araki Y, Oshima H, Usui A, Takamoto S; Japan Adult Cardiovascular Database Organization.	心臓外科	Outcome of pericardectomy for constrictive pericarditis in Japan: a nationwide outcome study	Ann Thorac Surg. 2013 Aug;96(2):571-6

番号	発表者氏名	発表者の所属	題名	雑誌名
446	Sato H, Yahata N, Funane T, Takizawa R, Katura T, Atsumori H, Nishimura Y, Kinoshita A, Kiguchi M, Koizumi H, Fukuda M, Kasai K	精神神経科	A NIRS-fMRI investigation of prefrontal cortex activity during a working memory task.	Neuroimage.2013;83:158-173
447	Kisu I, Mihara M, Banno K, Umene K, Araki J, Hara H, Suganuma N, Aoki D.	形成外科	Risks for donors in uterus transplantation.	Reprod Sci. 2013 Dec;20(12):1406-15
448	Sugihara T, Yasunaga H, Horiguchi H, Fujimura T, Nishimatsu H, Kume H, Ohe K, Matsuda S, Fushimi K, Homma Y.	医療経営政策学講座	Is mechanical bowel preparation in laparoscopic radical prostatectomy beneficial? An analysis of a Japanese national database.	BJU Int 2013 ;112(2):E76-81.
449	Tojima M, Ogata N, Honda M, Yozu A, Sumitani M, Haga N.	麻酔科・痛みセンター	A novel three-dimensional motion analysis method for measuring the lumbar spine range of motion: Repeatability and reliability compared with an electrogoniometer.	Spine (Phila Pa 1976). 2013 Oct 1;38(21):E1327-33. doi: 10.1097/BRS.0b013e3182a0dbc5.
450	Tsukamoto A, Yoshiki Y, Yamazaki S, Kumano K, Nakamura F, Kurokawa M.	血液・腫瘍内科	The significance of free light chain measurements in the diagnosis of myelomatous pleural effusion.	Ann Hematol 2014;93(3):507-8.
451	Sato Y, Yoshizato T, Shiraishi Y, Maekawa S, Okuno Y, Kamura T et al.	人体病理学教室	Integrated molecular analysis of clear-cell renal cell carcinoma.	Nat Genet. 2013 Aug;45(8):860-7.
452	Yamaguchi H, Kitayama J, Ishigami H, Emoto S, Yamashita H, Watanabe T.	大腸肛門外科・血管外科	A phase 2 trial of intravenous and intraperitoneal paclitaxel combined with S-1 for treatment of gastric cancer with macroscopic peritoneal metastasis.	Cancer. 2013 Sep 15. 119(18):3354-8.
453	Nishihara R, Lochhead P, Kuchiba A, Jung S, Yamauchi M, Liao X et al.	人体病理学教室	Aspirin use and risk of colorectal cancer according to BRAF mutation status.	JAMA. 2013 Jun;309(24):2563-71.
454	Takahashi M, Kanamori Y, Takahashi M, Momose T, Iwanaka	小児外科	Detection of a metastatic lesion and tiny yolk sac tumors in two teenage patients by FDG-PET: report of two cases.	Surg Today.2013 Jun26.[Epub ahead of print]
455	Shirakawa J, Togashi Y, Sakamoto E, Kaji M, Tajima K, Orime K, Inoue H, Kubota N, Kadokawa T, Terauchi Y.	糖尿病・代謝内科	Glucokinase activation ameliorates ER stress-induced apoptosis in pancreatic beta-cells.	Diabetes. 2013;62(10):3448-58.
456	Nagai R	循環器内科	The Japanese Circulation Society	Eur Heart J. 2013;34(18):1314-5
457	Suzuki Y, Takahashi N, Yada Y, Koike Y, Matano M, Kono Y	小児科	Hemophagocytic lymphohistiocytosis in a newborn infant born to a mother with Sjogren syndrome antibodies.	J Perinatol. 2013;33:569-71
458	Ihara R, Matsukawa K, Nagata Y, Kunugi H, Tsuji S, Chihara T, Kuranaga R, Miura M, Wakabayashi T, Hashimoto T and Iwatsubo T.	神経内科	RNA binding mediates neurotoxicity in the transgenic Drosophila model of TDP-43 proteinopathy.	Hum. Mol. Genet. 22:4474-84, 2013
459	Kumano K, Arai S, Kurokawa M.	血液腫瘍内科	Generation of iPS cells from normal and malignant hematopoietic cells.	Int J Hematol.98(2):145-52

番号	発表者氏名	発表者の所属	題名	雑誌名
460	Nitadori J, Colovos C, Kadota K, Sima CS, Sarkaria IS, Rizk NP, Rusch VW, Travis WD, Adusumilli PS.	呼吸器外科	Visceral pleural invasion does not affect recurrence or overall survival among patients with lung adenocarcinoma ≤ 2 cm: a proposal to reclassify T1 lung adenocarcinoma.	Chest. 2013;144(5):1622-31.
461	Yasuda I, Nakashima M, Iwai T, Isayama H, Itoi T, Hisai H, Inoue H, Kato H, Kanno A, Kubota K, Irisawa A, Igarashi H, Okabe Y, Kitano M, Kawakami H, Hayashi T, Mukai T, Sata N, Kida M, Shimosegawa T.	消化器内科	Japanese multicenter experience of endoscopic necrosectomy for infected walled-off pancreatic necrosis: The JENIPaN study.	Endoscopy. 2013 Aug;45(8):627-34.
462	Yamada A, Watabe H, Oka S, Kogure H, Imagawa H, Kobayashi Y, Suzuki H, Watari I, Aoyama T, Isayama H, Yamaji Y, Fujishiro M, Tanaka S, Koike K.	消化器内科	Feasibility of spiral enteroscopy in Japanese patients: study in two tertiary hospitals.	Dig Endosc. 2013 Jul;25(4):406-11.
463	Izumikawa T, Saigoh K, Shimizu J, Tsuji S, Kusunoki S, Kitagawa H.	神経内科	A chondroitin synthase-1 (ChSy-1) missense mutation in a patient with neuropathy impairs the elongation of chondroitin sulfate chains initiated by chondroitin N-acetylgalactosaminyltransferase-1.	Biochim. Biophys. Acta 1830: 4806–4812, 2013
464	Kitazawa T, Yoshino Y, Tatsuno K, Ota Y, Yotsuyanagi H.	感染症内科	Changes in the mean platelet volume levels after bloodstream infection have prognostic value.	Intern Med. 2013;52:1487-93.
465	Kagami S, Kuwano Y, Shibata S, Uwajima Y, Yamada D, Miyamoto A, Miyagawa T, Araki M, Takahashi K, Isomura S, Aozasa N, Masui Y, Yamamoto M, <u>Inuzuka R</u> , Katori T, Sato S	小児科	Propranolol is more effective than pulsed dye laser and cryosurgery for infantile hemangiomas.	Eur J Pediatr. 2013; 172:1521-6
466	Mori T, Ishii S, Greendale GA, Cauley JA, Sternfeld B, Crandall CJ, Han W, Karlamangla AS	老年病科	Physical Activity as Determinant of Femoral Neck Strength Relative to Load in Adult Women. Findings from the Hip Strength Across the Menopause Transition Study.	Osteoporosis Int. 2014;25(1):265-72.
467	Nagata K, Baba S, Chikuda H, Takeshita K.	整形外科・脊椎外科	Use of C2 spinous process screw for posterior cervical fixation as substitute for laminar screw in a patient with thin laminae.	BMJ Case Rep. 2013 Jun 24;2013
468	Nakao T, Morita H, Maemura K, Amiya E, Inajima T, Saito Y, Watanabe M, Manabe I, Kurabayashi M, Nagai R, Komuro I.	検査部	Melatonin ameliorates angiotensin II-induced vascular endothelial damage via its antioxidative properties.	J Pineal Res. 2013 Oct;55(3):287-93..
469	Kawaguchi M, Sugaya M, Suga H, Miyagaki T, Ohmatsu H, Fujita H, Asano Y, Tada Y, Kadono T, Sato S	皮膚科・皮膚光線レーザー科	Serum levels of angiopoietin-2, but not angiopoietin-1, are elevated in patients with erythrodermic cutaneous T-cell lymphoma.	Acta Derm Venereol.2014;94(1):9-13.

番号	発表者氏名	発表者の所属	題名	雑誌名
470	Sakata R, Aihara M, Murata H, Saito H, Iwase A, Yasuda N, Araie M.	眼科・視覚矯正科	Intraocular pressure change over a habitual 24-hour period after changing posture or drinking water and related factors in normal tension glaucoma.	Invest Ophthalmol Vis Sci 54:5313-5320, 2013
471	Morikawa T, Kawai T, Abe H, Kume H, Homma Y, Fukayama M.	人体病理学教室	UBE2C is a marker of unfavorable prognosis in bladder cancer after radical cystectomy.	Int J Clin Exp Pathol. 2013 Jun;6(7):1367-74.
472	Ikeda K, Nakajima T, Yamamoto Y, Takano N, Tanaka T, Kikuchi H, Oguri G, Morita T, Nakamura F, Komuro I.	22世紀医療センター	Roles of transient receptor potential canonical (TRPC) channels and reverse-mode Na ⁺ /Ca ²⁺ exchanger on cell proliferation in human cardiac fibroblasts: Effects of transforming growth factor beta1.	Cell Calcium 2013 Sep;54(3):213-225.
473	Hanafusa N, Hamasaki Y, Kawarasaki H, Kido R, Shibagaki Y, Ishikawa A, Enomoto Y, Fujita T, Noiri E, Nangaku M.	22世紀医療センター	The effect of different apheresis modalities on coagulation factor XIII level during antibody removal in ABO-blood type incompatible living related renal transplantation.	Transfus Apher Sci. 2013;49(2):254-8.
474	Noda Y, Nakamura M, Saeki T, Inouke M, Iwanari H, Kasai K	精神神経科	Potentiation of quantitative electroencephalograms following prefrontal repetitive transcranial magnetic stimulation in patients with major depression.	Neurosci Res. 2013;77:70-77
475	Hangai S, Iwase S, Kawaguchi T, Kogure Y, Miyaji T, Matsunaga T, Nagumo Y, Yamaguchi T.	22世紀医療センター	Effect of Active Hexose-Correlated Compound in Women Receiving Adjuvant Chemotherapy for Breast Cancer: A Retrospective Study.	J Altern Complement Med. 2013 Nov;19(11):905-10.
476	Ota M, Ishikawa M, Sato N, Hori H, Sasayama D, Hattori K, Teraishi T, Noda T, Obu S, Nakata Y, Higuchi T, Kunugi H.	放射線科	Discrimination between schizophrenia and major depressive disorder by magnetic resonance imaging of the female brain.	J Psychiatr Res. 2013; 47(10): 1383-8
477	Terao C, Yoshifiji H, Kimura A, Matsumura T, Ohmura K, Takahashi M, Shimizu M, Kawaguchi T, Chen Z, Naruse TK, Sato-Otsubo A, Ebana Y, Maejima Y, Kinoshita H, Murakami K, Kawabata D, Wada Y, Narita I, Tazaki J, Kawaguchi Y, Yamanaka H, Yurugi K, Miura Y, Maekawa T, Ogawa S, Komuro I, Nagai R, Yamada R, Tabara Y, Isobe M, Mimori T, Matsuda F.	循環器内科	Two susceptibility loci to Takayasu arteritis reveal a synergistic role of the IL12B and HLA-B regions in a Japanese population	Am J Hum Genet. 2013;93(2):289-97
478	Brigman JL, Daut RA, Wright T, Gunduz-Cinar O, Graybeal C, Davis MI, Jiang Z, Saksida LM, Jinde S, Pease M, Bussey TJ, Lovinger DM, Nakazawa K, Holmes A.	精神神経科	GluN2B in corticostriatal circuits governs choice learning and choice shifting.	Nat Neurosci. 16:1101-1110, 2013
479	Inoue T, Nishimura T, Murakami A, Kinoshita O, Kyo S, Ono M.	心臓外科	Four-year paracorporeal left ventricular assist device (LVAD) support for heart failure after Rastelli operation	J Artif Organs. 2013 Dec;16(4):501-3

番号	発表者氏名	発表者の所属	題名	雑誌名
480	Tanaka T, Sugawara Y, Tamura S, Kaneko J, Takazawa Y, Aoki T, Hasegawa K, Sakamoto Y, Yamashiki N, Kokudo N.	肝胆脾外科、人工臓器・移植外科	Living donor liver transplantation for non-alcoholic steatohepatitis: A single center experience.	Hepatol Res. 2013 Jul 9.
481	Aoki Y, Inokuchi R, Suwa H.	救急部・集中治療部	Reduced N-acetylaspartate in the hippocampus in patients with fibromyalgia: a meta-analysis.	Psychiatry Res. 2013;213(3):242-8.
482	Xia J, Gao J, Kokudo N, Hasegawa K, Tang W.	肝胆脾外科、人工臓器・移植外科	Methicillin-resistant <i>Staphylococcus aureus</i> antibiotic resistance and virulence.	Biosci Trends. 2013Jun;7(3):113-21.
483	Kawamura G, Kitamura T, Sato K, Sato R, Mori Y, Araki Y, Yamada Y.	麻酔科・痛みセンター	Glucose administration during volume resuscitation using dextran-40 from hemorrhagic shock ameliorates acid/base-imbalance in fasted rats under sevoflurane anesthesia.	Biosci Trends. 2013 Jun;7(3):138-43.
484	Song P, Inagaki Y, Sugawara Y, Kokudo N.	肝胆脾外科、人工臓器・移植外科	Perspectives on human clinical trials of therapies using iPS cells in Japan: reaching the forefront of stem-cell therapies.	Biosci Trends. 2013 Jun;7(3):157-8
485	Inoue Y, Yabe T	耳鼻咽喉科・聴覚音声外科	Lomerizine therapy for the treatment of benign paroxysmal vertigo of childhood transitioning into atypical basilar migraine: A case report .	Exp Therap Med. 2013; 55: 92-98
486	Saito N, Kin T, Oyama H, Yoshino M, Nakagawa D, Shojima M, Imai H, Nakatomi H.	脳神経外科	Surgical simulation of cerebrovascular disease with multimodal fusion 3-dimensional computer graphics	Neurosurgery. 2013;60 Suppl 1():24-9
487	Iwasaki Y, Shimomura K, Kohno D, Dezaki K, Ayush EA, Nakabayashi H, Kubota N, Kadokawa T, Kakei M, Nakata M, Yada T.	糖尿病・代謝内科	Insulin Activates Vagal Afferent Neurons Including those Innervating Pancreas via Insulin Cascade and Ca(2+) Influx: Its Dysfunction in IRS2-KO Mice with Hyperphagic Obesity.	PLoS One. 2013;8(6):e67198.
488	Fukumura K, Yamashita Y, Kawazu M, Sai E, Fujiwara S, Nakamura N, Takeuchi K, Ando M, Miyazono K, Ueno T, Ozawa K, Mano H.	耳鼻咽喉科・聴覚音声外科	STK10 missense mutations associated with anti-apoptotic function.	Oncol Rep. 2013; 30:1542-1548
489	Takahashi M, Omodaka K, Maruyama K, Yamaguchi T, Himori N, Shiga Y, Ryu M, Kunikata H, Nakazawa T.	22世紀医療センター	Simulated Visual Fields Produced from Macular RNFLT Data in Patients with Glaucoma.	Curr Eye Res. 2013 Nov;38(11):1133-41.
490	Yamashita T, Asaoka R, Tanaka M, Kii Y, Yamashita T, Nakao K, Sakamoto T.	眼科・視覚矯正科	Relationship between position of peak retinal nerve fiber layer thickness and retinal arteries on sectoral retinal nerve fiber layer thickness.	Invest Ophthalmol Vis Sci 54:5481-5488, 2013
491	Kawase R, Ohama T, Matsuyama A, Matsuwaki T, Okada T, Yamashita T, Yuasa-Kawase M, Nakaoka H, Nakatani K, Inagaki M, Tsubakio-Yamamoto K, Masuda D, Nakagawa-Toyama Y, Nishida M, Ohmoto Y, Nishihara M,	循環器内科	Deletion of progranulin exacerbates atherosclerosis in ApoE knockout mice	Cardiovasc Res 2013;100(1):125-33

番号	発表者氏名	発表者の所属	題名	雑誌名
492	Maeda Y, Suenaga H, Sugiyama M, Saijo H, Hoshi K, Mori Y, Takato T.	顎口腔外科・歯科矯正歯科	Clinical presentation of epignathus teratoma with cleft palate; and duplication of cranial base, tongue, mandible, and pituitary gland.	J Craniofac Surg. 2013 Jul;24(4):1486-91.
493	Takata M, Amiya E, Watanabe M, Omori K, Imai Y, Fujita D, Nishimura H, Kato M, Morota T, Nawata K, Ozeki A, Watanabe A, Kawarasaki S, Hosoya Y, Nakao T, Maemura K, Nagai R, Hirata Y, Komuro I.	22世紀医療センター	Impairment of flow-mediated dilation correlates with aortic dilation in patients with Marfan syndrome	Heart Vessels 2013
494	Isogawa M, Chung J, Murata Y, Kakimi K, Chisari FV.	22世紀医療センター	CD40 activation rescues antiviral CD8(+) T cells from PD-1-mediated exhaustion.	PLoS pathogens. 2013;9(7):e1003490
495	Goto M, Abe O, Aoki S, Takao H, Hayashi N, Miyati T, Mori H, Kunimatsu A, Ino K, Yano K, Ohtomo K.	放射線科	Database of normal Japanese gray matter volumes in the default mode network.	J Magn Reson Imaging. 2014; 39(1): 132-42
496	Landouré G, Toro C, Zhu P-P, Johnson JO, Briceno KV, Rinaldi C, Meilleur KG, Sangaré M, Diallo O, Pierson TM, Ishiura H, Tsuji S, Hein N, Fink JK, Stoll M, Nicholson G, Gonzalez M, Züchner S, Dürr A, Stevanin G, Biesecker LG, Accardi J, Landis D, Gahl WA, Traynor BJ, Blackstone C, Fischbeck KH, Burnett BG.	神経内科	Hereditary spastic paraparesis type 43 (SPG43) is caused by mutation in C19ORF12.	Human Mutation 34:1357-60, 2013
497	Ota H, Akishita M, Tani H, Tatefuji T, Ogawa S, Iijima K, Eto M, Shirasawa T, Ouchi Y.	老年病科	trans-Resveratrol in <i>Gnetum gnemon</i> protects against oxidative-stress-induced endothelial senescence.	J Nat Prod. 2013;76(7):1242-7
498	Tanaka Y, Uchida H, Kawashima H, Sato K, Takazawa S, Masuko T, Deie K, Iwanaka T.	小児外科	Complete thoracoscopic versus video-assisted thoracoscopic resection of congenital lung lesions.	J Laparoendosc Adv Surg Tech A. 2013 Aug; 23 (8) : 719-22
499	Nakamura K, Doi K, Okamoto K, Arai S, Ueha S, Matsushima K, Nakajima S, Yahagi N, Noiri E.	救急部・集中治療部	Specific antibody in IV immunoglobulin for postsplenectomy sepsis.	Crit Care Med. 2013 Aug;41(8):e163-70
500	Rakugi H, Ogihara T, Umehoto S, Matsuzaki M, Matsuoka H, Shimada K, Higaki J, Ito S, Kamiya A, Suzuki H, Ohashi Y, Shimamoto K, Saruta T	22世紀医療センター	Combination Therapy of Hypertension to Prevent Cardiovascular Events Trial Group. Combination therapy for hypertension in patients with CKD: a subanalysis of the Combination Therapy of Hypertension to Prevent Cardiovascular Events trial	Hypertens Res.2013;36: 947-58
501	Masumura M, Watanabe R, Nagashima A, Ogawa M, Suzuki J, Shichiri M, Komuro I, Isobe M	22世紀医療センター	Anti-salusin-beta antibody enhances angiogenesis after myocardial ischemia-reperfusion injury	Expert Opin Ther Targets.2013;17: 1003-9

番号	発表者氏名	発表者の所属	題名	雑誌名
502	Kawachi K, Murakami A, Sasaki T, Iijima T, iroshima K, Nakatani Y et al.	人体病理学教室	Blastomatoid carcinosarcoma of the lung.	Pathol Int. 2013 Jul;63(7):377-9.
503	Shirasu T, Hosaka A, Okamoto H, Shigematsu K, Takeda Y, Miyata T, et al.	大腸肛門外科・血管外科	Bowel necrosis following endovascular revascularization for chronic mesenteric ischemia: a case report and review of the literature.	BMC gastroenterology. 2013 13(118).
504	Sato K, Kitamura T, Kawamura G, Mori Y, Sato R, Araki Y, Yamada Y.	麻酔科・痛みセンター	Glucose use in fasted rats under sevoflurane anesthesia and propofol anesthesia.	Anesth Analg. 2013 Sep;117(3):627-33. doi: 10.1213/ANE.0b013e31829e4028. Epub 2013 Jul 18.
505	Uetera Y, Kishii K, Yasuhara H, Kumada N, Moriya K, Saito R, Okazaki M, Misawa Y, Kawamura K.	手術部	A 5 year longitudinal study of water quality for final rinsing in the single chamber washer-disinfector with a reverse osmosis plant	J Pharm Sci Technol. 2013 Jul-Aug;67(4):399-411.
506	Kinugawa K, Imamura T, Komuro I.	22世紀医療センター	Experience of a Vasopressin Receptor Antagonist, Tolvaptan under the Unique Indication in Japanese Heart Failure Patients.	Clin Pharmacol Ther. 2013;94:449-51.
507	Hasegawa A, Koga K, Asada K, Wada-Hiraike O, Osuga Y, Kozuma S.	女性診療科・産科 / 女性外科	Laparoscopic ovarian-sparing surgery for a young woman with an exophytic ovarian fibroma.	J Obstet Gynaecol Res. 2013 Dec;39(12):1610-3.
508	Aoki Y, Abe O, Nippashi Y, Yamasue H	精神神経科	Comparison of white matter integrity between autism spectrum disorder subjects and typically developing individuals: a meta-analysis of diffusion tensor imaging tractography studies.	Mol Autism. 2013;2:4(1):25
509	Ando S, Kasai K, Matamura M, Hasegawa Y, Hirakawa H, Asukai N	精神神経科	Psychosocial factors associated with suicidal ideation in clinical patients with depression.	J Affect Disord. 2013;151(2):561-5
510	Yokoyama O, Homma Y, Yamaguchi O.	泌尿器科	Imidafenacin, an antimuscarinic agent, improves nocturia and reduces nocturnal urine volume.	Urology. 2013 Sep;82(3):515-20.
511	Sugawara H, Bundo M, Ishigooka J, Iwamoto K, Kato T.	精神神経科	Epigenetic regulation of serotonin transporter in psychiatric disorders.	Journal of Genetics and Genomics 2013;40:325-329
512	Egami N, Kakigi A, Sakamoto T, Takeda T, Hyodo M, Yamasoba T	耳鼻咽喉科・聴覚音声外科	Morphological and functional changes in a new animal model of Ménière's disease.	Lab Invest. 2013; 93: 1001-1011
513	Nagai H, Kitano T, Nishimura T, Yasuda H, Nakata K, Takashima S, Kanai M, Matsumoto S, Mori Y, Kakudo Y, Sato H, Yamaguchi T, Kameno K, Kim YH, Mishima M, Yanagihara K.	22世紀医療センター	Use of glucose solution for the alleviation of gemcitabine-induced vascular pain: a double-blindrandomized crossover study.	Support Care Cancer. 2013 Dec;21(12):3271-8.

番号	発表者氏名	発表者の所属	題名	雑誌名
514	Lochhead P, Kuchiba A, Imamura Y, Liao X, Yamauchi M, Nishihara R, Qian ZR, Morikawa T, Shen J, Meyerhardt JA, Fuchs CS, Ogino S.	人体病理学教室	Microsatellite instability and BRAF mutation testing in colorectal cancer prognostication.	J Natl Cancer Inst. 2013 Aug;105(15):1151-6.
515	Shibasaki K, Ogawa S, Yamada S, Iijima K, Eto M, Kozaki K, Toba K, Akishita M, Ouchi Y	老年病科	Association of decreased sympathetic nervous activity with mortality of older adults in long-term care.	Geriatr Gerontol Int. 2014;14(1):159-66
516	Fujimoto A, Osuga Y, Sakurabashi A, Hisatomi S, Kaneko J, Hasegawa K, Yano T, Kokudo N, Kozuma S	肝胆脾外科、人工臓器・移植外科	Laparoendoscopic single-site concomitant surgery for gallstones and a giant ovarian teratoma	Asian J Endosc Surg. 2013Aug;6(3):223-5.
517	Yang S, Eto H, Kato H, Doi K, Kuno S, Kinoshita K, Ma H, Tsai CH, Chou WT, Yoshimura K.	形成外科	Comparative characterization of stromal vascular cells derived from three types of vascular wall and adipose tissue.	Tissue Eng Part A 19:2724-2734, 2013.
518	Kuroda M, Kawakubo Y, Kuwabara H, Yokoyama K, Kano Y, Kamio Y.	こころの発達診療部	A cognitive-behavioral intervention for emotion regulation in adults with high-functioning autism spectrum disorders: study protocol for a randomized controlled trial.	Trials. 2013; 14: 231
519	Lamparter J, Russell RA, Zhu H, Asaoka R, Yamashita T, Ho T, Garway-Heath DF.	眼科・ 視覚矯正科	The influence of intersubject variability in ocular anatomical variables on the mapping of retinal locations to the retinal nerve fiber layer and optic nerve head.	Invest Ophthalmol Vis Sci 54:6074-6082, 2013
520	Eshima H, Tanaka Y, Sonobe T, Inagaki T, Nakajima T, Poole DC, Kano Y.	22世紀医療センター	In vivo imaging of intracellular Ca ²⁺ after muscle contractions and direct Ca ²⁺ injection in rat skeletal muscle in diabetes.	American Journal of Physiology - Regulatory, Integrative and Comparative Physiology 2013 Sep 15;305(6):R610-618.
521	Watanabe K, Nagata N, Nakashima R, Furuhata E, Shimbo T, Kobayakawa M, Sakurai T, Imbe K, Niikura R, Yokoi C, Akiyama J, Uemura N.	消化器内科	Predictive findings for Helicobacter pylori-uninfected, -infected and -eradicated gastric mucosa: validation study.	World J Gastroenterol. 2013 Jul 21;19(27):4374-9.
522	Takayama T, Yamanouchi D.	大腸肛門外科・ 血管外科	Aneurysmal disease: the abdominal aorta.	The Surgical clinics of North America. 2013 Aug. 93(4):877-91, viii.
523	Taguchi S, Nakagawa T, Hattori M, Niimi A, Nagata M, Kawai T, Fukuhara H, Nishimatsu H, Ishikawa A, Kume H, Homma Y.	泌尿器科	Prognostic factors for metastatic urothelial carcinoma undergoing cisplatin-based salvage chemotherapy.	Jpn J Clin Oncol. 2013 Sep;43(9):923-8.
524	Akiyama K, Koh K, Mori M, Sekinaka Y, <u>Seki M</u> , Arakawa Y, Hayashi M, Kato M, Oguma E, Nishimoto H, Hanada R	小児科	Association between Chiari malformation and bone marrow failure/myelodysplastic syndrome.	Br J Haematol. 2013;163:411-2
525	Takagi K, Ito S, Miyazaki T, Miki Y, Shibahara Y, Ishida T, Watanabe M, Inoue S, <u>Suzuki H</u> , Suzuki T	22世紀医療センター	Amyloid precursor protein (APP) in human breast cancer: an androgen-induced gene associated with cell proliferation.	Cancer Sci. 2013;104(11):1532-8.

番号	発表者氏名	発表者の所属	題名	雑誌名
526	Mihara M, Hara H, Araki J, Narushima M, Iida T, Koshima I.	形成外科	Treatment of hand lymphedema with free flap transfer and lymphangiogenesis analysis after hand replantation using indocyanine green (ICG) lymphography and histological analysis.	J Plast Reconstr Aesthet Surg. 2013 Nov;66(11):e338-40
527	Shibata C, Kishikawa T, Otsuka M, Ohno M, Yoshikawa T, Takata A, Yoshida H, Koike K.	消化器内科	Inhibition of microRNA122 decreases SREBP1 expression by modulating suppressor of cytokine signaling 3 expression.	Biochem Biophys Res Commun. 2013 Aug 16;438(1):230-5.
528	Kawakubo K, Tada M, Isayama H, Sasahira N, Nakai Y, Takahara N, Uchino R, Hamada T, Miyabayashi K, Yamamoto K, Mizuno S, Mohri D, Kogure H, Sasaki T, Yamamoto N, Hirano K, Ijichi H, Tateishi K, Koike K.	消化器内科	Disease-specific mortality among patients with intraductal papillary mucinous neoplasm of the pancreas.	Clin Gastroenterol Hepatol 2014 Mar;12(3):486-91.
529	Yamamoto K, Li X, Shu C, Miyata T, Dardik A.	大腸肛門外科・血管外科	Technical aspects of the mouse aortocaval fistula.	Journal of visualized experiments : JoVE. 2013 Jul;77:e50449
530	Hirose K. and Hirose M.	麻酔科・痛みセンター	Postoperative conversion disorder in severe anorexia nervosa.	J Anesth
531	amaki S, Mano T, Sakata Y, Ohtani T, Takeda Y, Kamimura D, Omori Y, Tsukamoto Y, Ikeya Y, Kawai M, Kumanogoh A, Hagiwara K, Ishii R, Higashimori M, Kaneko M, Hasuwa H, Miwa T, Yamamoto K, Komuro I.	循環器内科	Interleukin-16 promotes cardiac fibrosis and myocardial stiffening in heart failure with preserved ejection fraction	PLoS One 2013;8(7):e68893
532	Uchida T, Ohno N, Asahara M, Yamada Y, Yamaguchi O, Tomita M, Makita K.	麻酔科・痛みセンター	Soluble isoform of the receptor for advanced glycation end products as a biomarker for postoperative respiratory failure after cardiac surgery.	PLoS One. 2013 Jul 23;8(7):e70200. doi: 10.1371/journal.pone.0070200. Print 2013.
533	Asada-Hirayama I, Ono S, Kodashima S, Niimi K, Mochizuki S, Yamamichi N et al	人体病理学教室	Preoperative iodine staining may complicate the demarcation of esophageal carcinoma.	Gut Liver. 2013 Jul;7(4):492-6.
534	Ishimine H, Yamakawa N, Sasao M, Tadokoro M, Kami D, Komazaki S, Tokuhara M, Takada H, Ito Y, Kuro S, Yoshimura K, Umezawa A, Ohgushi H, Asashima M, Kurisaki A.	形成外科	N-Cadherin is a prospective cell surface marker of human mesenchymal stem cells that have high ability for cardiomyocyte differentiation.	Biochem Biophys Res Commun 438: 753-759, 2013
535	Yamamoto K, Taniguchi R, Hosaka A, Hoshina K, Okamoto H, Shigematsu K, et al.	大腸肛門外科・血管外科	Fate of the asymptomatic contralateral limb after initial intervention for ipsilateral critical limb ischemia.	International angiology : a journal of the International Union of Angiology. 2013 Oct. 32(5):526-31.

番号	発表者氏名	発表者の所属	題名	雑誌名
536	Sumitomo S, Fujio K, Okamura T, Morita K, Ishigaki K, Suzukawa K, Kanaya K, Kondo K, Yamasoba T, Furukawa A, Kitahara N, Shoda H, Shibuya M, Okamoto A, Yamamoto K.	耳鼻咽喉科・聴覚音声外科	Transcription factor early growth response 3 is associated with the TGF-beta1 expression and the regulatory activity of CD4-positive T cells in vivo.	J Immunol. 2013; 191: 2351-2359
537	Halimi SA, Maeda D, Shinozaki-Ushiku A, Koso T, Matsusaka K, Tanaka M et al.	人体病理学教室	Claudin-18 overexpression in intestinal-type mucinous borderline tumour of the ovary.	Histopathology. 2013 Oct;63(4):534-44.
538	Taniguchi R, Koyano S, Suzutani T, Goishi K, Ito Y, Morioka I, Oka A, Nakamura H, Yamada H, Igarashi T, Inoue N	小児科	Polymorphisms in TLR-2 are associated with congenital cytomegalovirus (CMV) infection but not with congenital CMV disease.	Int J Infect Dis. 2013;17(12):e1092-7
539	Kimura M, Kinoshita O, Nishimura T, Imamura T, Shiga T, Kashiwa K, Kinugawa K, Kyo S, Ono M.	心臓外科	Successful weaning from the DuraHeart with a low left ventricular ejection fraction	J Artif Organs. 2013 Dec;16(4):504-7
540	Kusumoto K, Akita H, Ishitsuka T, Matsumoto Y, Nomoto T, Furukawa R, El-Sayed A, Hatakeyama H, Kajimoto K, Yamada Y, Kataoka K, Harashima H	耳鼻咽喉科・聴覚音声外科	Lipid Envelope-Type Nanoparticle Incorporating a Multifunctional Peptide for Systemic siRNA Delivery to the Pulmonary Endothelium	ACS Nano. 2013;7(9): 7534-7541
541	Uchino R, Isayama H, Tsujino T, Sasahira N, Ito Y, Matsubara S, Takahara N, Arizumi T, Toda N, Mohri D, Togawa O, Yagioka H, Yanagihara Y, Nakajima K, Akiyama D, Hamada T, Miyabayashi K, Mizuno S, Kawakubo K, Kogure H, Sasaki T, Yamamoto N, Nakai Y, Hirano K, Tada M, Koike K.	消化器内科	Results of the Tokyo trial of prevention of post-ERCP pancreatitis with risperidone-2: a multicenter, randomized, placebo-controlled, double-blind clinical trial.	Gastrointest Endosc. 2013 Dec;78(6):842-50.
542	Takami H, Oshiro N, Hiraoka F, Murao M, Ide T.	脳神経外科	Rapid resolution of a spontaneous large chronic subdural haematoma in the posterior fossa under conservative treatment with platelet administration to aplastic anaemia	Clin Neurol Neurosurg. 2013;115(10):2236-9

番号	発表者氏名	発表者の所属	題名	雑誌名
543	Miyake N, Koshimizu E, Okamoto N, Mizuno S, Ogata T, Nagai T, Kosho T, Ohashi H, <u>Kato M</u> , Sasaki G, Mabe H, Watanabe Y, Yoshino M, Matsuiishi T, Takanashi J, Shotelersuk V, Tekin M, Ochi N, Kubota M, <u>Ito N</u> , Ihara K, Hara T, Tonoki H, Ohta T, Saito K, Matsuo M, Urano M, Enokizono T, Sato A, Tanaka H, Ogawa A, Fujita T, Hiraki Y, <u>Kitanaka S</u> , Matsubara Y, Makita T, Taguri M, Nakashima M, Tsurusaki Y, Saito H, Yoshiura K, Matsumoto N, <u>Nakayama N</u>	小児科	MLL2 and KDM6A Mutations in Patient with Kabuki Syndrome.	American Journal of Medical Genetics Am J Med Genet A. 2013;161:2234-43
544	Hamaya R, Ogawa M, Suzuki J, Kobayashi N, Hirata Y, Nagai R, Komuro I, Isobe M	22世紀医療センター	A selective peroxisome proliferator activated receptor-beta/delta agonist attenuates neointimal hyperplasia after wire-mediated arterial injury	Expert Opin Investig Drugs. 2013;22: 1095-106
545	Shojima M, Saito N.	脳神経外科	Translation of Computational Fluid Dynamics Study to Neurosurgery	World Neurosurg. 2013;():
546	Yamada A, Watabe H, Takano N, Togo G, Yamaji Y, Yoshida H, Kawabe T, Omata M, Koike K.	消化器内科	Utility of single and double balloon endoscopy in patients with difficult colonoscopy: a randomized controlled trial.	World J Gastroenterol. 2013 Aug 7;19(29):4732-6.
547	Tanaka S, Nagata N, Mine S, Igari T, Kobayashi T, Sugihara J et al.	人体病理学教室	Endoscopic appearance of AIDS-related gastrointestinal lymphoma with c-MYC rearrangements: Case report and literature review.	World J Gastroenterol. 2013 Aug 7;19(29):4827-31.
548	Chikuda H, Ohtsu H, Ogata T, Sugita S, Sumitani M, Koyama Y, Matsumoto M, Toyama Y, the OSCIS	麻酔科・痛みセンター	Optimal treatment for spinal cord injury associated with cervical canal stenosis (OSCIS): A study protocol for a randomized controlled trial comparing early versus delayed surgery.	Trials. 2013 Aug 7;14:245. doi: 10.1186/1745-6215-14-245.
549	Nitadori J, Bograd AJ, Kadota K, Sima CS, Rizk NP, Morales EA, Rusch VW, Travis WD, Adusumilli PS	呼吸器外科	Impact of micropapillary histologic subtype in selecting limited resection vs lobectomy for lung adenocarcinoma of 2cm or smaller.	J Natl Cancer Inst. 2013;105(16):1212-20.
550	Aoki Y, Inokuchi R, Nakao T, Yamasue H.	精神神経科	Neural bases of antisocial behavior: a voxel-based meta-analysis.	Soc Cogn Affect Neurosci. 2013
551	Kobayashi H, Terada D, Yokoyama Y, Moon DW, Yasuda Y, Koyama H, Takato T.	顎口腔外科・歯科矯正 歯科	Vascular-inducing poly(glycolic acid)-collagen nanocomposite-fiber scaffold.	J Biomed Nanotechnol. 2013 Aug;9(8):1318-26.
552	Nakamura M, Yasunaga H, Shimada T, Horiguchi H, Matsuda S, Fushimi K.	医療経営政策学講座	Body mass index and in-hospital mortality in anorexia nervosa: data from the Japanese Diagnosis Procedure Combination Database.	Eating and Weight Disorders 2013;18(4):437-9.

番号	発表者氏名	発表者の所属	題名	雑誌名
553	Asai T, Bundo M, Sugawara H, Sunaga F, Ueda J, Tanaka G, Ishigooka J, Kasai K, Kato T, Iwamoto K	精神神経科	Effect of mood stabilizers on DNA methylation in human neuroblastoma cells.	Int J Neuropsychopharmacol. 2013;16(10):2285-2294
554	Kawakami M, Ishikawa R, Amano Y, Sunohara M, Watanabe K, Ohishi N et al.	人体病理学教室	Detection of novel paraja ring finger 2-fer tyrosine kinase mRNA chimeras is associated with poor postoperative prognosis in non-small cell lung cancer.	Cancer Sci. 2013 Nov;104(11):1447-54.
555	Kim KS, Arima Y, Kitazawa T, Nishiyama K, Asai R, Uchijima Y, Sato T, Levi G, <u>Kitanaka S</u> , Igarashi T, Kurihara Y, Kurihara H	小児科	Endothelin Regulates Neural Crest Deployment and Fate to Form Great Vessels through Dlx5/Dlx6-independent Mechanisms.	Mech Dev. 2013;130(11-12):553-66
556	Nakamura R, Atsuta N, Watanabe H, Hirakawa A, Watanabe H, Ito M, Senda J, Katsuno M, Tanaka F, Izumi Y, Kaji R, Morita M, Tomiyama H, Taniguchi A, Aiba I, Mizoguchi K, Okamoto K, Hasegawa K, Aoki M, Kawata A, Abe A, Konagaya M, Imai T, Nakagawa M, Tsuji S, Nakano I, Sobue G.	神経内科	Neck weakness is a potent prognostic factor for sporadic amyotrophic lateral sclerosis patients.	J Neurol Neurosurg Psychiatr 84:1365-71, 2013.
557	Takemura N, Salura A, Koga R, Arita J, Yoshioka R, Ono Y, Sano T, Yamamoto J, Kokudo N, Yamaguchi T	肝胆脾外科、人工臓器・移植外科	Long-term results of hepatic resection for non-colorectal, non-neuroendocrine liver metastasis.	Hepatogastroenterology 2013 Oct;60(127):1705-12.
558	Sasaki O, Imamura M, Yamazumi Y, Harada H, Matsumoto T, Okunishi K, Nakagome K, Tanaka R, Akiyama T, Yamamoto K, Dohi M	アレルギー・リウマチ内科	Alendronate attenuates eosinophilic airway inflammation associated with suppression of Th2 cytokines, Th17 cytokines, and eotaxin-2.	J Immunol. 2013;191:2879-89
559	Ando K, Ueshima K, Tanaka S, Kosugi S, Sato T, Matsuoka H, Nakao K, Fujita T.	腎臓・内分泌内科	Comparison of the antialbuminuric effects of L-/N-type and L-type calcium channel blockers in hypertensive patients with diabetes and microalbuminuria: the study of assessment for kidney function by urinary microalbumin in randomized (SAKURA) trial	Int J Med Sci. 2013;10(9):1209-16.
560	Taguchi S, Nose Y, Sato T, Kobayashi T, Takaya K, Ishikawa A, Homma Y.	泌尿器科	Silicate Urolithiasis during Long-Term Treatment with Zonisamide.	Case Rep Med. 2013;2013:629381
561	Kinoshita M, Sakamoto T, Kashio A, Simizu T, Yamasoba T	耳鼻咽喉科・聴覚音声外科	Age-related hearing loss in Mn-SOD heterozygous knockout mice	Oxid Med Cell Longev. 2013; 325702
562	Yasunaga H, Horiguchi H, Matsuda S, Fushimi K, Hashimoto H, Ayanian JZ.	医療経営政策学講座	Body mass index and outcomes following gastrointestinal cancer surgery in Japan: A retrospective cohort study.	Brit J Surg 2013;100
563	Yamada T, Hara K, Kadokawa T.	糖尿病・代謝内科	Chewing betel quid and the risk of metabolic disease, cardiovascular disease, and all-cause mortality: a meta-analysis.	PLoS One. 2013;8(8):e70679.

番号	発表者氏名	発表者の所属	題名	雑誌名
564	Ando S, Matsumoto T, Kanata S, Hojo A, Yasugi D, Eto N, Kawanishi C, Asukai N, Kasai K	精神神経科	One-year follow up after admission to an emergency department for drug overdose in Japan.	Psychiatry Clin Neurosci.2013;67(6):441-450
565	Ikeda K, Izumi N, Tanaka E, Yotsuyanagi H, Takahashi Y, Fukushima J, Kondo F, Fukusato T, Koike K, Hayashi N, Tsubouchi H, Kumada H.	消化器内科	Discrimination of fibrotic staging of chronic hepatitis C using multiple fibrosis markers.	Hepatol Res 2013 Aug 14. doi: 10.1111/hepr.12221.
566	Tsugawa Y, Kumamaru H, Yasunaga H, Hashimoto H, Horiguchi H, Ayanian JZ.	医療経営政策学講座	The Association of Hospital Volume with Mortality and Costs of Care for Acute Stroke in Japan.	Medical Care 2013;51
567	Saito A, Koga K, Osuga Y, Harada M, Takemura Y, Yoshimura K, Yano T, Kozuma S.	女性診療科・産科 / 女性外科	Individualized management of umbilical endometriosis: a report of seven cases.	J Obstet Gynaecol Res. 2014 Jan;40(1):40-5.
568	Kinoshita M, Iwasaki S, Fujimoto C, Inoue A, Egami N, Chihara Y, Ushio M, Yamasoba T	耳鼻咽喉科・聴覚音声外科	Ocular vestibular evoked myogenic potentials in response to air-conducted sound and bone-conducted vibration in vestibular schwannoma	Otol Neurotol. 34: 2013; 1342-1348
569	Saito Y, Suga M, Tochigi M, Abe O, Yahata N, Kawakubo Y, Liu X, Kawamura Y, Sasaki T, Kasai K, Yamasue H	精神神経科	Neural correlate of autistic-like traits and a common allele in the oxygen receptor gene.	Soc Cogn Affect Neurosci.2013;
570	Sakata Y, Matsumoto S, Hamasaki T, Kawahara Y, Komuro I	循環器内科	Response to the letter by Devaux et al	Circ Res 2013; 113(5):48-9
571	Nakaoka H, Nakagawa- Toyama Y, Nishida M, Okada T, Kawase R, Yamashita T, Yuasa-Kawase M, Nakatani K, Masuda D, Ohama T, Sonobe T, Shirai M, Komuro I, Yamashita S	循環器内科	Establishment of a novel murine model of ischemic cardiomyopathy with multiple diffuse coronary lesions	PLoS One 2013;8(8):e70755
572	Asaoka R.	眼科・視覚矯正科	Measuring visual field progression in the central 10 degrees using additional information from central 24 degrees visual fields and 'Lasso Regression'.	PLoS One 8:e72199, 2013
573	Chihara Y, Sato A, Ohtani M, Fujimoto C, Hayashi T, Nishijima H, Yagi M, Iwasaki S.	耳鼻咽喉科・聴覚音声外科	The effect of a first-generation H1-antihistamine on postural control: a preliminary study in healthy volunteers.	Exp Brain Res. 2013; 231: 257-266
574	Nitadori J, Bograd AJ, Morales EA, Rizk NP, Dunphy MP, Sima CS, Rusch VW, Adusumilli PS.	呼吸器外科	Preoperative consolidation-to-tumor ratio and SUVmax stratify the risk of recurrence in patients undergoing limited resection for lung adenocarcinoma ≤2 cm.	Ann Surg Oncol. 2013;20(13):4282-8.
575	Kobayashi T, Ichikawa M, Nannya Y, Kurokawa M.	血液腫瘍内科	The effect of decreased-dose idarubicin for elderly patients with acute myeloid leukemia.	Jpn J Clin Oncol.43(10):1047-51

番号	発表者氏名	発表者の所属	題名	雑誌名
576	Hayashi M, Tojo A, Shimosawa T, Fujita T.	腎臓・内分泌内科	The role of adrenomedullin in the renal NADPH oxidase and (pro)renin in diabetic mice.	J Diabetes Res. 2013;2013:134395.
577	Yoshino M, Kin T, Saito T, Nakagawa D, Nakatomi H, Kunimatsu A, Oyama H, Saito N.	放射線科	Optimal setting of image bounding box can improve registration accuracy of diffusion tensor tractography.	Int J Comput Assist Radiol Surg. 2014; 9(2): 333-9
578	Takahashi H, Kato M, Kikuchi A, Hanada R, Koh K	小児科	Delayed short-term administration of granulocyte colony-stimulating factor is a good mobilization strategy for harvesting autologous peripheral blood stem cells in pediatric patients with solid tumors.	Pediatr Transplant. 2013;17:688-93
579	Suga H, Sugaya M, Yamamoto M, Miyagaki T, Ohmatsu H, Hoashi T, Sato S	皮膚科	Peripheral T-cell lymphoma, not otherwise specified showing multiple ulcers on the extremities.	Int J Dermatol. 2013;52(9):1147-1149.
580	Nishimura Y, Takizawa R, Koike S, Kinoshita A, Satomura Y, Kawasaki S, Yamasue H, Tochigi M, Kakiuchi C, Sasaki T, Iwayama Y, Yamada K, Yoshikawa T, Kasai K	精神神経科	Association of decreased prefrontal hemodynamic response during a verbal fluency task with EGR3 gene polymorphism in patients with schizophrenia and in healthy individuals.	NeuroImage. 2013;85:527-534
581	Takemura N, Saiura A, Koga R, Yoshioka R, Yamamoto J, Kokudo N.	肝胆脾外科、人工臓器・移植外科	Repeat hepatectomy for recurrent liver metastasis from gastric carcinoma.	World J Surg. 2013 Nov;37(11):2664-70.
582	Kobayashi H, Hirata M, Saito T, Itoh S, Chung UI, Kawaguchi H.	整形外科・脊椎外科	Transcriptional induction of ADAMTS5 protein by nuclear factor-kappaB (NF-kappaB) family member RelA/p65 in chondrocytes during osteoarthritis development.	J Biol Chem. 2013 Oct 4;288(40):28620-9
583	Akiyoshi T, Ueno M, Matsueda K, Konishi T, Fujimoto Y, Nagayama S, et al.	大腸肛門外科	Selective lateral pelvic lymph node dissection in patients with advanced low rectal cancer treated with preoperative chemoradiotherapy based on pretreatment imaging.	Annals of surgical oncology. 2014 Jan. 21(1):189-96.
584	Fukuda T, Kurano M, Fukumura K, Yasuda T, Iida H, Morita T, Yamamoto Y, Takano N, Komuro I, Nakajima T.	22世紀医療センター	Cardiac rehabilitation increases exercise capacity with a reduction of oxidative stress.	Korean Circ J. 2013 Jul;43(7):481-487.
585	Asaoka R.	眼科・視覚矯正科	The relationship between visual acuity and central visual field sensitivity in advanced glaucoma.	Br J Ophthalmol 97:1355-1356, 2013
586	Tan X, Aoki A, Yanagi Y.	眼科・視覚矯正科	Color vision abnormality as an initial presentation of the complete type of congenital stationary night blindness.	Clin Ophthalmol 7:1587-1590, 2013
587	Shen H, Eguchi K, Kono N, Fujiu K, Matsumoto S, Shibata M, Oishi-Tanaka Y, Komuro I, Arai H, Nagai R, Manabe I.	循環器内科	Saturated fatty acid palmitate aggravates neointima formation by promoting smooth muscle phenotypic modulation	Arterioscler Thromb Vasc Biol. 2013 ;33(11):2596-607

番号	発表者氏名	発表者の所属	題名	雑誌名
588	Yamada T, Hara K, Kadowaki T.	糖尿病・代謝内科	Comment on: Lin et al. Long-term changes in adiposity and glycemic control are associated with past adenovirus infection. <i>Diabetes Care</i> 2013;36:701-707.	<i>Diabetes Care</i> . 2013;36(9):e161.
589	Miyawaki S, Imai H, Shimizu M, Yagi S, Ono H, Mukasa A, Nakatomi H, Shimizu T, Saito N.	脳神経外科	Genetic variant RNF213 c.14576G>A in various phenotypes of intracranial major artery stenosis/occlusion	<i>Stroke</i> . 2013;44(10):2894-7
590	Horita S, Seki G, Yamada H, Suzuki M, Koike K, Fujita T	消化器内科	Roles of renal proximal tubule transport in the pathogenesis of hypertension.	<i>Curr Hypertens Rev</i> . 2013 May;9(2):148-55.
591	Inuzuka R, Seki M, Sugimoto M, Saiki H, Masutani S, Senzaki H	小児科	Pulmonary arterial wall stiffness and its impact on right ventricular afterload in patients with repaired tetralogy of Fallot.	<i>Ann Thorac Surg</i> . 2013;96(4):1435-41
592	Ikegami T, Bundo M, Sunaga E, Asai T, Nishimura F, Yoshikawa A, Kawamura Y, Hibino H, Tochigi M, Kakiuchi C, Sasaki T, Kato T, Kasai K, Iwamoto K	精神神経科	DNA methylation analysis of BDNF gene promoters in peripheral blood cells of schizophrenia patients.	<i>Neurosci Res</i> . 2013;77:208-214
593	Deie K, Uchida H, Kawashima H, Tanaka Y, Masuko T, Takazawa S.	小児外科	Single-incision laparoscopic-assisted appendectomy in children: exteriorization of the appendix is a key component of a simple and cost-effective surgical technique.	<i>J Pediatr Surg</i> int. 2013 Nov;29(11):1187-91
594	takazawa S, Ishimaru T, Fujii M, Harada K, Sugita N, Mitsuishi M, Iwanaka T.	小児外科	Assessment of suturing in the vertical plane shows the efficacy of the multi-degree-of-freedom needle driver for neonatal laparoscopy.	<i>Pediatr Surg Int</i> . 2013 Nov;29(11):1177-82.
595	Sakai K, Hamaguchi T, Noguchi-Shinohara M, Nozaki I, Takumi I, Sanjo N, Nakamura Y, Kitamoto T, Saito N, Mizusawa H, Yamada M.	脳神経外科	Graft-related disease progression in dura mater graft-associated Creutzfeldt-Jakob disease: a cross-sectional study	<i>BMJ Open</i> . 2013;3(8):e003400
596	Suga H, Sugaya M, Toyama T, Sumida H, Fujita H, Kogure A, Igarashi A, Sato S	皮膚科・皮膚光線レーザー科	A Case of Mycosis Fungoides with Large Cell Transformation Associated with Infliximab Treatment.	<i>Acta Derm Venereol</i> . 2014;94(2):23-4.
597	Kitayama J, Ishigami H, Yamaguchi H, Yamashita H, Emoto S, Kaisaki S, et al.	大腸肛門外科	Salvage gastrectomy after intravenous and intraperitoneal paclitaxel (PTX) administration with oral S-1 for peritoneal dissemination of advanced gastric cancer with malignant ascites.	<i>Annals of surgical oncology</i> . 2014 Feb; 21(2):539-46
598	Kawata T, Daimon M, Hasegawa R, Toyoda T, Sekine S, Himi T, Uchida D, Miyazaki S, Hirose K, Ichikawa R, Maruyama M, Suzuki H, Daida H.	検査部	Prognostic value of coronary flow reserve assessed by transthoracic Doppler echocardiography on long-term outcome in asymptomatic patients with type 2 diabetes without overt coronary artery disease.	<i>Cardiovasc Diabetol</i> . 2013;12(1):121.

番号	発表者氏名	発表者の所属	題名	雑誌名
599	Nakagawa K, Haga A, Sakumi A, Yamashita H, Igaki H, Shiraki T, Ohtomo K, Iwai Y, Yoda K.	放射線科	Impact of flattening-filter-free techniques on delivery time for lung stereotactic volumetric modulated arc therapy and image quality of concurrent kilovoltage cone-beam computed tomography: a preliminary phantom study.	J Radiat Res. 2014; 55(1): 200-2
600	Goyama S, Schibler J, Cunningham L, Zhang Y, Rao Y, Nishimoto N, Nakagawa M, Olsson A, Wunderlich M, Link KA, Mizukawa B, Grimes HL, Kurokawa M, Liu PP, Huang G, Mullo JC.	血液腫瘍内科	Transcription factor RUNX1 promotes survival of acute myeloid leukemia cells.	J Clin Invest. 123(9):3876-88
601	Fujimoto C, Egami N, Kinoshita M, Sugasawa K, Yamasoba T, Iwasaki S.	耳鼻咽喉科・聴覚音声外科	Factors affecting postural instability in Meniere's disease.	Otolaryngol Head Neck Surg. 2013; 149: 759-765
602	Qian ZR, Ter-Minassian M, Chan JA, Imamura Y, Hooshmand SM, Kuchiba A et al.	人体病理学教室	Prognostic significance of MTOR pathway component expression in neuroendocrine tumors.	J Clin Oncol. 2013 Sep;31(27):3418-25.
603	Hagiwara H, Honma N, Kinugawa K, Sato S, Hoshi T, Suzuki T	循環器内科	Second generation synthesis of the neoclerodane diterpenoid methyl barbascoate	Nat Prod Commun 2013;8(7):837-5
604	Miyashita H, Yokoo S, Yoshida S, Kawakita T, Yamagami S, Tsubota K, Shimmura S.	眼科・視覚矯正科	Long-term maintenance of limbal epithelial progenitor cells using rho kinase inhibitor and keratinocyte growth factor.	Stem Cells Transl Med. 2:758-65, 2013
605	Takazawa S, Uchida H, Kawashima H, Tanaka Y, Masuko T, Deie K, Nagase Y, Iwanaka T.	小児外科	External stabilization for severe tracheobronchomalacia using separated ring-reinforced ePTFE grafts is effective and safe on a long-term basis.	Pediatr Surg Int. 2013 Nov;29(11):1165-9
606	Ito K, Sano T, Kamiya K, Nakata Y, Shigemoto Y, Sato N, Oya Y, Matsuda H.	放射線科	Massive accumulation of 11C-Pittsburg compound B in the occipital lobes of a patient with early-onset dementia accompanied by muscle weakness and hypertonicity.	Ann Nucl Med. 2013; 27(10): 935-41
607	Kojima T, Imai Y, Tsushima K, Uno K, Fujiu K, Iiri T, Nishimatsu H, Suzuki T, Sugiyama H, Asada K, Nakao T, Yamashita H, Hirata Y, Nagai R.	循環器内科	Temporary dual-chamber pacing can stabilize hemodynamics during noncardiac surgery in a patient with left ventricular hypertrophy and outflow obstruction.	J Cardiothorac Vasc Anesth Feb;28(1):124-7.
608	Nakayama A, Matsuo H, Shimizu T, Ogata H, Takada Y, Nakashima H, et al.	薬剤部	Common missense variant of monocarboxylate transporter 9 (MCT9/SLC16A9) gene is associated with renal overload gout, but not with all gout susceptibility.	Hum Cell. 2013;26(4):133-6.
609	Kuno T, Numasawa Y, Miyata H, Takahashi T, Sueyoshi K, et al.	22世紀医療センター	Impact of Coronary Dominance on In-hospital Outcomes after Percutaneous Coronary Intervention in Patients with Acute Coronary Syndrome.	PLOS ONE 2013;26;8(8):e72672.

番号	発表者氏名	発表者の所属	題名	雑誌名
610	Yanaba K, Yoshizaki A, Muroi E, Hara T, Ogawa F, Shimizu K, Sato S	皮膚科	Increased soluble vascular adhesion protein-1 levels in systemic sclerosis: association with lower frequency and severity of interstitial lung disease.	Int J Rheum Dis. 2013;16(4):442-447.
611	Ando T, Kawashima D, Kim H, Joung S, Liao H, Kobayashi E, Gojo S, Kyo S, Ono M, Sakuma I.	心臓外科	Direct minimally invasive intraoperative electrophysiological mapping of the heart	Minim Invasive Ther Allied Technol. 2013 Dec;22(6):372-80
612	Takao H, Hayashi N, Ohtomo K.	放射線科	Effects of study design in multi-scanner voxel-based morphometry studies.	Neuroimage. 2014; 84(2014): 133-40
613	Tagawa T, Wu L, Anraku M, Yun Z, Rey-McIntyre K, de Perrot M.	呼吸器外科	Antitumor impact of interferon-gamma producing CD1d-restricted NKT cells in murine malignant mesothelioma.	J Immunother. 2013;36:391-9.
614	Ichimura Y, Asano Y, Akamata K, Aozasa N, Noda S, Taniguchi T, Takahashi T, Toyama T, Sumida H, Kuwano Y, Yanaba K, Tada Y, Sugaya M, Sato S, Kadono T	皮膚科・皮膚光線レーザー科	Serum angiopoietin-like protein 3 levels: a possible correlation with progressive skin sclerosis, digital ulcers, and pulmonary vascular involvement in patients with systemic sclerosis.	Acta Derm Venereol.2014;94(2):157-62.
615	Takahara N, Isayama H, Nakai Y, Sasaki T, Hamada T, Uchino R, Mizuno S, Miyabayashi K, Kogure H, Yamamoto N, Sasahira N, Hirano K, Ijichi H, Tateishi K, Tada M, Koike K.	消化器内科	A retrospective study of S-1 and oxaliplatin combination chemotherapy in patients with refractory pancreatic cancer.	Cancer Chemother Pharmacol. 2013 Nov;72(5):985-90.
616	Yonekura T, Ueno S, Iwanaka T.	小児外科	Care of children in a natural disaster:lessons learned from the Great East Japan earthquake and tsunami.	Pediatr Surg Int.2013 Oct;29(10):1047-51
617	Inoue T, Tsutsumi K, Ohwaki K, Tamura A, Ono H, Saito I, Saito N.	脳神経外科	Stratification of intraoperative ischemic impact by somatosensory evoked potential monitoring, diffusion-weighted imaging and magnetic resonance angiography in carotid endarterectomy with routine shunt use	Acta Neurochir (Wien). 2013;155(11):2085-96
618	Takami H, Takasu Y, Ide T.	脳神経外科	Necklace-shaped fusiform aneurysm on the primitive vertebral communicating artery	Acta Neurochir (Wien). 2013;155(11):2127-8
619	Kumagai J, Hofland J, Erkens-Schulze S, Dits NF, Steenbergen J, Jenster G, Homma Y, de Jong FH, van Weerden WM.	泌尿器科	Intratumoral conversion of adrenal androgen precursors drives androgen receptor-activated cell growth in prostate cancer more potently than de novo steroidogenesis.	Prostate. 2013 Nov;73(15):1636-50.
620	Suga H, Sugaya M, Miyagaki T, Kawaguchi M, Morimura S, Kai H, Kagami S, Ohmatsu H, Fujita H, Asano Y, Tada Y, Kadono T, Sato S	皮膚科	Serum visfatin levels in patients with atopic dermatitis and cutaneous T-cell lymphoma.	Eur J Dermatol. 2013;23(5):629-635.
621	Eguchi K, Manabe I.	循環器内科	Macrophages and islet inflammation in type 2 diabetes	Diabetes Obes Metab 2013;15(Suppl 3):152-8

番号	発表者氏名	発表者の所属	題名	雑誌名
622	Takahashi A, Suzuki Y, Suhara T, Omichi K, Shimizu A, Hasegawa K, Kokudo N, Ohta S, Ito T.	肝胆脾外科、人工臓器・移植外科	In situ cross-linkable hydrogel of hyaluronan produced via copper-free click chemistry.	Biomacromolecules. 2013 Oct;14(10):3581-8
623	Okada M, Inokuchi R, Shinohara K, et al	救急部・集中治療部	Chromobacterium haemolyticum-induced bacteremia in a healthy young man.	BMC Infect Dis. 2013;13(1):406.
624	Hara H, Mihara M, Seki Y, Todokoro T, Iida T, Koshima I.	形成外科	Comparison of indocyanine green lymphographic findings with the conditions of collecting lymphatic vessels of limbs in patients with lymphedema	Plast Reconstr Surg. 2013 Dec;132(6):1612-8.
625	Kamei J, Nishimatsu H, Nakagawa T, Suzuki M, Fujimura T, Fukuhara H, Igawa Y, Kume H, Homma Y	泌尿器科	Risk factors for septic shock in acute obstructive pyelonephritis requiring emergency drainage of the upper urinary tract.	Int Urol Nephrol. 2014 Mar;46(3):493-7
626	Hanazaki K, Tominaga R, Nio M, Iwanaka T, Okoshi K, Kaneko K, Nagano H, Nishida T, Nishida H, Hoshino K, Maehara T, Masuda M, Matsufuji H, Yanaga K, Tabayashi K, Satomi S, Kokubo N.	小児外科	Report from the Committee for Improving the Work Environment of Japanese Surgeons:survey on effects of the fee revision for medical services provided by surgeons.	Surg Today. 2013 Nov;43(11):1209-18
627	Ito A, Shintaku I, Satoh M, Ioritani N, Tochigi T, Numata I, Namima T, Kambe K, Kyan A, Ueno S, Katoh S, Adachi H, Yamashita S, Yamaguchi T, Arai Y; on behalf of the Tohoku Urological EBM Study	22世紀医療センター	Intravesical Seeding of Upper Urinary Tract Urothelial Carcinoma Cells During Nephroureterectomy: An Exploratory Analysis from the THPMG Trial.	Jpn J Clin Oncol. 2013 Nov;43(11):1139-44.
628	Nakamura K, Yamane K, Shinohara K, et al	救急部・集中治療部	Hyperammonemia in idiopathic epileptic seizure.	Am J Emerg Med. 2013;31(10):1486-9
629	Nouso K, Miyahara K, Uchida D, Kuwaki K, Izumi N, Omata M, Ichida T, Kudo M, Ku Y, Kokudo N, Sakamoto M, Nakashima O, Takayama T, Matsui O, Matsuyama Y, Yamamoto K	肝胆脾外科、人工臓器・移植外科	Liver Cancer Study Group of Japan. Effect of hepatic arterial infusion chemotherapy of 5-fluorouracil and cisplatin for advanced hepatocellular carcinoma in the Nationwide Survey of Primary Liver Cancer in Japan.	Br J Cancer. 2013 Oct 1;109(7):1904-7
630	Kimakura M, Sakai O, Nakagawa S, Yoshida J, Shirakawa R, Toyono T, Yokoo S, Amano S.	眼科・視覚矯正科	Stromal bed quality and endothelial damage after femtosecond laser cuts into the deep corneal stroma.	Br J Ophthalmol 97:1404-1409, 2013
631	Susami T, Okayasu M, Inokuchi T, Ohkubo K, Uchino N, Uwatoko K, Takahashi-Ichikawa N, Nagahama K, Takato T.	顎口腔外科・歯科矯正歯科	Maxillary Protraction in Patients With Cleft Lip and Palate in Mixed Dentition: Cephalometric Evaluation After Completion of Growth.	Cleft Palate Craniofac J. 2013 Sep 6.
632	Inoue T, Nangaku M, Yamada K.	腎臓・内分泌内科	Vitamin A treatment for psoriasis vulgaris in a dialysis patient.	Am J Kidney Dis. 2013;62(5):1020-1.

番号	発表者氏名	発表者の所属	題名	雑誌名
633	Nagai T, Tada M, Kirihara K, Yahata N, Hashimoto R, Araki T, Kasai K	精神神経科	Auditory mismatch and P3a in response to duration and frequency changes in the early stages of psychosis.	Schizophr Res.2013;150:547-554
634	Tanaka E, Momoeida M, Osuga Y, Rossi B, Nomoto K, Hayakawa M, Kokubo K, Wang EC.	女性診療科・産科 / 女性外科	Burden of menstrual symptoms in Japanese women: results from a survey-based study.	J Med Econ. 2013 Nov;16(11):1255-66.
635	Kinou M, Takizawa R, Marumo K, Kawasaki S, Kawakubo Y, Fukuda M, Kasai K	精神神経科	Differential spatiotemporal characteristics of the prefrontal hemodynamic response and their association with functional impairment in schizophrenia and major depression.	Schizophr Res.2013;150:459-467
636	Friederich-Persson M, Thörn E, Hansell P, Nangaku M, Levin M, Palm F.	腎臓・内分泌内科	Kidney hypoxia, attributable to increased oxygen consumption, induces nephropathy independently of hyperglycemia and oxidative stress. Hypertension.	Hypertension. 2013;62(5):914-9.
637	Hibi S, Yamaguchi Y, Umeda-Kameyama Y, Takahashi M, Momose T, Akishita M, Ouchi Y.	放射線科	Respiratory dysrhythmia in dementia with Lewy bodies: a cross-sectional study.	BMJ Open. 2013; 3(9): e002870
638	Inokuchi R, Sato H, Nanjo Y, et al	救急部・集中治療部	The proportion of clinically relevant alarms decreases as patient clinical severity decreases in intensive care units: a pilot study.	BMJ Open.2013;3(9):e003354
639	Natsubori T, Inoue H, Abe O, Takano Y, Iwashiro N, Aoki Y, Koike S, Yahata N, Katsura M, Gonoi W, Sasaki H, Takao H, Kasai K, Yamasue H.	放射線科	Reduced Frontal Glutamate + Glutamine and N-Acetylaspartate Levels in Patients With Chronic Schizophrenia but not in Those at Clinical High Risk for Psychosis or With First-Episode Schizophrenia.	Schizophr Bull. 2013; 47(10): 1383-8
640	Magdy T, Arlanov R, Winter S, Lang T, Klein K, Toyoda Y, et al.	薬剤部	ABCC11/MRP8 polymorphisms affect 5-fluorouracil-induced severe toxicity and hepatic expression.	Pharmacogenomics. 2013;14(12):1433-48.
641	Ando S, Nishida A, Koike S.	精神神経科	A pilot retrospective cohort study on the effectiveness of a multidisciplinary team intervention for first-episode psychosis in Japan.	Psychiatr Serv. 2013;64(9):932-3.
642	Miura Y, Takenaka T, Toh K, Wu S, Nishihara H, Kano MR, Ino Y, Nomoto T, Matsumoto Y, Koyama H, Cabral H, Nishiyama N, Kataoka K	耳鼻咽喉科・聴覚音声外科	Cyclic RGD-linked polymeric micelles for targeted delivery of platinum anticancer drugs to glioblastoma through the blood-brain tumor barrier	ACS Nano. 2013; 7(10) : 8583-8592
643	Sasaki T, Isayama H, Nakai Y, Takahara N, Akiyama D, Yagioka H, Kogure H, Matsubara S, Ito Y, Yamamoto N, Sasahira N, Hirano K, Toda N, Tada M, Koike K.	消化器内科	A retrospective study of gemcitabine and cisplatin combination therapy as second-line treatment for advanced biliary tract cancer.	Chemotherapy. 2013;59(2):106-11.
644	Nakai Y, Isayama H, Shinoura S, Iwashita T, Samarasena JB, Chang KJ, Koike K.	消化器内科	Confocal laser endomicroscopy in gastrointestinal and pancreatobiliary diseases.	Dig Endosc. 2014 Jan;26 Suppl 1:86-94.

番号	発表者氏名	発表者の所属	題名	雑誌名
645	Takahashi N, Imanishi K, Uchiyama T	小児科	Overall picture of an emerging neonatal infectious disease induced by a superantigenic exotoxin mainly produced by methicillin-resistant <i>Staphylococcus aureus</i> .	Microbiol Immunol. 2013;57:737-45
646	Nagamatsu T, Kamei Y, Yamashita T, Fujii T, Kozuma S.	女性診療科・産科 / 女性外科	Placental abnormalities detected by ultrasonography in a case of confined placental mosaicism for trisomy 2 with severe fetal growth restriction.	J Obstet Gynaecol Res. 2014 Jan;40(1):279-83.
647	Kitayama J, Emoto S, Yamaguchi H, Ishigami H, Kamei T, Yamashita H, et al.	大腸肛門外科・血管外科	Flow cytometric quantification of intraperitoneal free tumor cells (FTC) in patients with peritoneal metastasis.	Cytometry Part B, Clinical cytometry. 2013 Aug 20. 24038963
648	Tomio K, Kawana K, Taguchi A, Isobe Y, Iwamoto R, Yamashita A, Kojima S, Mori M, Nagamatsu T, Arimoto T, Oda K, Osuga Y, Taketani Y, Kang JX, Arai H, Arita M, Kozuma S, Fujii T.	女性診療科・産科 / 女性外科	Omega-3 polyunsaturated Fatty acids suppress the cystic lesion formation of peritoneal endometriosis in transgenic mouse models.	PLoS One. 2013 Sep 10;8(9):e73085.
649	Omori M, Yamashita H, Shinohara A, Kurokawa M, Takita J, Hiwatari M, Nakagawa K.	放射線科	Eleven secondary cancers after hematopoietic stem cell transplantation using a total body irradiation-based regimen in 370 consecutive pediatric and adult patients.	Springerplus. 2013; 2(1): 424
650	Isojima T, Harita Y, Furuyama M, Sugawara N, Ishizuka K, Horita S, Kajihoh Y, Miura K, Igarashi T, Hattori M, Kitanaka S	小児科	LMX1B mutation with residual transcriptional activity as a cause of isolated glomerulopathy.	Nephrol Dial Transplant. 2013;29:81-8
651	Miura K, Kurihara H, Horita S, Chikamoto H, Hattori M, Harita Y, Tsurumi H, Kajihoh Y, Sawada Y, Sasaki S, Igarashi T, Kunishima S, Sekine T	小児科	Podocyte expression of nonmuscle myosin heavy chain-IIA decreases in idiopathic nephrotic syndrome, especially in focal segmental glomerulosclerosis.	Nephrol Dial Transplant. 2013;28:2993-3003
652	Tsukamoto Y, Mano T, Sakata Y, Ohtani T, Takeda Y, Tamaki S, Omori Y, Ikeya Y, Saito Y, Ishii R, Higashimori M, Kaneko M, Miwa T, Yamamoto K, Komuro I.	循環器内科	A novel heart failure mice model of hypertensive heart disease by angiotensin II infusion, nephrectomy, and salt loading	Am J Physiol Heart Circ Physiol 2013;
653	Sayama S, Nagamatsu T, Schust DJ, Itaoka N, Ichikawa M, Kawana K, Yamashita T, Kozuma S, Fujii T.	女性診療科・産科 / 女性外科	Human decidual macrophages suppress IFN-gamma production by T cells through costimulatory B7-H1:PD-1 signaling in early pregnancy.	J Reprod Immunol. 2013 Dec;100(2):109-17.
654	Nagai M, Ohtani H, Satoh H, Matsuoka S, Hori S, Fujii T, Taketani Y, Sawada Y.	女性診療科・産科 / 女性外科	Characterization of transplacental transfer of paroxetine in perfused human placenta: development of a pharmacokinetic model to evaluate tapered dosing.	Drug Metab Dispos. 2013 Dec;41(12):2124-32.
655	Hongo K, Kazama S, Sunami E, Kitayama J, Watanabe T.	大腸肛門外科・血管外科	Perianal adenocarcinoma associated with anal fistula: a report of 11 cases in a single institution focusing on treatment and literature review.	Hepato-gastroenterology. 2013 Jun. 60(124):720-6.

番号	発表者氏名	発表者の所属	題名	雑誌名
656	Nishihara R, Wu K, Lochhead P, Morikawa T, Liao X, Qian ZR et al.	人体病理学教室	Long-term colorectal-cancer incidence and mortality after lower endoscopy.	N Engl J Med. 2013 Sep;369(12):1095-105.
657	Lee J, Kim KE, Choi DK, Jang JY, Jung JJ, Kiyonari H, Shioi G, Chang W, Suda T, Mochizuki N, Nakao Y, Komuro I, Yoo OJ, Koh GY	循環器内科	Angiopoietin-1 guides directional angiogenesis through integrin alphavbeta5 signaling for recovery of ischemic retinopathy	Sci Transl Med 2013;5(203):203ra127
658	Ogura K, Yasunaga H, Horiguchi H, Ohe K, Shinoda Y, Tanaka S, Kawano H.	医療経営政策学講座	Impact of Hospital Volume on Postoperative Complications and In-hospital Mortality after Musculoskeletal Tumor Surgery: Analysis of a National Administrative Database.	J Bone Joint Surg Am 2013;95(18):1684-91.
659	Sasahira N, Isayama H, Tokyokawa Y, Mizuno S, Hirano K, Nakai Y, Sase R, Kogure H, Sasaki T, Yamamoto N, Tada M, Koike K.	消化器内科	A novel basket catheter to facilitate endoscopic removal of pancreatic stones (with video).	Gastrointest Endosc. 2013 Dec;78(6):925-9.
660	Ichikawa K, Fujimori T, Moriya T, Ochiai A, Yoshinaga S, Kushima R et al.	人体病理学教室	Digestive disease management in Japan: a report on The 6th Diagnostic Pathology Summer Fest in 2012.	Digestion. 2013;88(3):153-60.
661	Fukushima Y, Oya S, Nakatomi H, Shibahara J, Hanakita S, Tanaka S et al.	人体病理学教室	Effect of dural detachment on long-term tumor control for meningiomas treated using Simpson grade IV resection.	J Neurosurg. 2013 Dec;119(6):1373-9.
662	Sumiyoshi C, Uetsuki M, Suga M, Kasai K, Sumiyoshi T	精神神経科	Development of brief versions of the Wechsler Intelligence Scale for schizophrenia: considerations of the structure and predictability of intelligence.	Psychiatry Res. 2013;210:773-779
663	Huang H, Peng X, Nakajima J.	呼吸器外科	Advances in the study of biomarkers of idiopathic pulmonary fibrosis in Japan.	2013;7(4):172-7
664	Kuwabara H, Yamasue H, Koike S, Inoue H, Kawakubo Y, Kuroda M, Takano Y, Iwashiro N, Natsubori T, Aoki Y, Kano Y, Kasai K	こころの発達診療部	Altered metabolites in the plasma of autism spectrum disorder: a capillary electrophoresis time-of-flight mass spectroscopy study.	PLoS One. 2013; 8(9): e73814.
665	Asano Y, Trojanowska M	皮膚科	Fli1 represses transcription of the human alpha2(I) collagen gene by recruitment of the HDAC1/p300 complex.	PLOS ONE. 2013;8(9):e74930.
666	Sumitomo S, Fujio K, Okamura T, Yamamoto K.	アレルギー・リウマチ内科	Egr2 and Egr3 are the unique regulators for systemic autoimmunity.	JAKSTAT. 2013;2:e23952.
667	Haga N, Kosaki K, Takikawa K, Tanaka H, Okada K, Nakahara Y, Ogata N	リハビリテーション科・部	Education and related support from medical specialists for Japanese patients with major skeletal dysplasias.	Disabil Health J. 2013; 6: 399-404

番号	発表者氏名	発表者の所属	題名	雑誌名
668	Ito K, Mori E, Ishii K, Washimi Y, Asada T, Mori S, Meguro K, Kitamura S, Hanyu H, Nakano S, Matsuda H, Kuwabara Y, Hashikawa K, Momose T, Uchida Y, Hatazawa J, Minoshima S, Kosaka K, Yamada T, Yonekura Y; J-COSMIC Study Group.	放射線科	Prediction of outcomes in MCI with ¹²³ I-IMP-CBF SPECT: a multicenter prospective cohort study.	Ann Nucl Med. 2013; 27(10): 898-906
669	Hong J, Zhang H, Kawase-Koga Y, Sun T.	顎口腔外科・歯科矯正歯科	MicroRNA function is required for neurite outgrowth of mature neurons in the mouse postnatal cerebral cortex.	Front Cell Neurosci. 2013 Sep 13;7:151.
670	Saito T, Yano F, Mori D, Ohba S, Hojo H, Otsu M, Eto K, Nakauchi H, Tanaka S, Chung UI, Kawaguchi H.	整形外科・脊椎外科	Generation of Col2a1-EGFP iPS cells for monitoring chondrogenic differentiation.	PLoS One. 2013 Sep 16;8(9):e74137
671	Shojima M, Morita A, Kimura T, Oshima M, Kin T, Saito N.	脳神経外科	Computational Fluid Dynamic Simulation of a Giant Basilar Tip Aneurysm with Eventual Rupture After Hunterian Ligation	World Neurosurg. 2013;():
672	Igaki H, Onishi H, Nakagawa K, Dokiya T, Nemoto K, Shigematsu N, Nishimura Y, Hiraoka M; Japanese Society for Therapeutic Radiology and Oncology Health Insurance Committee.	放射線科	A newly introduced comprehensive consultation fee in the national health insurance system in Japan: a promotive effect of multidisciplinary medical care in the field of radiation oncology--results from a questionnaire survey.	Jpn J Clin Oncol. 2013; 43(12): 1233-7
673	Nagai T, Tada M, Kirihara K, Araki T, Jinde S and Kasai K	精神神経科	Mismatch negativity as a "translatable" brain marker toward early intervention for psychosis: a review.	Front. Psychiatry 4:115:1-10, 2013
674	Harada M, Osuga Y, Fujimoto A, Fujimoto A, Fujii T, Yano T, Kozuma S.	女性診療科・産科 / 女性外科	Predictive factors for recurrence of ovarian mature cystic teratomas after surgical excision.	Eur J Obstet Gynecol Reprod Biol. 2013 Dec;171(2):325-8.
675	Kato M, Takahashi Y, Tomizawa D, Okamoto Y, Inagaki J, Koh K, Ogawa A, Okada K, Cho Y, Takita J, Goto H, Sakamaki H, Yabe H, Kawa K, Suzuki R, Kudo K, Kato K	小児科	Comparison of intravenous with oral busulfan in allogeneic hematopoietic stem cell transplantation with myeloablative conditioning regimens for pediatric acute leukemia.	Biol Blood Marrow Transplant. 2013;19:1690-4
676	Ueno Y, Yamashiro K, Tanaka Y, Watanabe M, Shimada Y, Kuroki T, Miyamoto N, Daimon M, Tanaka R, Miyauchi K, Daida H, Hattori N, Urabe T.	検査部	Rationale and design of the EPISTEME trial: efficacy of post-stroke intensive rosuvastatin treatment for aortogenic embolic stroke.	Cardiovasc Drugs Ther 2014;28:79-85
677	Anemiya S, Kunimatsu A, Saito N, Ohtomo K.	放射線科	Cerebral Hemodynamic Impairment: Assessment with Resting-State Functional MR Imaging.	Radiology. 2014; 270(2): 548-55

番号	発表者氏名	発表者の所属	題名	雑誌名
678	Masuko T, Uchida H, Kawashima H, Tanaka Y, Deie K, Iwanaka T.	小児外科	Laparoscopic excision of urachal remnants is a safe and effective alternative to open surgery in children.	J Laparoendosc Adv Surg Tech A. 2013 Dec;23(12):1016-9.
679	Hanakita S, Koga T, Igaki H, Murakami N, Oya S, Shin M, Saito N.	脳神経外科	Role of gamma knife surgery for intracranial atypical (WHO grade II) meningiomas	J Neurosurg. 2013;119(6):1410-4
680	Fujishiro J, Masumoto K, Urita Y, Shinkai T, Gotoh C.	小児外科	Pancreatic complications in pediatric choledochal cysts.	J Pediatr Surg. 2013 Sep;48(9):1897-902.
681	Sekine T, Komoda F, Miura K, Takita J, Shimadzu M, Matsuyama T, Ashida A, Igarashi T.	小児科	Japanese Dent disease has a wider clinical spectrum than Dent disease in Europe/USA: genetic and clinical studies of 86 unrelated patients with low-molecular-weight proteinuria.	Nephrol Dial Transplant. 2014 Feb;29(2):376-84.
682	Hayakawa Y, Hirata Y, Kinoshita H, Sakitani K, Nakagawa H, Nakata W, Takahashi R, Sakamoto K, Maeda S, Koike K	消化器内科	Differential roles of ASK1 and TAK1 in Helicobacter pylori-induced cellular responses.	Infect Immun. 2013 Dec;81(12):4551-60.
683	Shiibashi M, Yoshimoto M, Shigeeda T, Kitano S, Kato S.	眼科・ 視覚矯正科	Experience using the heidelberg retina angiograph 2 with a wide-field contact lens system in diabetic retinopathy cases.	Open Ophthalmol J 7:54-57, 2013
684	Kusakabe M, Sasaki H, Sato J, Akahane M, Miyata T, Ohtomo K.	大腸肛門外科・ 血管外科	Percutaneous transluminal renal angioplasty with stenting for stenotic venous bypass grafts: report of two cases.	SpringerPlus. 2013 2(456).
685	Yamashita F, Sasa Y, Yoshida S, Hisaka A, Asai Y, Kitano H, et al.	22世紀医療センター	Modeling of rifampicin-induced CYP3A4 activation dynamics for the prediction of clinical drug-drug interactions from in vitro data.	PLoS one. 2013;8(9):e70330.
686	Okuma H, Gonoi W, Ishida M, Shintani Y, Takazawa Y, Fukayama M et al.	人体病理学教室	Correction: Heart Wall Is Thicker on Postmortem Computed Tomography Than on Ante Mortem Computed Tomography: The First Longitudinal Study.	PLoS One. 2013 Oct;8(10).
687	Hamada T, Yasunaga H, Nakai Y, Isayama H, Horiguchi H, Matsuda S, Fushimi K, Koike K.	医療経営政策学講座	Continuous regional arterial infusion for acute pancreatitis: A propensity score analysis using a nationwide administrative database.	Critical Care 2013;17(5):R214.
688	Katagiri D, Hamasaki Y, Doi K, Okamoto K, Negishi K, Nangaku M, Noiri E.	救急部・ 集中治療部	Protection of glucagon-like peptide-1 in cisplatin-induced renal injury elucidates gut-kidney connection.	J Am Soc Nephrol. 2013 Dec;24(12):2034-43.
689	Nagasaki K, Kawana K, Osuga Y, Fujii T.	女性診療科・ 産科 / 女性外科	PDZ domains and viral infection: versatile potentials of HPV-PDZ interactions in relation to malignancy.	Biomed Res Int. 2013;2013:369712
690	Takeuchi M, Shiozawa R, Hangai M, Takita J, Kitanaka S.	小児科	Cephalhematoma and petechial rashes associated with acute parvovirus B19 infection: a case report.	BMC Infect Dis. 2013;13:465
691	Tanaka S, Shin M, Mukasa A, Hanakita S, Saito K, Koga T, Saito N.	脳神経外科	Stereotactic radiosurgery for intracranial gliomas	Neurosurg Clin N Am. 2013;24(4):605-12
692	Masuda H, Hirose J, Omata Y, Tokuyama N, Yasui T, Kadono Y, Miyazaki T, Tanaka S.	整形外科	Anti-apoptotic Bcl-2 family member Mcl-1 regulates cell viability and bone-resorbing activity of osteoclasts.	Bone. 2014 Jan;58:1-10.

番号	発表者氏名	発表者の所属	題名	雑誌名
693	Shinozaki M, Yasuda A, Nori S, Saito N, Toyama Y, Okano H, Nakamura M.	脳神経外科	Novel method for analyzing locomotor ability after spinal cord injury in rats: technical note	Neurol Med Chir (Tokyo). 2013;53(12):907-13
694	Watanabe R, Wakizono Azuma R, Suzuki J, Ogawa M, Itai A, Hirata Y, Komuro I, Isobe M	22世紀医療センター	Inhibition of NF-kappaB activation by a novel IKK inhibitor reduces the severity of experimental autoimmune myocarditis via suppression of T-cell activation	Am J Physiol Heart Circ Physiol. 2013;305:H1761-71
695	Yamamoto K, Protack CD, Tsuneki M, Hall MR, Wong DJ, Lu DY, et al.	大腸肛門外科・血管外科	The mouse aortocaval fistula recapitulates human arteriovenous fistula maturation.	American journal of physiology Heart and circulatory physiology. 2013 Dec. 305(12):H1718-25.
696	Fujiwara N, Tateishi R, Akahane M, Taguri M, Minami T, Mikami S, Sato M, Uchino K, Enooku K, Kondo Y, Asaoka Y, Yamashiki N, Goto T, Shiina S, Yoshida H, Ohtomo K, Koike K.	消化器内科	Changes in risk of immediate adverse reactions to iodinated contrast media by repeated administrations in patients with hepatocellular carcinoma.	PLoS One. 2013;8(10):e76018
697	Matsubayashi Y, Takeshita K, Sumitani M, Kato S, Ohya J, Oichi T, Okamoto N, Tanaka S	麻酔科・痛みセンター	Validity and reliability of the Japanese version of the painDETECT Questionnaire: a multicenter observational study.	PLoS One. 2013 Sep 30;8(9):e68013. doi: 10.1371/journal.pone.0068013. eCollection 2013.
698	Yamamoto T, Izumi-Yamamoto K, Iizuka Y, Shirota M, Nagase M, Fujita T, Gotoda T	腎臓・内分泌内科	A novel link between Slc22a18 and fat accumulation revealed by a mutation in the spontaneously hypertensive rat.	Biochem Biophys Res Commun. 2013;440(4):521-6.
699	Seki G, Horita S, Suzuki M, Yamazaki O, Usui T, Nakamura M, Yamada H.	眼科・視覚矯正科	Molecular mechanism of renal and extrarenal manifestations caused by inactivation of the electrogenic Na ⁺ -HCO ₃ ⁻ cotransporter NBCe1.	Front Physiol 4:270-277, 2013
700	Kamata M, Tada Y, Mitsui A, Shibata A, Miyagaki T, Asano Y, Sugaya M, Kadono T, Sato S	皮膚科	ICAM-1 deficiency exacerbates sarcoid-like granulomatosis induced by Propionibacterium acnes through impaired IL-10 production by regulatory T cells.	Am J Pathol. 2013;183(6):1731-1739.
701	Sugimoto K, Murata H, Hirasawa H, Aihara M, Mayama C, Asaoka R.	眼科・視覚矯正科	Cross-sectional study: Does combining optical coherence tomography measurements using the 'Random Forest' decision tree classifier improve the prediction of the presence of perimetric deterioration in glaucoma suspects?	BMJ Open 3:e003114, 2013
702	Ishigami H, Kitayama J, Yamaguchi H, Emoto S, Watanabe T.	大腸肛門外科・血管外科	[Multidisciplinary treatment strategy for gastric cancer with peritoneal metastasis].	Gan to kagaku ryoho Cancer & chemotherapy. 2013 Oct. 40(10):1269-73.
703	Kawaguchi Y, Tanaka N, Kokudo N.	肝胆脾外科、人工臓器・移植外科	Surgical value of contrast-enhanced ultrasonography in laparoscopic hepatectomy using energy devices.	J Hepatobiliary Pancreat Sci. 2014 Jan;21(1):78-9
704	Morita H	22世紀医療センター	Genetic variants and dilated cardiomyopathy – To be or not to be causative: Is that the question? –	Circ J 2013; 77: 2879-2880.

番号	発表者氏名	発表者の所属	題名	雑誌名
705	Kakigi A, Takubo Y, Egami N, Kashio A, Ushio M, Sakamoto T, Yamashita S, Yamasoba T	耳鼻咽喉科・聴覚音声外科	Evaluation of the Internal Structure of Normal and Pathological Guinea Pig Cochleae Using Optical Coherence Tomography	Audiol Neurotol. 2013; 18: 335-343
706	Hamasaki Y, Doi K, Maeda-Mamiya R, Ogasawara E, Katagiri D, Tanaka T, Yamamoto T, Sugaya T, Nangaku M, Noiri E.	救急部・集中治療部	A 5-hydroxytryptamine receptor antagonist, sarpogrelate, reduces renal tubulointerstitial fibrosis by suppressing PAI-1.	Am J Physiol Renal Physiol. 2013 Dec 15;305(12):F1796-803
707	Kawarasaki W, Fujita T.	腎臓・内分泌内科	Aberrant Rac1-mineralocorticoid receptor pathways in salt-sensitive hypertension.	Clin Exp Pharmacol Physiol. 2013;40(12):929-36.
708	Okubo H, Sakoda H, Kushiyama A, Fujishiro M, Nakatsu Y, Fukushima T, Matsunaga Y, Kamata H, Asahara T, Yoshida Y, Chonan O, Iwashita M, Nishimura F, Asano T.	糖尿病・代謝内科	Lactobacillus casei strain Shirota protects against nonalcoholic steatohepatitis development in a rodent model.	Am J Physiol Gastrointest Liver Physiol. 2013;305(12):G911-8.
709	Hamada T, Yasunaga H, Nakai Y, Isayama H, Horiguchi H, Fushimi K, Koike K.	消化器内科	Impact of hospital volume on outcomes in acute pancreatitis: a study using a nationwide administrative database.	J Gastroenterol. 2014 Jan;49(1):148-55.
710	Kitayama J, Emoto S, Yamaguchi H, Ishigami H, Kamei T, Yamashita H, et al.	大腸肛門外科	Flow cytometric quantification of intraperitoneal free tumor cells in patients with peritoneal metastasis.	Cytometry Part B, Clinical cytometry. 2014 Jan. 86(1):56-62.
711	Yamashita T, Chai HL, Teramoto S, Tsuji S, Shimazaki K, Muramatsu S, Kwak S.	神経内科	Rescue of amyotrophic lateral sclerosis phenotype in a mouse model by intravenous AAV9-ADAR2 delivery to motor neurons.	EMBO Mol Med 5:1710-9, 2013
712	Terao M, Koga K, Fujimoto A, Wada-Hiraike O, Osuga Y, Yano T, Kozuma S.	女性診療科・産科 / 女性外科	Factors that predict poor clinical course among patients hospitalized with pelvic inflammatory disease.	J Obstet Gynaecol Res. 2014 Feb;40(2):495-500.
713	Inaba K, Nagasaka K, Kawana K, Arimoto T, Matsumoto Y, Tsuruga T, Mori-Uchino M, Miura S, Sone K, Oda K, Nakagawa S, Yano T, Kozuma S, Fujii T.	女性診療科・産科 / 女性外科	High-risk human papillomavirus correlates with recurrence after laser ablation for treatment of patients with cervical intraepithelial neoplasia 3: a long-term follow-up retrospective study.	J Obstet Gynaecol Res. 2014 Feb;40(2):554-60.
714	Taniguchi T, Asano Y, Tamaki Z, Akamata K, Aozasa N, Noda S, Takahashi T, Ichimura Y, Toyama T, Sugita M, Sumida H, Kuwano Y, Miyazaki M, Yanaba K, Sato	皮膚科	Histological features of localized scleroderma 'En coup de sabre': a study of 16 cases.	J Eur Acad Dermatol Venereol. 2013.
715	Ijichi N, Shigekawa T, Ikeda K, Miyazaki T, Horie-Inoue K, Shimizu C, Saji S, Aogi K, Tsuda H, Osaki S, Saeki T, Inoue S.	22世紀医療センター	Association of positive EBAG9 immunoreactivity with unfavorable prognosis in breast cancer patients treated with tamoxifen.	Clin Breast Cancer. 2013;13(6):465-70.

番号	発表者氏名	発表者の所属	題名	雑誌名
716	Isshiki M, Nishimoto M, Mizuno R, Fujita T. FRET-based sensor analysis reveals caveolae are spatially distinct Ca ²⁺ stores in endothelial cells.	腎臓・内分泌内科	Renin inhibition ameliorates renal damage through prominent suppression of both angiotensin I and II in human renin angiotensinogen transgenic mice with high salt loading.	Cell Calcium. 2013;54(6):395-403.
717	He G, Dhar D, Nakagawa H, Font-Burgada J, Ogata H, Jiang Y, Shalapour S, Seki E, Yost SE, Jepsen K, Frazer KA, Harismendy O, Hatziapostolou M, Iliopoulos D, Suetsugu A, Hoffman RM, Tateishi R, Koike K, Karin M.	消化器内科	Identification of liver cancer progenitors whose malignant progression depends on autocrine IL-6 signaling.	Cell. 2013;155(2):384-96
718	Ushiku T, Moran CJ, Lauwers GY.	人体病理学教室	Focally enhanced gastritis in newly diagnosed pediatric inflammatory bowel disease.	Am J Surg Pathol. 2013 Dec;37(12):1882-8.
719	Nakai Y, Isayama H, Sasaki T, Takahara N, Hamada T, Uchino R, Mizuno S, Miyabayashi K, Yamamoto K, Mohri D, Kogure H, Yamamoto N, Hirano K, Ijichi H, Tateishi K, Tada M, Koike K.	消化器内科	A retrospective analysis of early CA19-9 change in salvage chemotherapy for refractory pancreatic cancer.	Cancer Chemother Pharmacol. 2013 Dec;72(6):1291-7.
720	Kariya Y, Honma M, Suzuki H.	薬剤部	Systems-based understanding of pharmacological responses with combinations of multidisciplinary methodologies.	Biopharm Drug Dispos. 2013;34(9):489-507.
721	Takao H, Hayashi N, Ohtomo K.	22世紀医療センター	Sex dimorphism in the white matter: Fractional anisotropy and brain size	J.Magn.Reson.Imaging 2013
722	Mori T, Nagase T, Takehara K, Oe M, Ohashi Y, Amemiya A, Noguchi H, Ueki K, Kadowaki T, Sanada H.	糖尿病・代謝内科	Morphological pattern classification system for plantar thermography of patients with diabetes.	J Diabetes Sci Technol. 2013;7(5):1102-12.
723	Sato M, Kato N, Tateishi R, Muroyama R, Kowatari N, Li W, Goto K, Otsuka M, Shihina S, Yoshida H, Omata M, Koike K.	消化器内科	The impact of PNPLA3 polymorphisms on the development of hepatocellular carcinoma in patients with chronic hepatitis C virus infection.	Hepatol Res 2013
724	Kaburagi T, Zhang Q, Jin X, Uchiyama M, Fujino Y, Nakahara H, Takamoto M, Otomo K, Niimi M.	眼科・視覚矯正科	Effects of Japanese herbal medicine Saireito on murine experimental autoimmune uveitis.	Graefes Arch Clin Exp Ophthalmol 251:2733-2739, 2013
725	Maeda E, Katsura M, Gono W, Yoshikawa T, Hayashi N, Ohtsu H, Ohtomo K.	22世紀医療センター	Abnormal signal intensities of the seminal vesicles in a screening population	J.Magn.Reson.Imaging 2013
726	Shimamura J, Saito A, Kinoshita O, Ono M.	心臓外科	Giant left atrium	J Card Surg. 2013 Nov;28(6):719-20

番号	発表者氏名	発表者の所属	題名	雑誌名
727	Yoshida M, Tanaka M, Gomi K, Iwanaka T, Dehner LP, Tanaka Y.	小児外科	Fetal lung interstitial tumor:the first Japanese case report and a comparison with fetal lung tissue and congenital cystic adenomatoid malformation/congenital pulmonary airway malformation type 3.	Pathol Int.2013 Oct;63(10):506-9.
728	Tajima M, Hiroi Y, Takazawa Y, Muraoka H, Iwata H, Yamashita H, Hirata Y, Nagai R.	循環器内科	Immunoglobulin G4-related multiple systemic aneurysms and splenic aneurysm rupture during steroid therapy.	Hum Pathol Jan;45(1):175-9.
729	Sonoo T, et al	救急部・集中治療部	Cerebral venous thrombosis and "Dense Triangle Sign" on unenhanced head computed tomographic scan.	Am J Emerg Med. 2014 Feb;32(2):192.e3-4. doi: 10.1016/j.ajem.2013.08.055. Epub 2013 Oct 16.
730	Tsuji Y, Ohata K, Gunji T, Shozushima M, Hamanaka J, Ohno A, Ito T, Yamamichi N, Fujishiro M, Matsuhashi N, Koike K.	消化器内科	Endoscopic tissue shielding method with polyglycolic acid sheets and fibrin glue to cover wounds after colorectal endoscopic submucosal dissection (with video).	Gastrointest Endosc. 2014 Jan;79(1):151-5.
731	Inoue T, Nangaku M, Hinohara F.	腎臓・内分泌内科	Tuberculous lymphadenitis in a dialysis patient diagnosed by 18-fluorodeoxyglucose positron emission tomography and IFN-gamma release assay.	Am J Kidney Dis. 2013 Dec;62(6):1221
732	Masui Y, Asano Y, Akamata K, Aozasa N, Noda S, Taniguchi T, Takahashi T, Ichimura Y, Toyama T, Sumida H, Kuwano Y, Yanaba K, Tada Y, Sugaya M, Sato S, Kadono T	皮膚科	Serum resistin levels: a possible correlation with pulmonary vascular involvement in patients with systemic sclerosis.	Rheumatol Int. 2013.
733	Takano T, Niikura H, Ito K, Nagase S, Utsunomiya H, Otsuki T, Toyoshima M, Tokunaga H, Kaiho-Sakuma M, Shiga N, Nagai T, Tanaka S, Otsuki A, Kurosawa H, Shigeta S, Tsuji K, Yamaguchi T, Yaegashi N.	22世紀医療センター	Feasibility study of gemcitabine plus docetaxel in advanced or recurrent uterine leiomyosarcoma and undifferentiated endometrial sarcoma in Japan.	Int J Clin Oncol. 2013 Oct 24.
734	Asano Y, Sato S	皮膚科	Animal models of scleroderma: current state and recent development.	Curr Rheumatol Rep. 2013;15(12):382.
735	Nishizaki Y, Daimon M, Miyazaki S, Suzuki H, Kawata T, Miyauchi K, Chiang SJ, Makinae H, Shinozaki T, Daida H.	検査部	Clinical Factors Associated with Classical Symptoms of Aortic Valve Stenosis.	J Heart Valve Dis 2013 ;22(3):287-94.
736	Tabata M, Kasegawa H, Suzuki T, Watanabe H, Fukui T, Takahashi S, Ono M.	心臓外科	Long-term outcomes of early surgery for asymptomatic severe chronic mitral regurgitation	J Heart Valve Dis. 2013 May;22(3):354-60
737	Kamata M, Fujita H, Hamanaka T, Takahashi1 K, Koga H, Hashimoto T, Sato S	皮膚科	Anti-laminin gamma1 pemphigoid accompanied by autoantibodies to laminin alpha3 and gamma2 subunits of laminin-332.	JAMA Dermatol. 2013;149(12):1437-1439.

番号	発表者氏名	発表者の所属	題名	雑誌名
738	Chen MJ, Chen KY, Chiang SJ, Daimon M, Lee SJ.	検査部	The Telehealth Care Service Model of Hypertensive Treatment.	J Telemed Telecare. 2013; 19(5): 238-41.
739	Kogure H, Tsujino T, Isayama H, Takahara N, Uchino R, Hamada T, Miyabayashi K, Mizuno S, Mohri D, Yashima Y, Kawakubo K, Sasaki T, Yamamoto N, Nakai Y, Hirano K, Sasahira N, Tada M, Koike K	消化器内科	Short- and long-term outcomes of endoscopic papillary large balloon dilation with or without sphincterotomy for removal of large bile duct stones.	Scand J Gastroenterol. 2014 Jan;49(1):121-8.
740	Shinohara A, Imai Y, Nakagawa M, Takahashi T, Ichikawa M, Kurokawa M.	血液・腫瘍内科	Intracellular reactive oxygen species mark and influence the megakaryocyte-erythrocyte progenitor fate of common myeloid progenitors.	Stem Cells 2014;32(2):548-57.
741	Okada-Iwabu M, Yamauchi T, Iwabu M, Honma T, Hamagami K, Matsuda K, Yamaguchi M, Tanabe H, Kimura-Someya T, Shirouzu M, Ogata H, Tokuyama K, Ueki K, Nagano T, Tanaka A, Yokoyama S, Kadokawa T	22世紀医療センター	A small-molecule AdipoR agonist for type 2 diabetes and short life in obesity.	Nature. 2013;503(7477):493-9
742	Arita H, Narita Y, Takami H, Fukushima S, Matsushita Y, Yoshida A, Miyakita Y, Ohno M, Shibui S, Ichimura K.	脳神経外科	TERT promoter mutations rather than methylation are the main mechanism for TERT upregulation in adult gliomas	Acta Neuropathol. 2013;126(6):939-41
743	Uranbileg B, Enooku K, Sorioida Y, Ohkawa R, Kudo Y, Nakagawa H, Tateishi R, Yoshida H, Shinzawa S, Moriya K, Ohtomo N, Nishikawa T, Inoue Y, Tomiya T, Kojima S, Matsuura T, Koike K, Yatomi Y, Ikeda H	消化器内科	High ubiquitous mitochondrial creatine kinase expression in hepatocellular carcinoma denotes a poor prognosis with highly malignant potential.	Int J Cancer 2013
744	Yamamoto K, Takahashi H, Kanno M, Noda Y, Fujino Y.	眼科・視覚矯正科	Changes in parafoveal retinal thickness and subfoveal choroidal thickness in a patient with dengue fever-associated maculopathy.	J Ophthalmic Inflamm Infect 3:63, 2013
745	Kimura M, Kinoshita O, Fujimoto Y, Murakami A, Shindo T, Kashiwa K, Onom M	心臓外科	Central extracorporeal membrane oxygenation requiring pulmonary arterial venting after near-drowning	Am J Emerg Med, 32(2); 197 e1-e2
746	Yamashita A, Kawana K, Tomio K, Taguchi A, Isobe Y, Iwamoto R, Masuda K, Furuya H, Nagamatsu T, Nagasaka K, Arimoto T, Oda K, Wada-Hiraike O, Yamashita T, Taketani Y, Kang JX, Kozuma S, Arai H, Arita M, Osuga Y, Fujii T	女性診療科・産科 / 女性外科	Increased tissue levels of omega-3 polyunsaturated fatty acids prevents pathological preterm birth.	Sci Rep. 2013 Nov 1;3:3113

番号	発表者氏名	発表者の所属	題名	雑誌名
747	Valente AM, Gauvreau K, Assenza GE, Babu-Narayan SV, Schreier J, Gatzoulis MA, Groenink M, Inuzuka R, Kilner PJ, Koyak Z, Landzberg MJ, Mulder B, Powell AJ, Wald R, Geva T.	小児科	Contemporary predictors of death and sustained ventricular tachycardia in patients with repaired tetralogy of Fallot enrolled in the INDICATOR cohort.	Heart. 2014 Feb;100(3):247-53
748	Shigemoto Y, Matsuda H, Kamiya K, Maikusa N, Nakata Y, Ito K, Ota M, Matsunaga N, Sato N.	放射線科	In vivo evaluation of gray and white matter volume loss in the parkinsonian variant of multiple system atrophy using SPM8 plus DARTEL for VBM.	Neuroimage Clin. 2013; 2:491-6
749	Moriya T, Fukatsu K, Noguchi M, Okamoto K, Murakoshi S, Saitoh D, Miyazaki M, Hase K, Yamamoto J.	材料管理部	Intravenous administration of high-dose Paclitaxel reduces gut-associated lymphoid tissue cell number and respiratory immunoglobulin A concentrations in mice.	Surg Infect (Larchmt). 2014 Feb;15(1):50-7.
750	Mashiko T, Minabe T, Shiokawa I, Mineeda K, Yoshimura K.	形成外科	Heterotopic ossification in cauliflower ear.	J Plast Reconstr Aesthet Surg. 2014 Mar;67(3):e93-4.
751	Hayakawa YK, Kirino E, Shimoji K, Kamagata K, Hori M, Ito K, Kunimatsu A, Abe O, Ohtomo K, Aoki S.	放射線科	Anterior cingulate abnormality as a neural correlate of mismatch negativity in schizophrenia.	Neuropsychobiology. 2013; 68(4): 197-204
752	Ota M, Hori H, Sato N, Sasayama D, Hattori K, Teraishi T, Obu S, Nakata Y, Kunugi H.	放射線科	Hypothalamic-pituitary-adrenal axis hyperactivity and brain differences in healthy women.	Neuropsychobiology. 2013; 68(4): 205-11
753	Sahara M, Ikutomi M, Morita T, Minami Y, Nakajima T, Hirata Y, Nagai R, Sata M.	循環器内科	Deletion of angiotensin-converting enzyme 2 promotes the development of atherosclerosis and arterial neointima formation.	Cardiovasc Res Feb 1;101(2):236-46.
754	Amano Y, Takai D, Ohishi N, Shinozaki-Ushiku A, Fukayama M, Akahane M, Nakajima J, Nagase T.	人体病理学教室	Successful Treatment of Mediastinal Unicentric Castleman's Disease Using Video-Assisted Thoracoscopic Surgery with Preoperative Embolization.	Case Rep Med. 2013;2013:354507.
755	Hosaka A, Miyata T, Hoshina K, Okamoto H, Shigematsu K.	大腸肛門外科・血管外科	Surgical management of a primary external iliac venous aneurysm causing pulmonary thromboembolism: report of a case.	Surgery today. 2013 Nov 8. PubMed PMID: 24201597
756	Kadowaki T.	糖尿病・代謝内科	Ensuring success for J-NIH.	Science. 2013;342(6159):670.
757	Suzuki J, Imai Y, Aoki M, Fujita D, Aoyama N, Tada Y, Akazawa H, Izumi Y, Isobe M, Komuro I, Nagai R, Hirata Y	循環器内科	High incidence and severity of periodontitis in patients with Marfan syndrome in Japan	Heart Vessels. 2013 Nov 8.
758	Yoshikawa T, Wada K, Lee JJ, Mitsuda T, Kidouchi K, Kurosu H, Morisawa Y, Aminaka M, Okubo T, Kimura S, Moriya K.	感染制御部	Incidence rate of needlestick and sharps injuries in 67 Japanese hospitals: a national surveillance study.	PLoS One. 2013 Oct 30;8(10):e77524

番号	発表者氏名	発表者の所属	題名	雑誌名
759	Nakanishi W, Yamaguchi S, Matsuda A, Suzukawa M, Shibui A, Nambu A, Kondo K, Suto H, Saito H, Matsumoto K, Yamasoba T, Nakae S.	耳鼻咽喉科・聴覚音声外科	IL-33, but not IL-25, is crucial for the development of house dust mite antigen-induced allergic rhinitis.	PLoS One. 2013; 8(10):e78099
760	Karakawa A, Murata H, Hirasawa H, Mayama C, Asaoka R.	眼科・視覚矯正科	Detection of progression of glaucomatous visual field damage using the point-wise method with the binomial test.	PLoS One 8:e78630, 2013
761	Tada Y, Ogawa M, Watanabe R, Zempo H, Takamura C, Suzuki J, Dan T, Miyata T, Isobe M, Komuro I.	循環器内科	Neovascularization induced by hypoxia inducible transcription factor is associated with the improvement of cardiac dysfunction in experimental autoimmune myocarditis.	Expert Opin Investig Drugs Feb;23(2):149-62.
762	Fustin JM, Doi M, Yamaguchi Y, Hida H, Nishimura S, Yoshida M, Isagawa T, Morioka M.S, Kakeya H, Manabe I and Okamura H	循環器内科	RNA-methylation-dependent RNA processing controls the speed of the circadian clock	Cell 2013;155(4):793-806
763	Nishimura S, Manabe I, Takaki S, Nagasaki M, Otsu M, Yamashita H, Sugita J, Yoshimura K, Eto K, Komuro I, Kadokami T, Nagai R.	22世紀医療センター	Adipose Natural Regulatory B Cells Negatively Control Adipose Tissue Inflammation	Cell Metab. 2013
764	Feins EN, Yamauchi H, Marx GR, Freudenthal FP, Liu H, Del Nido PJ, Vasilyev NV	心臓外科	Repair of posterior mitral valve prolapse with a novel leaflet plication clip in an animal model	J Thorac Cardiovasc Surg. 2014 Feb;147(2):783-90; discussion 790-1
765	Shibata S, Asano Y, Sato S	皮膚科	Cutaneous polyarteritis nodosa localized to the arm receiving infusion of abatacept.	Eur J Dermatol. 2013;23(5):738-739.
766	Ito S, Iwaki S, Koike K, Yuda Y, Nagasaki A, Ohkawa R, Yatomi Y, Furumoto T, Tsutsui H, Sobel BE, Fujii S.	検査部	Increased plasma sphingosine-1-phosphate in obese individuals and its capacity to increase the expression of plasminogen activator inhibitor-1 in adipocytes.	Coron. Artery Dis. 2013;24:642-650.
767	Doi K, Urata M, Katagiri D, Inamori M, Murata S, Hisagi M, Ono M, Matsubara T, Ishii T, Yahagi N, Nangaku M, Noiri E.	救急部・集中治療部	Plasma neutrophil gelatinase-associated lipocalin in acute kidney injury superimposed on chronic kidney disease after cardiac surgery: a multicenter prospective study.	Crit Care. 2013 Nov 12;17(6):R270
768	Nakai Y, Isayama H, Itoi T, Yamamoto N, Kogure H, Sasaki T, Hirano K, Tada M, Koike K.	消化器内科	Role of endoscopic ultrasonography in pancreatic cystic neoplasms: Where do we stand and where will we go?	Dig Endosc. 2014 Mar;26(2):135-43.
769	Kawase-Koga Y, Mori Y, Hoshi K, Takato T.	顎口腔外科・歯科矯正歯科	A novel technique for preventing skin pressure sores using a rubber tube during surgical treatment of mandibular condyle fractures.	J Craniofac Surg. 2013 Nov;24(6):e604-6.
770	Yamashita H, Omori M, Okuma K, Kobayashi R, Igaki H, Nakagawa K.	放射線科	Longitudinal Assessments of Quality of Life and Late Toxicities Before and After Definitive Chemoradiation for Esophageal Cancer.	Jpn J Clin Oncol. 2014; 44(1): 78-84

番号	発表者氏名	発表者の所属	題名	雑誌名
771	Takahashi W, Yamashita H, Omori M, Kitagushi M, Shibata-Kobayashi S, Sakumi A, Nakagawa K.	放射線科	The feasibility and efficacy of stereotactic body radiotherapy for centrally-located lung tumors.	Anticancer Res. 2013; 33(11): 4959-64
772	Inoue Y, Tomiya T, Nishikawa T, Ohtomo N, Tanoue Y, Ikeda H, Koike K.	検査部	Induction of p53-dependent p21 limits proliferative activity of rat hepatocytes in the presence of hepatocyte growth factor.	PLoS One 2013 ; 8:e78346.
773	Horiuchi Y, Takagi A, Kobayashi N, Moriya O, Nagai T, Moriya K, Tsutsumi T, Koike K, Akatsuka T.	消化器内科	The effect of the infectious dose and the presence of HCV core gene on mouse intrahepatic CD8 T-cells.	Hepatol Res 2013 Nov 14. doi:10.1111/hepr.12275. 24224477
774	Doi K, Kuno S, Kobayashi A, Hamabuchi T, Kato H, Kinoshita K, Eto H, Aoi N, Yoshimura K.	形成外科	Enrichment isolation of adipose-derived stem/stromal cells from the liquid portion of liposuction aspirates with the use of an adherent column.	Cyotherapy. 2014 Mar;16(3):381-91.
775	Kawata M, Inui H, Taketomi S, Nakamura K, Nakagawa T, Tanaka S.	整形外科	Recurrent hemarthrosis after total knee arthroplasty caused by the impingement of a remnant lateral meniscus: a case report.	Knee. 2014 Mar;21(2):617-9.
776	Yamamoto T, Yamamoto N, Numahata T, Yokoyama A, Tashiro K, Yoshimatsu H, Narushima M, Koshima I.	形成外科	Navigation lymphatic supermicrosurgery for the treatment of cancer-related peripheral lymphedema.	Vasc Endovascular Surg. 2014 Feb;48(2):139-43.
777	Matsumoto T, Kadono Y, Nishino J, Nakamura K, Tanaka S, Yasui T.	整形外科	Midterm results of resection arthroplasty for forefoot deformities in patients with rheumatoid arthritis and the risk factors associated with patient dissatisfaction.	J Foot Ankle Surg. 2014 Jan-Feb;53(1):41-6
778	Watanabe T.	大腸肛門外科・血管外科	Biomarker for high-risk patients with stage II colon cancer.	The lancet oncology. 2013 Dec. 14(13):1247-8.
779	Uehara K, Chikuda H, Higurashi Y, Ohkusu K, Takeshita K, Seichi A, Tanaka S:	整形外科・脊椎外科	Pyogenic discitis due to <i>Abiotrophia adiacens</i> .	Int J Surg Case Rep. 2013;4(12):1107-9.
780	Oneyama C, Kito Y, Asai R, Ikeda J, Yoshida T, Okuzaki D, Kokuda R, Kakumoto K, Takayama K, Inoue S, Morii E, Okada M	老年病科	MiR-424/503-mediated Rictor upregulation promotes tumor progression.	PLoS ONE. 2013;8:e80300
781	Furukawa S, Kawasaki Y, Miyamoto M, Hiyoshi M, Kitayama J, Akiyama T.	大腸肛門外科・血管外科	The miR-1-NOTCH3-Asef pathway is important for colorectal tumor cell migration.	PLoS one. 2013 8(11):e80609.
782	Oba S, Mizutani T, Suzuki E, Nishimatsu H, Takahashi M, Ogawa Y, Kimura K, Hirata Y, Fujita T.	22世紀医療センター	A useful method of identifying of miRNAs which can down-regulate Zeb-2	BMC Res Notes.2013;18: 470
783	Doughty RN, Gardin JM, Hobbs FD, McMurray JJ, Nagweh SF, Poppe KK, Senior R, Thomas L, Whalley GA, Aune E, Brown A, Badano LP, Cameron V, Chadha DS, Chahal N, Chien KL, Daimon M, et al.	検査部	A meta-analysis of echocardiographic measurements of the left heart for the development of normative reference ranges in a large international cohort: the EchoNoRMAL study.	Eur Heart J Cardiovasc Imaging. 2014;15(3):341-8.

番号	発表者氏名	発表者の所属	題名	雑誌名
784	Moro T, Takatori Y, Kyomoto M, Ishihara K, Hashimoto M, Ito H, Tanaka T, Oshima H, Tanaka S, Kawaguchi H.	整形外科	Long-term hip simulator testing of the artificial hip joint bearing surface grafted with biocompatible phospholipid polymer.	J Orthop Res. 2014 Mar;32(3):369-76.
785	Higashikuni Y, Tanaka K, Kato M, Nureki O, Hirata Y, Nagai R, Komuro I, Sata M	22世紀医療センター	Toll-like receptor-2 mediates adaptive cardiac hypertrophy in response to pressure overload through interleukin-1beta upregulation via nuclear factor kappaB activation	J Am Heart Assoc.2013;2: e000267
786	Shirota Y, Ohtsu H, Hamada M, Enomoto H, Ugawa Y; Research Committee on rTMS Treatment of Parkinson's Disease.	22世紀医療センター	Supplementary motor area stimulation for Parkinson disease: A randomized controlled study.	Neurology. 2013 Nov 19;81(21):1881-2.
787	Suga H, Sugaya M, Fujita H, Asano Y, Tada Y, Kadono T, Sato S	皮膚科・皮膚光線レーザー科	TLR4, rather than TLR2, regulates wound healing through TGF-beta and CCL5 expression.	J Dermatol Sci.2014;73(2):117-24.
788	Torzilli G, Belghiti J, Kokudo N, Takayama T, Capussotti L, Nuzzo G, Vauthey JN, Choti MA, De Santibanes E, Donadon M, Makuchi M.	肝胆脾外科、人工臓器・移植外科	Reply to the Letter to the Editor entitled "A Snapshot of the Effective Indications and Results of Surgery for Hepatocellular Carcinoma in Tertiary Referral Centers: Is It Adherent to the EASL/AASLD Recommendations? An Observational Study of the HCC East-West Study Group": When the Study Setting "Ignores" the Patients.	Ann Surg. 2013 Nov 18.
789	Tada N, Tsuno NH, Kawai K, Murono K, Nirei T, Ishihara S, et al.	大腸肛門外科	Changes in the plasma levels of cytokines/chemokines for predicting the response to chemoradiation therapy in rectal cancer patients.	Oncology reports. 2014 Jan. 31(1):463-71.
790	Ishizawa T, Masuda K, Urano Y, Kawaguchi Y, Satou S, Kaneko J et al.	人体病理学教室	Mechanistic background and clinical applications of indocyanine green fluorescence imaging of hepatocellular carcinoma.	Ann Surg Oncol. 2014 Feb;21(2):440-8.
791	Otsuka M, Kishikawa T, Yoshikawa T, Ohno M, Takata A, Shibata C, Koike K.	消化器内科	The role of microRNAs in hepatocarcinogenesis: current knowledge and future prospects.	J Gastroenterol. 2014 Feb;49(2):173-84.Epub 2013 Nov 21.
792	Nakahara Y, Katagiri T, Ogata N, Haga N	リハビリテーション科・部	ACVR1 (587T>C) mutation in a variant form of fibrodysplasia ossificans progressive - second report	Am J Med Genet Part A 164A: 220-224
793	Takahashi T, Asano Y, Amiya E, Hatano M, Tamaki Z, Takata M, Ozeki A, Watanabe A, Kawarasaki S, Taniguchi T, Ichimura Y, Toyama T, Watanabe M, Hirata Y, Nagai R, Komuro I, Sato S.	循環器内科	Clinical correlation of brachial artery flow-mediated dilation in patients with systemic sclerosis.	Mod Rheumatol Jan;24(1):106-11.

番号	発表者氏名	発表者の所属	題名	雑誌名
794	Torzilli G, Belghiti J, Kokudo N, Takayama T, Capussotti L, Nuzzo G, Vauthey JN, Choti MA, De Santibanes E, Donadon M, Makuuchi M.	肝胆脾外科、人工臓器・移植外科	Reply to the Letter to the Editor titled "Dissecting EASL/AASLD Recommendations With a More Careful Knife: A Comment on 'Surgical Misinterpretation' of the BCLC Staging System": Real Misinterpretation or Lack of Clarity within the BCLC?	Ann Surg. 2013 Nov 20.
795	Hirata Y, Kurobe H, Higashida M, Fukuda D, Shimabukuro M, Tanaka K, Higashikuni Y, Kitagawa T, Sata M	小児科	HMGB1 plays a critical role in vascular inflammation and lesion formation via toll-like receptor 9.	Atherosclerosis. 2013;231:227-33
796	Nagai K, Shibata S, Akishita M, Sudoh N, Obara T, Toba K, Kozaki K.	老年病科	Efficacy of combined use of three non-invasive atherosclerosis tests to predict vascular events in the elderly; carotid intima-media thickness, flow-mediated dilation of brachial artery and pulse wave velocity.	Atherosclerosis. 2013;231(2):365-70
797	Murakami M, Suzuki J, Yamazaki S, Ikezoe M, Matsushima R, Ashigaki N, Aoyama N, Kobayashi N, Wakayama K, Akazawa H, Komuro I, Izumi Y, Isobe M	22世紀医療センター	High incidence of Aggregatibacter actinomycetemcomitans infection in patients with cerebral infarction and diabetic renal failure: A cross-sectional study	BMC Infect Dis. 2013;13: 557
798	Kishii K, Kikuchi K, Yoshida A, Okuzumi K, Uetera Y, Yasuhara H, Moriya K.	感染制御部	Antimicrobial susceptibility profile of Acinetobacter species isolated from blood cultures in two Japanese university hospitals.	Microbiol Immunol. 2014 Feb;58(2):142-6.
799	Uchida K, Nakata K, Carey B, Chalk C, Suzuki T, Sakagami T, Koch DE, Stevens C, Inoue Y, Yamada Y, Trapnell BC.	麻酔科・痛みセンター	Standardized Serum GM-CSF Autoantibody Testing for the Routine Clinical Diagnosis of Autoimmune Pulmonary Alveolar Proteinosis.	J Immunol Methods
800	Morita H, Komuro I.	22世紀医療センター	A novel channelopathy in pulmonary arterial hypertension.	N Engl J Med 2013; 369: 2161-2162.
801	Nakaminami H, Suzuki Y, Suzuki R, Saito A, Motomura N, Nozuchi N	心臓外科	In vitro antimicrobial activity of fibrin sealants containing antimicrobial agents	Surg Infect (Larchmt). 2014 Feb;15(1):29-35
802	Matsu T, Kawasaki K, Kawai K, Majima K, Masuda H, Murakami H, Kunii N, Kamitani Y, Kameyama S, Saito N, Hasegawa I.	脳神経外科	Alternating Zones Selective to Faces and Written Words in the Human Ventral Occipitotemporal Cortex	Cereb Cortex. 2013;():
803	Inoue T, Kitamura T, Torii S, Hanayama N, Oka N, Itatani K, Tomoyasu T, Irisawa Y, Shibata M, Hayashi H, Ono M, Miyaji K	心臓外科	Five-week use of a monopivot centrifugal blood pump as a right ventricular assist device in severe dilated cardiomyopathy	J Artif Organs, 17; 95-98
804	Takeda Y, Sakata Y, Ohtani T, Tamaki S, Omori Y, Tsukamoto Y, Aizawa Y, Shimamura K, Shirakawa Y, Kuratani T, Sawa Y, Yamamoto K, Mano T, Komuro I.	循環器内科	Endovascular aortic repair increases vascular stiffness and alters cardiac structure and function.	Circ J;78(2):322-8.

番号	発表者氏名	発表者の所属	題名	雑誌名
805	Inoue Y, Kokudo N	肝胆脾外科、人工臓器・移植外科	Elastography for hepato-biliary-pancreatic surgery.	SurgToday.
806	Ozaki S, Salto A, Nakaminami H, Ono M, Noguchi N, Motomura N	心臓外科	Comprehensive evaluation of fibrin glue as a local drug-delivery system-efficacy and safety of sustained release of vancomycin by fibrin glue against local methicillin-resistant <i>Staphylococcus aureus</i> infection	J Artif Organs, 17; 42-49
807	Koike S, Nishimura Y, Takizawa R, Yahata N, Kasai K.	精神神経科	Near-infrared spectroscopy in schizophrenia: A possible biomarker for predicting clinical outcome and treatment response.	Front Psychiatry 2013;14;4:145..
808	Maeda E, Yoshikawa T, Nakashima R, Kobayashi K, Yokosawa K, Hayashi N, Masutani Y, Yoshioka N, Akahane M, Ohtomo K.	放射線科	Experimental system for measurement of radiologists' performance by visual search task.	Springerplus. 2013; 2: 607
809	Matsudaira K, Kawaguchi M, Isomura T, Arisaka M, Fujii T, Takeshita K, Kitagawa T, Miyoshi K, Konishi H.	整形外科・脊椎外科	Identification of risk factors for new-onset sciatica in Japanese Workers: Findings from the Japan Epidemiological Research of Occupation-related Back Pain (JOB) study.	Spine (Phila Pa 1976). 2013 Dec 15;38(26):E1691-700.
810	Ishii-Takahashi A, Takizawa R, Nishimura Y, Kawakubo Y, Kuwabara H, Matsubayashi J, Hamada K, Okuhata S, Yahata N, Igarashi T, Kawasaki S, Yamasue H, Kato N, Kasai K, Kano Y	こころの発達診療部	Prefrontal activation during inhibitory control measured by near-infrared spectroscopy for differentiating between autism spectrum disorders and attention deficit hyperactivity disorder in adults.	Neuroimage Clin. 2013; 4: 53-63
811	Tanaka T, Yamashiki N, Sugawara Y, Tamura S, Nakamura M, Kaneko J, Aoki T, Sakamoto Y, Hasegawa K, Kokudo N.	肝胆脾外科、人工臓器・移植外科	Chronologic changes of explanted liver volume and the use of ursodeoxycholic acid in patients with end-stage primary biliary cirrhosis	Hepatol Res. 2013 Dec 2
812	Yamamoto S, Hoshina K, Takazawa Y, Okamoto H, Shigematsu K, Miyata T, et al.	大腸肛門外科・血管外科	Aortic dissection occurring 18 months after successful endovascular repair in an anatomically difficult case of abdominal aortic aneurysm.	Case reports in vascular medicine. 2013 2013(412708).
813	Nakazaki K, Nannya Y, Kurokawa M.	血液・腫瘍内科	Distribution of serum erythropoietin levels in lower risk myelodysplastic syndrome cases with anemia.	Int J Hematol 2014;99(1):53-6.
814	Beppu T, Sakamoto Y, Hasegawa K, Honda G, Tanaka K, Kotera Y, Nitta H, Yoshidome H, Hatano E, Ueno M, Takamura H, Baba H, Kosuge T, Kokudo N, Takahashi K, Endo I, Wakabayashi G, Miyazaki M, Uemoto S, Ohta T, Kikuchi K, Takayama T, Yamaue H, Yamamoto M;	肝胆脾外科、人工臓器・移植外科	Optimal cut-off value for the number of colorectal liver metastases: a project study for hepatic surgery of the Japanese Society of Hepato-Biliary-Pancreatic Surgery.	J Hepatobiliary Pancreat Sci. 2014 Mar;21(3):169-75

番号	発表者氏名	発表者の所属	題名	雑誌名
815	Isayama H, Kawakubo K, Nakai Y, Inoue K, Gon C, Matsubara S, Kogure H, Ito Y, Tsujino T, Mizuno S, Hamada T, Uchino R, Miyabayashi K, Yamamoto K, Sasaki T, Yamamoto N, Hirano K, Sasahira N, Tada M, Koike K.	消化器内科	A novel, fully covered-laser-cut nitinol stent with antimigration properties for nonresectable distal malignant biliary obstruction: a multicenter feasibility study.	Gut Liver. 2013 Nov;7(6):725-30.
816	Japanese multicenter study group on male high imperforate anus	小児外科	Multicenter retrospective comparative study of laparoscopically assisted and conventional anorectoplasty for male infants with rectoprostatic urethral fistula.	J Pediatr Surg. 2013 Dec;48(12):2383-8.
817	Taniguchi T, Sakata Y, Ohtani T, Mizote I, Takeda Y, Asano Y, Masuda M, Minamiguchi H, Kanzaki M, Ichibori Y, Nishi H, Toda K, Sawa Y, Komuro I	循環器内科	Usefulness of transient elastography for noninvasive and reliable estimation of right-sided filling pressure in heart failure.	Am J Cardiol Feb 1;113(3):552-8.
818	Watanabe T, Kobunai T, Akiyoshi T, Matsuda K; Ishihara S, Nozawa K.	大腸肛門外科	Prediction of response to preoperative chemoradiotherapy in rectal cancer by using reverse transcriptase polymerase chain reaction analysis of four genes.	Diseases of the colon and rectum. 2014 Jan; 57(1):23-31.
819	Nan H, Morikawa T, Suurküla M, Imamura Y, Werner L, Kuchiba A et al.	人体病理学教室	Aspirin use, 8q24 single nucleotide polymorphism rs6983267, and colorectal cancer according to CTNNB1 alterations.	J Natl Cancer Inst. 2013 Dec;105(24):1852-61.
820	Ui T, Morishima K, Saito S, Sakuma Y, Fujii H, Hosoya Y, et al.	人体病理学教室	The HSP90 inhibitor 17-N-allylamino-17-demethoxy geldanamycin (17-AAG) synergizes with cisplatin and induces apoptosis in cisplatin-resistant esophageal squamous cell carcinoma cell lines via the Akt/XIAP pathway.	Oncol Rep. 2014 Feb;31(2):619-24.
821	Tanaka N, Konno S, Takeshita K, Fukui M, Takahashi K, Chiba K, Miyamoto M, Matsumoto M, Kasai Y, Kanamori M, Matsunaga S, Hosono N, Kanchiku T, Taneichi H, Hashizume H, Kanayama M, Shimizu T, Kawakami M.	整形外科	An outcome measure for patients with cervical myelopathy: the Japanese Orthopaedic Association Cervical Myelopathy Evaluation Questionnaire (JOACMEQ): an average score of healthy volunteers.	J Orthop Sci. 2014 Jan;19(1):33-48.
822	Taguchi A, Wada-Hiraike O, Kawana K, Koga K, Yamashita A, Shirane A, Urata Y, Kozuma S, Osuga Y, Fujii T.	女性診療科・産科 / 女性外科	Resveratrol suppresses inflammatory responses in endometrial stromal cells derived from endometriosis: a possible role of the sirtuin 1 pathway.	J Obstet Gynaecol Res. 2014 Mar;40(3):770-8.
823	Wolf S, Balciuniene VJ, Laganovska G, Menchini U, Ohno-Matsui K, Sharma T, Wong TY, Silva R, Pilz S, Gekkieva M; RADIANCE Study Group	眼科・視覚矯正科	RADIANCE: a randomized controlled study of ranibizumab in patients with choroidal neovascularization secondary to pathologic myopia.	Ophthalmology. 2014 Mar;121(3):682-92.e2. doi: 10.1016/j.ophtha.2013.10.023. Epub 2013 Dec 9.

番号	発表者氏名	発表者の所属	題名	雑誌名
824	Nishizaki Y, Shimada K, Tani S, Ogawa T, Ando J, Takahashi M, Yamamoto M, Shinozaki T, Miyauchi K, Nagao K, Hirayama A, Yoshimura M, Komuro I, Nagai R, Daida H.	循環器内科	Significance of imbalance in the ratio of serum n-3 to n-6 polyunsaturated fatty acids in patients with acute coronary syndrome.	Am J Cardiol Feb 1;113(3):441-5.
825	Sugihara T, Yasunaga H, Horiguchi H, Matsuda S, Fushimi K, Kattan MW, Homma Y.	泌尿器科	Does mechanical bowel preparation ameliorate damage from rectal injury in radical prostatectomy? Analysis of 151 rectal injury cases.	Int J Urol. 2013 Dec 12.
826	Kimura T, Sugaya M, Yokobayashi H, Tamaki T	皮膚科	A case of tuberculosis cutis miliaris with epithelioid cell granuloma.	J Dermatol. 2013;40(12):1062-1063.
827	Nakai S, Watanabe Y, Masakane I, Wada A, Shoji T, Hasegawa T, Nakamoto H, Yamagata K, Kazama JJ, Fujii N, Itami N, Shinoda T, Shigematsu T, Marubayashi S, Morita O, Hashimoto S, Suzuki K, Kimata N, Hanafusa N, Wakai K, Hamano T, Ogata S, Tsuchida K, Tani	22世紀医療センター	Overview of regular dialysis treatment in Japan (as of 31 December 2011).	Ther Apher Dial. 2013;17(6):567-611.
828	Numakura S, Morikawa T, Ushiku T, Toyoshima T, Fukayama M.	人体病理学教室	Langerhans cell histiocytosis of the urinary bladder in a patient with bladder cancer previously treated with intravesical Bacillus Calmette-Guérin therapy.	Pathol Res Pract. 2014 Feb;210(2):123-6.
829	Nannya Y, Shinohara A, Ichikawa M, Kurokawa M.	血液・腫瘍内科	Serial profile of vitamins and trace elements during the acute phase of allogeneic stem cell transplantation.	Biol Blood Marrow Transplant 2014;20(3):430-4.
830	Chiang SJ, Daimon M, Ishii K, Kawata T, Miyazaki S, Hirose K, Ichikawa R, Miyauchi K, Yeh MH, Chang NC, Daida H.	検査部	Assessment of Elevated Levels and Rapid Changes of Left Ventricular Filling Pressure Using a Novel Global Strain Imaging Diastolic Index.	Circ J 2014;78:419-27.
831	Hanakita S, Koga T, Shin M, Takayanagi S, Mukasa A, Tago M, Igaki H, Saito N.	放射線科	The long-term outcomes of radiosurgery for intracranial hemangioblastomas.	Neuro Oncol. 2014; 16(3): 429-33
832	Imamura T, Kinugawa K, Hatano M, Fujino T, Murakoa H, Inaba T, Maki H, Kagami Y, Endo M, Kinoshita O, Nawata K, Kyo S, Ono M	心臓外科	Preoperative beta-blocker treatment is a key for deciding left ventricular assist device implantation strategy as a bridge to recovery	J Artif Organs, 17; 23-32
833	Wu RC, Ayhan A, Maeda D, Kim KR, Clarke BA, Shaw P, et al.	人体病理学教室	Frequent somatic mutations of the telomerase reverse transcriptase promoter in ovarian clear cell carcinoma but not in other major types of gynecologic malignancies.	J Pathol. 2014 Mar;232(4):473-81.
834	Nagata N, Niikura R, Shimbo T, Kishida Y, Sekine K, Tanaka S, Aoki T, Watanabe K, Akiyama J, Yanase M, Itoh T, Mizokami M, Uemura	感染症内科	Alcohol and smoking affect risk of uncomplicated colonic diverticulosis in Japan.	PLoS One. 2013;10:e81137

番号	発表者氏名	発表者の所属	題名	雑誌名
835	Kokudo T, Hasegawa K, Sugawara Y, Kokudo N.	肝胆脾外科、人工臓器・移植外科	Pitfall of right lateral sector graft procurement: supraportal right posterior hepatic artery.	Transplantation.2013 Dec 27;96(12):e89-91
836	Kioka H, Kato H, Fujikawa M, Tsukamoto O, Suzuki T, Imamura H, Nakano A, Higo S, Yamazaki S, Matsuzaki T, Takafuji K, Asanuma H, Asakura M, Minamino T, Shintani Y, Yoshida M, Noji H, Kitakaze M, Komuro I, Asano Y, Takashima S.	循環器内科	Evaluation of intramitochondrial ATP levels identifies G0/G1 switch gene 2 as a positive regulator of oxidative phosphorylation.	Proc Natl Acad Sci U S A Jan 7;111(1):273-8.
837	Kojima T, Imai Y, Komuro I.	循環器内科	Giant coronary arteriovenous fistula between left superior pulmonary vein and left atrial appendage.	Europace Jan;16(1):39.
838	Watanabe K, Takai D.	検査部	Disruption of the expression and function of microRNAs in lung cancer as a result of epigenetic changes.	Front Genet. 2013; 4: 275.
839	Watanabe T, Abe O, Kuwabara H, Yahata N, Takano Y, Iwashiro N, Natsubori T, Aoki Y, Takao H, Kawakubo Y, Kamio Y, Kato N, Miyashita Y, Kasai K, Yamasue H.	こころの発達診療部	Mitigation of sociocommunicational deficits of autism through oxytocin-induced recovery of medial prefrontal activity: a randomized trial.	JAMA Psychiatry 71(2): 166-75, 2014.
840	Kawaguchi Y, Ishizawa T, Kokudo N.	肝胆脾外科、人工臓器・移植外科	Estimation of portal uptake function in the venous congestive area after hemi-hepatectomy: postoperative contrast-enhanced magnetic resonance imaging and intraoperative indocyanine green-fluorescence imaging.	J Hepatobiliary Pancreat Sci. 2014 Jan;21(1):
841	Takwoingi Y, Botello AP, Burr JM, Azuara-Blanco A, Garway-Heath DF, Lemij HG, Sanders R, King AJ, Deeks JJ; Surveillance for Ocular Hypertension Study Group (Asaoka R).	眼科・視覚矯正科	External validation of the OHTS-EGPS model for predicting the 5-year risk of open-angle glaucoma in ocular hypertensives.	Br J Ophthalmol. 2014 Mar;98(3):309-14
842	Hirose K, Hirose M, Tanaka K, Kawahito S, Tamaki T, Oshita S.	麻酔科・痛みセンター	Perioperative management of severe anorexia nervosa	Br J Anaesth
843	Itoda Y, Panthee N, Tanaka T, Ando T, Sakuma I, Ono M	心臓外科	Development of a suturing device for anastomosis for small caliber arteries.	J Artif Organs, 17; 88-94
844	Kabeya Y, Goto A, Kato M, Takahashi Y, Matsushita Y, Inoue M, Mizoue T, Tsugane S, Kadokawa T, Noda M.	糖尿病・代謝内科	History of having a macrosomic infant and the risk of diabetes: the Japan public health center-based prospective diabetes study.	PLoS One. 2013;8(12):e84542.
845	Tanaka E, Momoeda M, Osuga Y, Rossi B, Nomoto K, Hayakawa M, Kokubo K, Wang EC.	女性診療科・産科 / 女性外科	Burden of menstrual symptoms in Japanese women - an analysis of medical care-seeking behavior from a survey-based study.	Int J Womens Health. 2013 Dec 17;6:11-23.

番号	発表者氏名	発表者の所属	題名	雑誌名
846	Sumitani M, Yasunaga H, Uchida K, Horiguchi H, Nakamura M, Ohe K, Fushimi K, Matsuda S, Yamada Y.	麻酔科・痛みセンター	Perioperative factors affecting the occurrence of acute complex regional pain syndrome following limb bone fracture surgery: Data from the Japanese Diagnosis Procedure Combination database.	Rheumatology (Oxford). 2013 Dec 24. [Epub ahead of print]
847	Endo Y, Saito Y, Otsuki T, Takahashi A, Nakata Y, Okada K, Hirozane M, Kaido T, Kaneko Y, Takada E, Okazaki T, Enokizno T, Saito T, Komaki H, Nakagawa E, Sugai K, Sasaki M.	放射線科	Persistent verbal and behavioral deficits after resection of the left supplementary motor area in epilepsy surgery. Case Report.	Brain Dev. 2014; 36(1): 74-9
848	Komatsu N, Kawase-Koga Y, Mori Y, Kamikubo Y, Kurokawa M, Takato T.	血液腫瘍内科	HIV-associated Burkitt lymphoma in a Japanese patient with early submandibular swelling.	BMC Res Notes. 6:557
849	Ebara T, Kosuge T, Hirano S, Unno M, Yamamoto M, Miyazaki M, Kokudo N, Miyagawa S, Takada T, Nagino M.	肝胆脾外科、人工臓器・移植外科	Proposal to modify the International Union Against Cancer staging system for perihilar cholangiocarcinomas.	Br J Surg. 2014 Jan;101(2):79-88
850	Aizawa N, Ogawa S, Sugiyama R, Homma Y, Igawa Y.	泌尿器科	Influence of urethane-anesthesia on the effect of resiniferatoxin treatment on bladder function in rats with spinal cord injury.	Neurourol Urodyn. 2013 Dec 28.
851	Iwashiro N, Yahata N, Kawamuro Y, Kasai K, Yamasue H	精神神経科	Aberrant interference of auditory negative words on attention in patients with schizophrenia.	PLoS ONE. 2013;8:e83201
852	Harada N, Sugawara Y, Ishizawa T, Kaneko J, Sakamoto Y, Aoki T, Hasegawa K, Kokudo N	肝胆脾外科、人工臓器・移植外科	Resection of hepaticocystic duct which is a rare anomaly of the extrahepatic biliary system: a case report.	J Med Case Rep. 2013 Dec 30;7(1):279
853	Seki Y, Yoshida Y, Ishimine H, Shinozaki-Ushiku A, Ito Y, Sumitomo K, et al.	人体病理学教室	Lipase member H is a novel secreted protein selectively upregulated in human lung adenocarcinomas and bronchioloalveolar carcinomas.	Biochem Biophys Res Commun. 2014 Jan;443(4):1141-7.
854	Honma M, Ikeuchi Y, Kariya Y, Suzuki H.	22世紀医療センター	Establishment of optimized in vitro assay methods for evaluating osteocyte functions.	Journal of bone and mineral metabolism. 2014 Jan 1.
855	Kagoya Y, Yoshimi A, Kataoka K, Nakagawa M, Kumano K, Arai S, Kobayashi H, Saito T, Iwakura Y, Kurokawa M.	血液・腫瘍内科	Positive feedback between NF-kappaB and TNF-alpha promotes leukemia-initiating cell capacity.	J Clin Invest. 2014;124(2):528-42.
856	Noguchi S, Yamauchi Y, Takizawa H.	呼吸器内科	Novel therapeutic strategies for fibrotic lung disease: a review with a focus on epithelial-mesenchymal transition.	Recent Pat Inflamm Allergy Drug Discov. 2014; 8(1):9-18
857	Nemoto M, Hoshina K, Takayama T, Miura S, Nakazawa T, Kato M, et al.	大腸肛門外科・血管外科	Statins reduce extensive aortic atheromas in patients with abdominal aortic aneurysms.	Annals of vascular diseases. 2013 6(4):711-7.
858	Nishiyama A, Hoshina K, Hosaka A, Okamoto H, Shigematsu K, Miyata T.	大腸肛門外科・血管外科	Treatment Strategies for a Pancreaticoduodenal Artery Aneurysm with or without a Celiac Trunk Occlusive Lesion.	Annals of vascular diseases. 2013 6(4):725-9.

番号	発表者氏名	発表者の所属	題名	雑誌名
859	Kogure Y, Nakamura F, Nukina A, Kamikubo Y, Ichikawa M, Kamikubo Y, Kurokawa M.	血液・腫瘍内科	Catheter-related septic shock by Micrococcus in an autologous hematopoietic stem cell transplantation recipient.	Am J Infect Control 2014;42(1):87.
860	Yamagata K, Goto Y, Nishimasa H, Morimoto J, Ishitani R, Dohmae N, Takeda N, Nagai R, Komuro I, Suga H, Nureki O.	循環器内科	Structural basis for potent inhibition of SIRT2 deacetylase by a macrocyclic peptide inducing dynamic structural change.	Structure Feb 4;22(2):345-52.
861	Tsukamoto A, Nakamura F, Nannya Y, Kobayashi Y, Shibahara J, Ichikawa M, et al.	人体病理学教室	MALT lymphoma of the small bowel with protein-losing enteropathy.	Int J Hematol. 2014 Feb;99(2):198-201.
862	Sugihara T, Yasunaga H, Horiguchi H, Fujimura T, Fushima K, Yu C, Kattan MW, Homma Y.	泌尿器科	Factors affecting choice between ureterostomy, ileal conduit and continent reservoir after radical cystectomy: Japanese series.	Int J Clin Oncol. 2014 Jan 7
863	Nakagawa H, Hikiba Y, Hirata Y, Font-Burgada J, Sakamoto K, Hayakawa Y, Taniguchi K, Umemura A, Kinoshita H, Sakitani K, Nishikawa Y, Hirano K, Ikenoue T, Ijichi H, Dhar D, Shibata W, Akanuma M, Koike K, Karin M, Maeda S.	消化器内科	Loss of liver E-cadherin induces sclerosing cholangitis and promotes carcinogenesis.	Proc Natl Acad Sci U S A. 2014 Jan 21;111(3):1090-5.
864	Yamagata Y, Ando Y, Matsusaka K, Karube H, Onoyama H, Aikou S, et al.	人体病理学教室	Poorly differentiated mesenteric carcinoma of unknown primary site detected by abscess formation: case report.	World J Surg Oncol. 2014 Jan 8;12:4.
865	Terao R, Yuda K, Kure K, Inoue T, Ohtsu H, Yanagi Y.	眼科・視覚矯正科	Effect of vitreomacular adhesion on antivascular endothelial growth factor therapy for macular edema secondary to branch retinal vein occlusion.	Jpn J Ophthalmol. 2014 Mar;58(2):139-45. doi: 10.1007/s10384-013-0302-4. Epub 2014 Jan
866	Tomotaki A, Miyata H, Hashimoto H, Murakami A, Ono M	心臓外科	Results of data verification of the Japan congenital cardiovascular database, 2008 to 2009	World J Pediatr Congenit Heart Surg. 5; 47-53
867	Ota Y, Hishima T, Mochizuki M, Kodama Y, Moritani S, Oyaizu N, et al.	人体病理学教室	Classification of AIDS-related lymphoma cases between 1987 and 2012 in Japan based on the WHO classification of lymphomas, fourth edition.	Cancer Med. 2014 Feb;3(1):143-53.
868	Fantozzi A, Gruber DC, Pisarsky L, Heck C, Kunita A, Yilmaz M, et al.	人体病理学教室	VEGF-Mediated Angiogenesis Links EMT-Induced Cancer Stemness to Tumor Initiation.	Cancer Res. 2014 Mar;74(5):1566-75.
869	Ichikawa K, Kashio A, Mori H, Ochi A, Karino S, Sakamoto T, Kakigi A, Yamasoba T	耳鼻咽喉科	A new computed tomography method to identify meningitis-related cochlear ossification and fibrosis before cochlear implantation.	Otolaryngol Head Neck Surg. 150(4):646-53
870	Yamamoto T, Watanabe T.	大腸肛門外科	Surgery for luminal Crohn's disease.	World journal of gastroenterology : WJG. 2014 Jan 7. 20(1):78-80

番号	発表者氏名	発表者の所属	題名	雑誌名
871	Yamauchi T, Iwabu M, Okada-Iwabu M, Kadokawa T.	22世紀医療センター	Adiponectin receptors: a review of their structure, function and how they work.	Best Pract Res Clin Endocrinol Metab. 2014; 28(1):15-23.
872	Takita J, Chen Y, Kato M, Ohki K, Sato Y, Ohta S, Sugita K, Nishimura R, Hoshino N, Seki M, Sanada M, Oka A, Hayashi Y, Ogawa S.	小児科	Genome-wide approach to identify second gene targets for malignant rhabdoid tumors using high-density oligonucleotide microarrays.	Cancer Sci. 2014 Mar;105(3):258-64.
873	Kikuchi Y, Kunita A, Iwata C, Komura D, Nishiyama T, Shimazu K, et al.	人体病理学教室	Periostin, a niche component, is produced by cancer-associated fibroblasts, supporting growth of gastric cancer through ERK activation.	Am J Pathol. 2014 Mar;184(3):859-70.
874	Qi FH, Wang ZX, Cai PP, Zhao L, Gao JJ, Kokudo N, Li AY, Han JQ, Tang W.	肝胆脾外科、人工臓器・移植外科	Traditional Chinese medicine and related active compounds: A review of their role on hepatitis B virus infection.	Drug Discov Ther. 2013 Dec;7(6):212-224
875	Yamamoto T, Sawada A, Mayama C, Araie M, Ohkubo S, Sugiyama K, Kuwayama Y; Collaborative Bleb-Related Infection Incidence and Treatment Study Group.	眼科・ 視覚矯正科	The 5-year incidence of bleb-related infection and its risk factors after filtering surgeries with adjunctive mitomycin C: collaborative bleb-related infection incidence and treatment study 2.	Ophthalmology. 2014 May;121(5):1001-6. doi: 10.1016/j.ophtha.2013.11.025. Epub 2014 Jan 11.
876	Uni M, Nakamura F, Yoshimi A, Shinozaki-Ushiku A, Hosoi A, Nakazaki K et al.	人体病理学教室	Transformation of follicular lymphoma in the retroperitoneal muscles demonstrated by CT-guided needle biopsy of FDG-avid lesions; case series.	Int J Clin Exp Pathol. 2013 Dec;7(1):402-6.
877	Imamura T, Kinugawa K, Kato N, Muraoka H, Fujino T, Inaba T, Maki H, Kinoshita O, Hatano M, Kyo S, Ono M	心臓外科	Late-onset right ventricular failure in patients with preoperative small left ventricle after implantation of continuous flow left ventricular assist	Circ J. 2014; 78: 625-33
878	Morimura S, Sugaya M, Kai H, Miyagaki T, Asano Y, Tada Y, Kadono T, Murakami T, Sato S.	皮膚科・ 皮膚光線レーザー科	Depsipeptide and roxithromycin induce apoptosis of lymphoma cells by blocking ERK activation.	J Dermatol. 2014;41(1):57-62.
879	Yoshioka R, Hasegawa K, Mise Y, Oba M, Aoki T, Sakamoto Y, Sugawara Y, Sunami E, Watanabe T, Kokudo N.	肝胆脾外科、人工臓器・ 移植外科	Evaluation of the safety and efficacy of simultaneous resection of primary colorectal cancer and synchronous colorectal liver metastases.	Surgery. 2014 Mar;155(3):478-85.
880	Lim JI, Glassman AR, Aiello LP, Chakravarthy U, Flaxel CJ, Spaide RF; Macula Society CSC Collaborative Study Group, Research and Education Committee and Website Committee.	眼科・ 視覚矯正科	Collaborative retrospective macula society study of photodynamic therapy for chronic central serous chorioretinopathy.	Ophthalmology. 2014 May;121(5):1073-8. doi: 10.1016/j.ophtha.2013.11.040. Epub 2014 Jan 16.

番号	発表者氏名	発表者の所属	題名	雑誌名
881	Odagiri H, Kadomatsu T, Endo M, Masuda T, Morioka MS, Fukuhara S, Miyamoto T, Kobayashi E, Miyata K, Aoi J, Horiguchi H, Nishimura N, Terada K, Yakushiji T, Manabe I, Mochizuki N, Mizuta H, Oike Y.	循環器内科	The secreted protein ANGPTL2 promotes metastasis of osteosarcoma cells through integrin alpha5beta1, p38 MAPK, and matrix metalloproteinases.	Sci Signal Jan 21;7(309):ra7
882	Arai H, Akishita M, Chen LK.	老年病科	Growing research on sarcopenia in Asia.	Geriatr Gerontol Int. 2014;14 Suppl 1:1-7.
883	Ishii S, Tanaka T, Shibasaki K, Uchi Y, Kikutani T, Higashiguchi T, Obuchi S, Ishikawa-Tanaka K, Hirano H, Kawai H, Tsuji T, Iijima K	老年病科	Development of a simple screening test for sarcopenia in older adults.	Geriatr Gerontol Int. 2014; 14 Suppl 1:93-101
884	Nakashima R, Imura Y, Hosono Y, Seto M, Murakami A, Watanabe K, Handa T, Mishima M, Hirakata M, Takeuchi T, Fujio K, Yamamoto K, Kohsaka H, Takasaki Y, Enomoto N, Suda T, Chida K, Hisata S, Nukiwa T, Mimori T.	アレルギー・リウマチ内科	The multicenter study of a new assay for simultaneous detection of multiple anti-aminoacyl-tRNA synthetases in myositis and interstitial pneumonia.	PLoS One.
885	Chen LK, Liu LK, Woo J, Assantachai P, Auyeung TW, Bahyah KS, Chou MY, Chen LY, Hsu PS, Krairit O, Lee JS, Lee WJ, Lee Y, Liang CK, Limpawattana P, Lin CS, Peng LN, Satake S, Suzuki T, Won CW, Wu CH, Wu SN, Zhang T, Zeng P, Akishita M, Arai H.	老年病科	Sarcopenia in Asia: consensus report of the asian working group for sarcopenia.	J Am Med Dir Assoc. 2014;15(2):95-101.
886	Chikuda H, Ohya J, Horiguchi H, Takeshita K, Fushimi K, Tanaka S, Yasunaga H.	整形外科	Ischemic stroke after cervical spine injury: analysis of 11,005 patients using the Japanese Diagnosis Procedure Combination database.	Spine J. 2014 Jan 22. pii: S1529-9430(14)00101-6.
887	Kitayama J, Emoto S, Yamaguchi H, Ishigami H, Watanabe T.	大腸肛門外科	Intraperitoneal paclitaxel induces regression of peritoneal metastasis partly by destruction of peripheral microvessels.	Cancer chemotherapy and pharmacology. 2014 Mar. 73(3):605-12.
888	Kitayama J, Emoto S, Yamaguchi H, Ishigami H, Watanabe T.	大腸肛門外科	CD90+ mesothelial-like cells in peritoneal fluid promote peritoneal metastasis by forming a tumor permissive microenvironment.	PLoS one. 2014 9(1):e86516.
889	Tokuhaba Y, Shukuya K, Tanaka M, Mouri M, Ohkawa R, Fujishiro M, Takahashi T, Okubo S, Yokota H, Kurano M, Ikeda H, Yamaguchi S, Inagaki S, Ishige-Wada M, Usui H, Yatomi Y, himosawa T.	検査部	Detection of novel visible-light region absorbance peaks in the urine after alkalinization in patients with alkaptonuria.	PLoS One 2014;9:e86606

番号	発表者氏名	発表者の所属	題名	雑誌名
890	Mizuno A, Kohsaka S, Miyata H, Koide K, Asano T, Ohki T, Negishi K, Fukuda K, Nishi Y.	22世紀医療センター	Radial coronary interventions and post-procedural complication rates in the real world: a report from a Japanese multicenter percutaneous coronary intervention registry.	Int J Cardiol. 2014; 172(1): 226-7.
891	Kyo S, Ono M, Sawa Y, Nakatani T, Tabayashi K, Saiki Y, Tominaga Y, HeartMate II Japanese Clinical Investigators	心臓外科	Results of the prospective multicenter Japanese bridge to transplant study with a continuous-flow left ventricular assist device	J Artif Organs. 17; 142-8
892	Mayama C, Tsutsumi T, Saito H, Asaoka R, Tomidokoro A, Iwase A, Otani S, Miyata K, Araie M.	眼科・視覚矯正科	Glaucoma-Induced Optic Disc Morphometric Changes and Glaucoma Diagnostic Ability of Heidelberg Retina Tomograph II in Highly Myopic Eyes.	PLoS One. 2014 Jan 27;9(1):e86417.
893	Tsurumaki Sato Y, Fukuhara H, Suzuki M, Fujimura T, Nakagawa T, Nishimatsu H, Kume H, Morikawa T, Fukayama M, Homma Y	泌尿器科	Long-term results of radical prostatectomy with immediate adjuvant androgen deprivation therapy for pT3N0 prostate cancer	BMC Urol. 2014 Jan 29;14:13. doi: 10.1186/1471-2490-14-13.
894	Lee SL, Daimon M, Kawata T, Kohro T, Kimura K, Nakao T, Koide D, Watanabe M, Yamazaki T, Komuro I.	循環器内科	Estimation of right atrial pressure on inferior vena cava ultrasound in Asian patients.	Circ J;78(4):962-6.
895	Kawakami H, Isayama H, Maguchi H, Kuwatani M, Kawakubo K, Kudo T, Abe Y, Kawahata S, Kubo K, Koike K, Sakamoto N.	消化器内科	Is wire-guided selective bile duct cannulation effective for prevention of post-ERCP pancreatitis by all endoscopists?	Endoscopy 2014;46(2):163.
896	Honma M, Ikebuchi Y, Kariya Y, Suzuki H.	22世紀医療センター	Regulatory mechanisms of RANKL presentation to osteoclast precursors.	Current osteoporosis reports. 2014 Mar;12(1):115-20.
897	Ichida A, Sakamoto Y, Akahane M, Ishizawa T, Kaneko J, Aoki T, Hasegawa K, Sugawara Y, Kokudo N.	肝胆脾外科、人工臓器・移植外科	A successful case of pancreaticoduodenectomy with resection of the hepatic arteries preserving a single aberrant hepatic artery for a pancreatic neuroendocrine tumor: report of a case.	Surg Today. 2014 Jan 30.
898	Sunami E, Watanabe T.	大腸肛門外科	The laser capture microdissection cannot be replaced with the macrodissection.	Experimental and molecular pathology. 2014 Apr. 96(2):206.
899	Oka T, Akazawa H, Naito AT, Komuro I.	循環器内科	Angiogenesis and cardiac hypertrophy: maintenance of cardiac function and causative roles in heart failure.	Circ Res Jan 31;114(3):565-71.
900	Emoto S, Sunami E, Yamaguchi H, Ishihara S, Kitayama J, Watanabe T.	大腸肛門外科	Drug development for intraperitoneal chemotherapy against peritoneal carcinomatosis from gastrointestinal cancer.	Surgery today. 2014 Feb 1
901	Sakamoto A, Ishizaka N, Imai Y, Ando J, Nagai R, Komuro I.	循環器内科	Association of serum IgG4 and soluble interleukin-2 receptor levels with epicardial adipose tissue and coronary artery calcification.	Clin Chim Acta Jan 20;428:63-9.

番号	発表者氏名	発表者の所属	題名	雑誌名
902	Imai A, Gotch K, Asano Y, Yamada N, Motooka D, Fukushima M, Kanzaki M, Ohtani T, Sakata Y, Nishi H, Toda K, Sawa Y, Komuro I, Horii T, Iida T, Nakamura S, Takashima S.	循環器内科	Comprehensive metagenomic approach for detecting causative microorganisms in culture-negative infective endocarditis.	Int J Cardiol Mar 15;172(2):e288-9.
903	Egami N, Kakigi A, Takeda T, Takeda S, Nishioka R, Hyodo M, Yamasoba T	耳鼻咽喉科	Type 1 allergy-induced endolymphatic hydrops and the suppressive effect of H1-receptor antagonist (clopipatidine hydrochloride).	Otol Neurotol. 35(3):e104-9
904	Hirano K, Tada M, Sasahira N, Isayama H, Mizuno S, Takagi K, Watanabe T, Saito T, Kawahata S, Uchino R, Hamada T, Miyabayashi K, Mohri D, Sasaki T, Kogure H, Yamamoto N, Nakai Y, Yoshida H, Ito Y, Akiyama D, Toda N, Arizumi T, Yagioka H, Takahara N, Matsubara S, Yashima Y, Koike K.	消化器内科	Incidence of malignancies in patients with IgG4-related disease.	Intern Med. 2014;53(3):171-6.
905	Tani H, Hikami S, Iizuna S, Yoshimatsu M, Asama T, Ota H, Kimura Y, Tatefuiji T, Hashimoto K, Higaki K.	老年病科	Pharmacokinetics and safety of resveratrol derivatives in humans after oral administration of melinjo (<i>Gnetum gnemon</i> L.) seed extract powder.	J Agric Food Chem. 2014; 62(8):1999-2007
906	Takata M, Amiya E, Watanabe M, Ozeki A, Watanabe A, Kawarasaki S, Nakao T, Hosoya Y, Uno K, Saito A, Murasawa T, Ono M, Nagai R, Komuro I.	循環器内科	Brachial artery diameter has a predictive value in the improvement of flow-mediated dilation after aortic valve replacement for aortic stenosis.	Heart Vessels Feb 5.
907	Kato N, Jaarsma T, Kinugawa K.	循環器内科	Impact of comorbidities on economic and health outcomes for patients with cardiovascular disease.	Circ J;78(3):588-9.
908	Fukatsu K.	材料管理部	Impact of the feeding route on gut mucosal immunity.	Curr Opin Clin Nutr Metab Care. 2014 Mar;17(2):164-70.
909	Yuhashi K, Ohnishi S, Kodama T, Koike K, Kanamori H	感染制御部	In vitro selection of the 3'-untranslated regions of the human liver mRNA that bind to the HCV nonstructural protein 5B.	Virology. 2014 Feb;450-451:13-23.
910	Uchida K, Yasunaga H, Sumitani M, Horiguchi H, Fushimi K, Yamada Y.	麻酔科・痛みセンター	Effects of Remifentanil on In-Hospital Mortality and Length of Stay Following Clipping of Intracranial Aneurysm: A Propensity Score-matched Analysis.	J Neurosurg Anesthesiol

番号	発表者氏名	発表者の所属	題名	雑誌名
911	Kashiyama T, Oda K, Ikeda Y, Shiose Y, Hirota Y, Inaba K, Makii C, Kurikawa R, Miyasaka A, Koso T, Fukuda T, Tanikawa M, Shoji K, Sone K, Arimoto T, Wada-Hiraike O, Kawana K, Nakagawa S, Matsuda K, McCormick F, Aburatani H, Yano T, Osuga Y, Fujii T.	女性診療科・産科 / 女性外科	Antitumor activity and induction of TP53-dependent apoptosis toward ovarian clear cell adenocarcinoma by the dual PI3K/mTOR inhibitor DS-7423.	PLoS One. 2014 Feb 4;9(2):e87220.
912	Yamamichi N, Shimamoto T, Sakaguchi Y, Takahashi Y, Kodashima S, Nakayama C, Minatsuki C, Ono S, Mochizuki S, Matsuda R, Asada-Hirayama I, Niimi K, Fujishiro M, Tsuji Y, Akeuchi C, Kakimoto H, Goto O, Mitsushima T, Koike K.	消化器内科	Categorization of upper gastrointestinal symptoms is useful in predicting background factors and studying effects and usages of digestive drugs.	PLoS One. 2014 Feb 5;9(2):e88277.
913	Ando T, Kim H, Kobayashi E, Tsukihara H, Motomura N, Kyo S, Ono M, Sakuma I	心臓外科	Simultaneous evaluation of wall motion and blood perfusion of a beating heart using stereoscopic fluorescence camera system	Comput Med Imaging Graph. 38; 276-84
914	Kamiya K, Tanaka F, Ikeno M, Okumura A, Aoki S.	放射線科	DTI tractography of lissencephaly caused by TUBA1A mutation.	Neurol Sci. 2014; 35(5): 801-3
915	Sakamoto A, Ishizaka N, Imai Y, Ando J, Nagai R, Komuro I.	循環器内科	Association of serum IgG4 and soluble interleukin-2 receptor levels with epicardial adipose tissue and coronary artery calcification	Clin Chim Acta. 2013; pii: S0009-8981(13)00420-8
916	Shindoh J, Hasegawa K, Kokudo N.	肝胆脾外科、人工臓器・移植外科	Anatomic Resection of Hepatocellular Carcinoma: A Step Forward for the Precise Resection of the Tumor-Bearing Portal Territory of the Liver.	Ann Surg. 2014 Feb 7.
917	Hasegawa M, Asano Y, Endo H, Fujimoto M, Goto D, Ihn H, Inoue K, Ishikawa O, Kawaguchi Y, Kuwana M, Ogawa F, Takahashi H, Tanaka S, Sato S, Takehara K	皮膚科・皮膚光線レーザー科	Serum adhesion molecule levels as prognostic markers in patients with early systemic sclerosis: a multicentre, prospective, observational study.	PLoS ONE. 2014;6:9(2):e88150.
918	Kirinura T, Hamazaki TS, Sugaya M, Fukuda S, Chan T, Tamura-Nakano M, Sato S, Okochi H	皮膚科・皮膚光線レーザー科	Cilostazol Improves Lymphatic Function by Inducing Proliferation and Stabilization of Lymphatic Endothelial Cells.	J Dermatol Sci. 2014;73(3):264-5.
919	Azuma K, Tsukui T, Ikeda K, Shiba S, Nakagawa K, Okano T, Urano T, Horie-Inoue K, Ouchi Y, Ikawa M, Inoue S	22世紀医療センター	Liver-specific gamma-glutamyl carboxylase-1 deficient mice display bleeding diathesis and short life span.	PLoS ONE. 2014;9(2):e88643
920	Ono S, Tsuji Y, Fujishiro M, Kodashima S, Yamamichi N, Koike K.	消化器内科	An effective technique for delivery of polyglycolic acid sheet after endoscopic submucosal dissection of the esophagus: the clip and pull method.	Endoscopy. 2014;46 Suppl 1 UCTN:E44-5. Epub 2014 Feb 12.

番号	発表者氏名	発表者の所属	題名	雑誌名
921	Iwasaki S, Yamamoto Y, Togo F, Kinoshita M, Yoshifuji Y, Fujimoto C, Yamasoba T.	耳鼻咽喉科	Noisy vestibular stimulation improves body balance in bilateral vestibulopathy	Neurology. 82(11):969-75
922	Aizawa N, Homma Y, Igawa Y	泌尿器科	Effects of L-arginine, mirabegron, and oxybutynin on the primary bladder afferent nerve activities synchronized with reflexic, rhythmic bladder contractions in the rat	Neurorol Urodyn. 2014 Feb 14. doi: 10.1002/nau.22571
923	Ikemura M, Maeda E, Hatao F, Aikou S, Seto Y, Fukayama M.	人体病理学教室	Plexiform angiomyxoid myofibroblastic tumor (PAMT) of the stomach. A case report focusing on its characteristic growth pattern.	Int J Clin Exp Pathol. 2014 Jan;7(2):685-9.
924	Sasaki Y, Sasaki T, Kawai T, Morikawa T, Matsusaka K, Kunita A, Kume H, Aoki I, Homma Y, Fukayama M	泌尿器科	HER2 protein overexpression and gene amplification in upper urinary tract urothelial carcinoma-an analysis of 171 patients	Int J Clin Exp Pathol. 2014 Jan 15;7(2):699-708. eCollection 2014
925	Okamoto M, Sugisaki K, Murata H, Hirasawa H, Mayama C, Asaoka R.	眼科・視覚矯正科	Impact of better and worse eye damage on quality of life in advanced glaucoma.	Sci Rep. 2014 Feb 20;4:4144. doi: 10.1038/srep04144.
926	Uchino R, Sasahira N, Isayama H, Tsujino T, Hirano K, Yagioka H, Hamada T, Takahara N, Miyabayashi K, Mizuno S, Mohri D, Sasaki T, Kogure H, Yamamoto N, Nakai Y, Tada M, Koike K.	消化器内科	Detection of painless pancreatitis by computed tomography in patients with post-endoscopic retrograde cholangiopancreatography hyperamylasemia.	Pancreatology. 2014 Jan-Feb;14(1):17-20.
927	Kitayama J, Emoto S, Yamaguchi H, Ishigami H, Yamashita H, Seto Y, et al.	大腸肛門外科	CD90(+)CD45(-) intraperitoneal mesothelial-like cells inhibit T cell activation by production of arginase I.	Cellular immunology. 2014 Mar-Apr. 288(1-2):8-14.
928	Yanagie H, Higashi S, Seguchi K, Ikushima I, Fujihara M, Nonaka Y, Oyama K, Maruyama S, Hatae R, Suzuki M, Masunaga S, Kinashi T, Sakurai Y, Tanaka H, Kondo N, Narabayashi M, Kajiyama T, Maruhashi A, Ono K, Nakajima J, Ono M, Takahashi H, Eriouchi M	心臓外科	Pilot clinical study of boron neutron capture therapy for recurrent hepatic cancer involving the intra-arterial injection of a 10BSH-containing WOW emulsion	Appl Radiat Isot, 88; 32-7
929	Akamata K, Asano Y, Aozasa N, Noda S, Taniguchi T, Takahashi T, Ichimura Y, Toyama T, Sumida H, Kuwano Y, Yanaba K, Tada Y, Sugaya M, Kadono T, Sato S	皮膚科・皮膚光線レーザー科	Serum levels of mannose-binding lectin in systemic sclerosis: a possible contribution to the initiation of skin sclerosis in the diffuse cutaneous subtype.	Eur J Dermatol.2014;24(1):12-3-5.
930	Yamashita H, Okuma K, Nomoto A, Yamashita M, Igaki H, Nakagawa K.	放射線科	Extended cancer-free survival after palliative chemoradiation for metastatic esophageal cancer.	World J Gastrointest Oncol. 2014; 6(2): 52-4
931	Yoshida Y, Murayama T, Sato Y, Suzuki Y, Saito H, Tanaka N	呼吸器外科	Validation of 7th TNM staging system for lung cancer, based on surgical outcomes.	Asian Cardiovasc Thorac Ann. 2013;21(6):693-9

番号	発表者氏名	発表者の所属	題名	雑誌名
932	Ueno K, Takeuchi E, Hino H, Kawashima M.	呼吸器外科	Cavernous hemangioma arising from the diaphragm.	Asian Cardiovasc Thorac Ann. 2013;21(6):735-8
933	Sano A, Murakawa T, Nakajima J	呼吸器外科	Chronic tension empyema or chronic expanding empyema? Authors' response.	Asian Cardiovasc Thorac Ann. 2013;21:501
934	Saita K, Murakawa T, Kawano H, Sano A, Nagayama K, Nakajima J.	呼吸器外科	Chest wall deformity found in patients with primary spontaneous pneumothorax.	Asian Cardiovasc Thorac Ann. 2013;21(5):582-7
935	Song P, Feng X, Zhang K, Song T, Ma K, Kokudo N, Dong J, Tang W.	肝胆脾外科、人工臓器・移植外科	Perspectives on using des-gamma-carboxyprothrombin (DCP) as a serum biomarker: facilitating early detection of hepatocellular carcinoma in China.	Hepatobiliary Surg Nutr. 2013 Aug;2(4):227-31
936	Kato H, Mineda K, Eto H, Doi K, Kuno S, Kinoshita K, Kanayama K, Yoshimura K.	形成外科	Degeneration, regeneration, and cicatrization after fat grafting: dynamic total tissue remodeling during the first 3 months.	Plast Reconstr Surg. 2014 Mar;133(3):303e-313e.
937	Kitayama J, Ishigami H, Yamaguchi H, Emoto S, Watanabe T.	大腸肛門外科	Intraperitoneal Paclitaxel is useful as adjuvant chemotherapy for advanced gastric cancer with serosal exposure.	Case reports in oncology. 2014 Jan; 7(1):58-64.
938	Satou S, Aoki T, Kaneko J, Sakamoto Y, Hasegawa K, Sugawara Y, Arai O, Mitake T, Miura K, Kokudo N.	肝胆脾外科、人工臓器・移植外科	Initial experience of intraoperative three-dimensional navigation for liver resection using real-time virtual sonography.	Surgery. 2014 Feb;155(2):255-62.
939	Takahashi W, Nakajima M, Yamamoto N, Yamada S, Yamashita H, Nakagawa K, Tsuji H, Kamada T.	放射線科	Carbon ion radiotherapy for oligo-recurrent lung metastases from colorectal cancer: a feasibility study.	Radiat Oncol. 2014; 9(1): 68
940	Taguchi A, Kawana K, Tomio K, Yamashita A, Isobe Y, Nagasaka K, Koga K, Inoue T, Nishida H, Kojima S, Adachi K, Matsumoto Y, Arimoto T, Wada-Hiraike O, Oda K, Kang JX, Arai H, Arita M, Osuga Y, Fujii T.	女性診療科・産科 / 女性外科	Matrix metalloproteinase (MMP)-9 in cancer-associated fibroblasts (CAFs) is suppressed by omega-3 polyunsaturated fatty acids in vitro and in vivo.	PLoS One. 2014 Feb; 9(2): e89605.
941	Watanabe T, Takezawa M, Nakawake Y, Kunimatsu A, Yamasue H, Nakamura M, Miyashita Y, and Masuda N.	精神神経科	Two distinct neural mechanisms underlying indirect reciprocity.	Proceedings of the National Academy of Sciences of the United States of America. 2014; 111 (11) 3990-3995
942	Yamada K, Matsudaira K, Takeshita K, Oka H, Hara N, Takagi Y.	整形外科	Prevalence of low back pain as the primary pain site and factors associated with low health-related quality of life in a large Japanese population: a pain-associated cross-sectional epidemiological survey.	Mod Rheumatol. 2014 Mar;24(2):343-8.
943	Shoda H, Morita K, Kanda H, Fujio K, Yamamoto K.	アレルギー・リウマチ内科	An elderly woman with peripheral spondyloarthritis with aortitis.	Mod Rheumatol
944	Harada N, Tamura S, Sugawara Y, Togashi J, Ishizawa T, Kaneko J, Aoki T, Sakamoto Y, Hasegawa K, Tanaka T, Yamashiki N, Kokudo N.	肝胆脾外科、人工臓器・移植外科	Impact of donor and recipient single nucleotide polymorphisms of IL28B rs8099917 in living donor liver transplantation for hepatitis C.	PLoS One. 2014 Mar; 9(3): e90462

番号	発表者氏名	発表者の所属	題名	雑誌名
945	Hayashi A, Yamauchi N, Shibahara J, Kimura H, Morikawa T, Ishikawa S, et al.	人体病理学教室	Concurrent Activation of Acetylation and Trimethylation of H3K27 in a Subset of Hepatocellular Carcinoma with Aggressive Behavior.	PLoS One. 2014 Mar;9(3):e91330.
946	Kaneko M, Nozawa H, Hiyoshi M, Tada N, Murono K, Nirei T, et al.	大腸肛門外科	Tensirolimus and chloroquine cooperatively exhibit a potent antitumor effect against colorectal cancer cells.	Journal of cancer research and clinical oncology. 2014 May. 140(5):760-91
947	Fujita T, Fujino N, Anan R, Tei C, Kubo T, Doi Y, Kinugawa S, Tsutsui H, Kobayashi S, Yano M, Asakura M, Kitakaze M, Komuro I, Konno T, Hayashi K, Kawashiri MA, Ino H,	循環器内科	Sarcomere gene mutations are associated with increased cardiovascular events in left ventricular hypertrophy: results from multicenter registration in Japan	JACC Heart Fail 2013; 1(6):459-66
948	Kadowaki T, Yamauchi T, Okada-Iwabu M, Iwabu M.	22世紀医療センター	Adiponectin and its receptors: implications for obesity-associated diseases and longevity.	Lancet Diabetes Endocrinol. 2014;2(1):8-9.
949	Miyasaka A, Oda K, Ikeda Y, Wada-Hiraike O, Kashiyama T, Enomoto A, Hosoya N, Koso T, Fukuda T, Inaba K, Sone K, Uehara Y, Kurikawa R, Nagasaka K, Matsumoto Y, Arimoto T, Nakagawa S, Kuramoto H, Miyagawa K, Yano T, Kawana K, Osuga Y, Fujii T.	女性診療科・産科 / 女性外科	Anti-tumor activity of olaparib, a poly (ADP-ribose) polymerase (PARP) inhibitor, in cultured endometrial carcinoma cells.	BMC Cancer. 2014 Mar 13;14:179.
950	Haga A, Magome T, Takenaka S, Imae T, Sakumi A, Nomoto A, Igaki H, Shiraishi K, Yamashita H, Ohtomo K, Nakagawa K.	放射線科	Independent absorbed-dose calculation using the Monte Carlo algorithm in volumetric modulated arc therapy.	Radiat Oncol. 2014; 9(1): 75
951	Tamaki Z, Asano Y, Kubo M, Ihn H, Tada Y, Sugaya M, Kadono T, Sato S	皮膚科・皮膚光線レーザー科	Effects of the immunosuppressant rapamycin on the expression of human alpha2(I) collagen and matrix metalloproteinase 1 genes in scleroderma dermal fibroblasts.	J Dermatol Sci. 2014;74(3):251-9.
952	Nishiyama A, Koyama H, Miyata T, Watanabe T.	血管外科	Therapeutic site selection is important for the successful development of collateral vessels.	Journal of vascular surgery. 2014 Mar 13.
953	Obata R, Yanagi Y.	眼科・視覚矯正科	Quantitative analysis of cone photoreceptor distribution and its relationship with axial length, age, and early age-related macular degeneration.	PLoS One. 2014 Mar 14;9(3):e91873. doi: 10.1371/journal.pone.0091873. eCollection 2014.
954	Imamura T, Kinugawa K, Minatsuki S, Muraoka H, Kato N, Inaba T, Maki H, Hatano M, Yao A, Komuro I.	22世紀医療センター	Urine sodium excretion after tolvaptan administration is dependent upon baseline serum sodium levels: a possible explanation for the improvement of hyponatremia with scarce chance of hypernatremia by a vasopressin receptor antagonist.	Int Heart J. 2014;55(2):131-7. Epub 2014 Mar 14.

番号	発表者氏名	発表者の所属	題名	雑誌名
955	Imamura T, Kinugawa K, Murasawa T, Kagami Y, Endo M, Muraoka H, Fujino T, Inaba T, Maki H, Hatano M, Kinoshita O, Nawata K, Kyo S, Komuro I, Ono M	心臓外科	Cardiac allograft vasculopathy can be distinguished from donor-transmitted coronary atherosclerosis by optical coherence tomography imaging in a heart transplantation recipient: double layered intimal thickness	Int Heart J, 55; 178-80
956	Toyama T, Kato S, Noda Y, Tsutsumi A, Kimakura H.	眼科・視覚矯正科	Spontaneous resolution of a macroaneurysm on the optic disc.	Int J Ophthalmol, 179-180, 2014
957	Sato M, Kondo M, Tateishi R, Fujiwara N, Kato N, Yoshida H, Taguri M, Koike K	検査部	Impact of IL28B genetic variation on HCV-induced liver fibrosis, inflammation, and steatosis: a meta-analysis	PLoS One 2014; e91822
958	Yasuda T, Fukumura K, Sato Y, Yamasoba T, Nakajima T.	22世紀医療センター	Effects of detraining after blood flow-restricted low-intensity training on muscle size and strength in older adults.	Aging Clin Exp Res. 2014 Mar 19.
959	Kondo M, Ishizawa T, Enooku K, Tokuhara Y, Ohkawa R, Uranbileg B, Nakagawa H, Tateishi R, Yoshida H, Kokudo N, Koike K, Yatomi Y, Ikeda H.	消化器内科	Increased serum autotaxin levels in hepatocellular carcinoma patients were caused by background liver fibrosis but not by carcinoma.	Clin Chim Acta 2014 Mar 15. pii:S0009-8981(14)00114-4.
960	Cui X, Inagaki Y, Wang D, Gao J, Qi F, Gao B, Kokudo N, Fang D, Tang W.	肝胆脾外科、人工臓器・移植外科	The supercritical CO ₂ extract from the skin of <i>Bufo bufo gargarizans</i> Cantor blocks hepatitis B virus antigen secretion in HepG2.2.15 cells.	Biosci Trends. 2014 Feb;8(1):38-44.
961	Saiura A, Yamamoto J, Hasegawa K, Oba M, Takayama T, Miyagawa S, Ijichi M, Teruya M, Yoshimi F, Kawasaki S, Koyama H, Makuchi M, Kokudo N.	肝胆脾外科、人工臓器・移植外科	A combination of oral uracil-tegafur plus leucovorin (UFT + LV) is a safe regimen for adjuvant chemotherapy after hepatectomy in patients with colorectal cancer: safety report of the UFT/LV study.	Drug Discov Ther. 2014 Feb;8(1):48-56.
962	Kobayashi Y, Yamada A, Watabe H, Takahashi R, Suzuki H, Hirata Y, Yamaji Y, Yoshida H, Koike K. Sonographic detection of a patency capsule prior to capsule endoscopy: Case report.	消化器内科	Sonographic detection of a patency capsule prior to capsule endoscopy: Case report.	J Clin Ultrasound. 2014 Mar 19.
963	Kawai T, Enomoto Y, Morikawa T, Matsushita H, Kume H, Fukayama M, Yamaguchi H, Kakimi K, Horima Y	泌尿器科	High expression of heat shock protein 105 predicts a favorable prognosis for patients with urinary bladder cancer treated with radical cystectomy	Mol Clin Oncol. 2014 Jan;2(1):38-42
964	Yamada N, Shigefuku R, Sugiyama R, Kobayashi M, Ikeda H, Takahashi H, Okuse C, Suzuki M, Itoh F, Yotsuyanagi H, Yasuda K, Moriya K, Koike K, Wakita T, Kato T.	感染症内科	Acute hepatitis B of genotype H resulting in persistent infection.	World J Gastroenterol. 2014; 20: 3044-9.

番号	発表者氏名	発表者の所属	題名	雑誌名
965	Ishiguro M, Higashi T, Watanabe T, Sugihara K.	大腸肛門外科	Changes in colorectal cancer care in Japan before and after guideline publication: a nationwide survey about D3 lymph node dissection and adjuvant chemotherapy.	2014 May; 218(5):969-77 e1.
966	Kinugawa K, Sato N, Inomata T, Shimakawa T, Iwatake N, Mizuguchi K.	循環器内科	Efficacy and safety of tolvaptan in heart failure patients with volume overload.	Circ J;78(4):844-52.
967	Hamada T, Yasunaga H, Nakai Y, Isayama H, Horiguchi H, Matsuda S, Fushimi K, Koike K	消化器内科	Severe bleeding and perforation are rare complications of endoscopic ultrasound-guided fine needle aspiration for pancreatic masses: an analysis of 3,090 patients from 212 hospitals.	Gut Liver. 2014 Mar;8(2):215-8.
968	Takahashi T, Nogimura H, Kuriki K, Kobayashi R	呼吸器外科	Superior mediastinal paraganglioma associated with von Hippel-Lindau syndrome: report of a case.	World J Surg Oncol. 2014 Mar 29;12:74
969	Taketomi S, Inui H, Sanada T, Yamagami R, Tanaka S, Nakagawa T.	整形外科	Eccentric femoral tunnel widening in anatomic anterior cruciate ligament reconstruction.	Arthroscopy. 2014 Jun;30(6):701-9
970	Ohtomo K, Shigeeda T, Hirose A, Ohno T, Kinoshita O, Fujita H, Ando J, Nagai R, Takamoto S, Kadowaki T, Kato S.	眼科・ 視覚矯正科	Silent myocardial ischaemia in patients with diabetic retinopathy.	Acta Ophthalmol. 2014 Sep;92(6):e492-3. doi: 10.1111/aos.12362. Epub 2014 Feb 7. No abstract available.
971	Yamashita H, Yamashita M, Futaguchi M, Takenaka R, Shibata S, Yamamoto K, Nomoto A, Sakumi A, Kida S, Kaneko Y, Takenaka S, Shiraki T, Nakagawa K.	放射線科	Individually wide range of renal motion evaluated by four-dimensional computed tomography.	Springerplus. 2014; 3: 131
972	Asada K, Kawana K, Teshima S, Saito A, Kawabata M, Fujii T.	女性診療科・ 産科 / 女性外科	Poor prognosis of ovarian cancer with large cell neuroendocrine carcinoma: case report and review of published works.	J Obstet Gynaecol Res. 2014 Mar;40(3):869-72.
973	Saito S, Yamazaki K, Nishinaka T, Ichihara Y, Ono M, Kyo S, Nishimura T, Nakatani T, Toda K, Sawa Y, Tominaga R, Tanoue T, Saiki Y, Matsui Y, Takemura T, Niinami H, Matsumiya G; J-MACS Research Group	心臓外科	Post-approval study of a highly pulsed, low-shear-rate, continuous-flow, left ventricular assist device, EVAHEART: a Japanese multicenter study using J-MACS	J Heart Lung Transplant, 33; 599-608
974	Nemoto M, Yeernuer T, Masutani Y, Nomura Y, Hanaoka S, Miki S, Yoshikawa T, Hayashi N, Ohtomo K.	放射線科	Development of Automatic Visceral Fat Volume Calculation Software for CT Volume Data.	J Obes. 2014; 2014: 495084
975	Ishizawa T, Kokudo N.	肝胆脾外科、人工臓器・ 移植外科	The beginning of a new era of digestive surgery guided by fluorescence imaging.	Liver Cancer. 2014 Mar;3(1):6-8.
976	Ito S, Takao M, Hatsuta H, Kanemaru K, Arai T, Saito Y, et al.	人体病理学教室	Alpha-synuclein immunohistochemistry of gastrointestinal and biliary surgical specimens for diagnosis of Lewy body disease.	Int J Clin Exp Pathol. 2014 Mar 15;7(4):

番号	発表者氏名	発表者の所属	題名	雑誌名
977	Hayakawa YK, Sasaki H, Takao H, Hayashi N, Kunimatsu A, Ohtomo K, Aoki S.	放射線科	Depressive symptoms and neuroanatomical structures in community-dwelling women: A combined voxel-based morphometry and diffusion tensor imaging study with tract-based spatial statistics.	NeuroImage Clin. 2014; 4(2014): 481-7
978	Kadowaki T, Kondo K.	糖尿病・代謝内科	Efficacy and safety of teneligliptin in combination with pioglitazone in Japanese patients with type 2 diabetes mellitus.	J Diabetes Investig. 2013;4(6):576-84.
979	Tajima N, Kadowaki T, Okamoto T, Sato A, Okuyama K, Minamide T, Arjona Ferreira JC.	糖尿病・代謝内科	Sitagliptin added to voglibose monotherapy improves glycemic control in patients with type 2 diabetes.	J Diabetes Investig. 2013;4(6):595-604.
980	Kanda H, Koya J, Uozaki H, Tateishi S, Sato K, Hagino N, Sawada T, Yamamoto K.	アレルギー・リウマチ 内科	Membranous nephropathy with repeated flares in IgG4-related disease.	Clin Kidney J.
981	Wang J, Suenaga H, Yang L, Liao H, Kobayashi E, Takato T, Sakuma I.	顎口腔外科・歯科矯正 歯科	Real-time marker-free patient registration and image-based navigation using stereo vision for dental surgery.	Lecture Notes in Computer Science. 2013 Sep;8090:9-18.
982	Kadota Y, Inoue K, Uzuka K, Suenaga H, Morita T.	顎口腔外科・歯科矯正 歯科	Non-contact Operation of a Miniature Cycloid Motor by Magnetic Force.	IEEE ASME Trans Mechatron. 2013 Oct;18(5):1563-71
983	Matsuyama M, Fujihara Y, Inaki R, Nishizawa S, Nagata S, Takato T, Hoshi K.	顎口腔外科・歯科矯正 歯科	Evaluation of in vivo migration of chondrocytes from tissue-engineered cartilage that was subcutaneously transplanted in mouse model.	OJRM. 2013 Oct; 2(4):93-8.

計 983

(注) 1 当該特定機能病院に所属する医師等が申請の前年度に発表した英語論文のうち、高度の医療技術の開発および評価に資するものと判断されるものを七十件以上記入すること。七十件以上発表を行っている場合には、七十件のみを記載するのではなく、合理的な範囲で可能な限り記載すること。

2 報告の対象とするのは、筆頭著者の所属先が当該特定機能病院である論文であり、査読のある学術雑誌に掲載されたものに限るものであること。ただし、実態上、当該特定機能病院を附属している大学の講座等と当該特定機能病院の診療科が同一の組織として活動を行っている場合においては、筆頭著者の所属先が大学の当該講座等であっても、論文の数の算定対象に含めること（筆頭著者が当該特定機能病院に所属している場合に限る）。

3 「発表者の所属」については、論文に記載されている所属先をすべて記載すること。

4 「雑誌名」欄には、「雑誌名」「巻数・号数」「該当ページ」「出版年」について記載すること。

5 平成二十六年度中の業務報告において当該実績が七十件未満の場合には、平成二十六年度の改正前の基準による実績についても報告すること。

(2)高度の医療技術の開発及び評価を行うことの評価対象とならない論文(任意)

番号	発表者氏名	発表者の所属	題名	雑誌名
1				
2				
3				
4				
5				
～				

(注) 1 当該医療機関に所属する医師等が申請の前年度に発表したものの中、高度の医療技術の開発および評価に資するものと判断される主なものを記入すること。

2 「発表者の所属」については、論文に記載されている所属先をすべて記載すること。

3 「雑誌名」欄には、「雑誌名」「巻数・号数」「該当ページ」「出版年」について記載すること。

(様式第3)

高度の医療技術の開発及び評価を行う能力を有することを証する書類

3 高度の医療技術の開発及び評価の実施体制

(1) 倫理審査委員会の開催状況

① 倫理審査委員会の設置状況	○・無
② 倫理審査委員会の手順書の整備状況	○・無
・手順書の主な内容 「東京大学医学部附属病院治験取扱規則」：臨床試験審査委員会の業務（責務、構成、運営）を含む規則（標準業務手順書）に記載	
③ 倫理審査委員会の開催状況	年 11 回

(注) 1 倫理審査委員会については、「臨床研究に関する倫理指針」に定める構成である場合に「有」に○印を付けること。

2 「③倫理審査委員会の開催状況」に係る報告については、平成二十六年度中の業務報告において開催実績が無い場合には、平成二十六年四月以降の実績を報告しても差し支えないこと（その場合には、その旨を明らかとすること）。

(2) 利益相反を管理するための措置

① 利益相反を審査し、適当な管理措置について検討するための委員会の設置状況	○・無
② 利益相反の管理に関する規定の整備状況	○・無
・規定の主な内容 東京大学大学院医学系研究科、医学部及び医学部附属病院利益相反行為防止規則に記載（目的・適用範囲・定義・利益相反委員会について・利益相反アドバイザリー機関について・報告手続き他）	
③ 利益相反を審査し、適当な管理措置について検討するための委員会の開催状況	年 6 回

(注) 「③利益相反を審査し、適当な管理措置について検討するための委員会の開催状況」に係る報告については、平成二十六年度中の業務報告において開催実績が無い場合には、平成二十六年四月以降の実績を報告しても差し支えないこと（その場合には、その旨を明らかとすること）。

(3) 臨床研究の倫理に関する講習等の実施

① 臨床研究の倫理に関する講習等の実施状況	年 3 回
・研修の主な内容 「東大研究倫理セミナー」：東大における倫理審査体制、研究倫理、規制・ガイドライン、利益相反管理、個人情報管理、倫理審査支援窓口と支援内容	

(注) 「①臨床研究の倫理に関する講習等の実施状況」に係る報告については、平成二十六年度中の業務報告において実施実績が無い場合には、平成二十六年四月以降の実績を報告しても差し支えないこと（その場合には、その旨を明らかとすること）。

(様式第4)

高度の医療に関する研修を行わせる能力を有することを証する書類

1 研修の内容

本プログラムは、卒後必修初期研修を修了した後、東京大学医学部附属病院（以下「本院」という）において、さらに臨床医学に関する知識と技能を広く向上させ、より専門的な臨床研修を行うためのものである。同時に、この期間中、本院各診療部門（研修協力病院等の院外施設も含む）及び東京大学大学院医学系研究科における臨床、研究の経験を通して、将来のキャリアデザインを構築してゆく機会とも成り得る。

2 研修の実績

研修医の人数	127人
--------	------

（注）前年度の研修医の実績を記入すること。

3 研修統括者

研修統括者氏名	診療科	役職等	臨床経験年数	特記事項
渡辺 昌文	循環器内科	講師	20年	
田中 剛	呼吸器内科	特任講師	19年	
大塚 基之	消化器内科	特任講師	20年	
和田 健彦	腎臓・内分泌内科	特任講師	20年	
間中 勝則	腎臓・内分泌内科	助教	10年	
山内 敏正	糖尿病・代謝内科	准教授	22年	
黒川 峰夫	血液・腫瘍内科	教授	22年	
藤尾 圭志	アレルギー・リウマチ内科	講師	19年	
島山 修司	感染症内科	特任講師	18年	
辻 省次	神経内科	教授	35年	
秋下 雅弘	老年病科	教授	29年	
大谷 真	心療内科	助教	12年	
瀬戸 泰之	胃・食道外科	教授	30年	
渡邊 聰明	大腸・肛門外科	教授	29年	
國土 典宏	肝臓・胆のう・膵臓外科	教授	34年	
渡邊 聰明	血管外科	教授	29年	
瀬戸 泰之	乳腺・内分泌外科	教授	30年	
國土 典宏	臓器移植外科	教授	34年	
小野 稔	心臓外科	教授	27年	

中島 淳	呼吸器外科	教授	32 年	
有本 貴英	女性外科	特任講師	16 年	
岩中 督	小児外科	教授	37 年	
神出 誠一郎	精神科	講師	15 年	
三浦 健一郎	小児科	特任講師	15 年	
田中 栄	整形外科	教授	27 年	
斎藤 延人	脳神経外科	教授	27 年	
渡辺 玲	皮膚科	講師	14 年	
本間 之夫	泌尿器科	教授	36 年	
有本 貴英	産婦人科	特任講師	16 年	
間山 千尋	眼科	講師	16 年	
山唄 達也	耳鼻咽喉科	教授	31 年	
大友 邦	放射線科	教授	35 年	
内田 寛治	麻酔科	准教授	18 年	
軍神 正隆	救急科	講師	19 年	
光嶋 熟	形成・美容外科	教授	38 年	
芳賀 信彦	リハビリテーション科	教授	27 年	
牛久 哲夫	病理診断科	准教授	13 年	
矢富 裕	臨床検査科	教授	31 年	

(注) 1 医療法施行規則第六条の四第一項又は第四項の規定により、標榜を行うこととされている診療科については、必ず記載すること。

(注) 2 内科について、サブスペシャルティ領域ごとに研修統括者を配置している場合には、すべてのサブスペシャルティ領域について研修統括者を記載すること。

(注) 3 外科に/者を配置している場合には、すべてのサブスペシャルティ領域について研修統括者を記載すること。

(様式第4)

高度の医療に関する研修を行わせる能力を有することを証する書類

4 医師、歯科医師以外の医療従事者等に対する研修

① 医師、歯科医師以外の医療従事者に対する研修の実施状況（任意）

・研修の主な内容

医療技術系職員（薬剤師、放射線技師、臨床検査技術者、臨床放射線技術者、臨床研究（治験）コーディネーター、栄養士）を対象とした高度な医療人養成研修

・研修の期間・実施回数

3日から5日間 各年1回

・研修の参加人数

各90名程度

② 業務の管理に関する研修の実施状況（任意）

・研修の主な内容

医療技術系職員（薬剤師、放射線技師、臨床検査技術者、臨床放射線技術者、臨床研究（治験）コーディネーター、栄養士）を対象とした高度な医療人養成研修

・研修の期間・実施回数

3日から5日間 各年1回

・研修の参加人数

各90名程度

③ 他の医療機関に所属する医療関係職種に対する研修の実施状況

・研修の主な内容

医療技術系職員（薬剤師、放射線技師、臨床検査技術者、臨床放射線技術者、臨床研究（治験）コーディネーター、栄養士）を対象とした高度な医療人養成研修

・研修の期間・実施回数

3日から5日間 各年1回

・研修の参加人数

各90名程度

(注) 1 高度の医療に関する研修について記載すること。

(注) 2 「③他の医療機関に所属する医療関係職種に対する研修の実施状況」については、医療法施行規則第六条の四第四項の規定に基づき、がん、循環器疾患等の疾患に関し、高度かつ専門的な医療を提供する特定機能病院についてのみ記載すること。また、日本全国の医療機関に勤務する医療従事者を対象として実施した専門的な研修を記載すること。なお、平成二十六年度中の業務報告においては、平成二十六年四月以降の実績（計画）を報告しても差し支えないこと（その場合には、その旨を明らかにすること）。

(様式第5)

診療並びに病院の管理及び運営に関する諸記録の管理方法に関する書類

計画・現状の別	1. 計画 (2) 現状
管理責任者氏名	病院長 門脇 孝
管理担当者氏名	事務部長 竹田 幸博、総務課長 佐々木 順三、管理課長 矢作 直之 経営戦略課長 佐々木 義尚、医事課長 多田 典史、薬剤部長 鈴木 洋史、 看護部長 小見山 智恵子、医療機器管理部長 張 京浩

		保管場所	管理方法
診療に関する諸記録 病院日誌、各科診療日誌、処方せん、手術記録、看護記録、検査所見記録、エックス線写真、紹介状、退院した患者に係る入院期間中の診療経過の要約及び入院診療計画書		医事課(病歴管理部) ※病院日誌について は看護部 ※処方箋については 薬剤部	<ul style="list-style-type: none"> ・診療記録は、1患者1ファイル方式での一括であるが、外来と入院は区分して保管している。(平成21年より電子カルテシステム運用開始) ・エックス線写真は1患者1ファイル方式での管理である。 ・エックス線写真は平成15年より、PACS(医用画像保存は配信システム)による。 ・調剤処方箋は全数保管している。
病院の管理及び運営に関する諸記録 第規一則号第一條に掲げる十體一制第一の確項目各号の状況及び第九条の二十一項	従業者数を明らかにする帳簿	総務課	年度別にPCで保管
	高度の医療の提供の実績	医事課	年度別にPCで保管
	高度の医療技術の開発及び評価の実績	各診療科 総務課	年度別にPCで保管
	高度の医療の研修の実績	各診療科 総務課	年度別にPCで保管
	閲覧実績	総務課	年度別にPCで保管
	紹介患者に対する医療提供の実績	医事課	年度別にPCで保管
	入院患者数、外来患者及び調剤の数を明らかにする帳簿	医事課(調剤については薬剤部)	年度別にPCで保管
	医療に係る安全管理のための指針の整備状況	総務課	年度別にPCで保管
	医療に係る安全管理のための委員会の開催状況	総務課	
	医療に係る安全管理のための職員研修の実施状況	総務課	
	医療機関内における事故報告等の医療に係る安全の確保を目的とした改善の方策の状況	総務課	
	専任の医療に係る安全管理を行う者の配置状況	総務課	
	専任の院内感染対策を行う者の配置状況	総務課	
	医療に係る安全管理を行う部門の設置状況	総務課	
	当該病院内に患者からの安全管理に係る相談に適切に応じる体制の確保状況	医事課	

			保管場所	管理方法
病院の管理及び運営に関する諸記録 規則第一条の十一第一項各号及び第九条の二十三第一項第一号に掲げる体制の確保の状況	院内感染のための指針の策定状況	総務課	年度別にPCで保管 PC及び紙媒体で保管 PC及び紙媒体で保管 PC及び紙媒体で保管	
	院内感染対策のための委員会の開催状況	総務課		
	従業者に対する院内感染対策のための研修の実施状況	総務課		
	感染症の発生状況の報告その他の院内感染対策の推進を目的とした改善の方策の実施状況	総務課		
	医薬品の使用に係る安全な管理のための責任者の配置状況	総務課 薬剤部		
	従業者に対する医薬品の安全使用のための研修の実施状況	総務課		
	医薬品の安全使用のための業務に関する手順書の作成及び当該手順書に基づく業務の実施状況	総務課		
	医薬品の安全使用のために必要となる情報の収集その他の医薬品の安全使用を目的とした改善の方策の実施状況	総務課 薬剤部		
	医療機器の安全使用のための責任者の配置状況	医事課 管理課 医事課		
	従業者に対する医療機器の安全使用のための研修の実施状況	医療機器管理部		
	医療機器の保守点検に関する計画の策定及び保守点検の実施状況	医療機器管理部		
	医療機器の安全使用のために必要となる情報の収集その他の医療機器の安全使用を目的とした改善の方策の実施状況	医療機器管理部		

(注) 「診療に関する諸記録」欄には、個々の記録について記入する必要はなく、全体としての管理方法の概略を記入すること。また、診療録を病院外に持ち出す際に係る取扱いについても記載すること。

(様式第6)

病院の管理及び運営に関する諸記録の閲覧方法に関する書類

○病院の管理及び運営に関する諸記録の閲覧方法

計画・現状の別	1. 計画	2. 現状	
閲覧責任者氏名	竹田 幸博		
閲覧担当者氏名	佐々木 順三		
閲覧の求めに応じる場所	院内会議室		
閲覧の手続の概要			

(注) 既に医療法施行規則第9条の20第5号の規定に合致する方法により記録を閲覧させている病院は現状について、その他の病院は計画について記載することとし、「計画・現状の別」欄の該当する番号に○印を付けること。

○病院の管理及び運営に関する諸記録の閲覧の実績

前年度の総閲覧件数	延	0	件
閲覧者別	医師	延	0 件
	歯科医師	延	0 件
	国	延	0 件
	地方公共団体	延	0 件

(注) 特定機能病院の名称の承認申請の場合には、必ずしも記入する必要はないこと。

(様式第6)

規則第1条の11第1項各号及び第9条の23第1項第1号に掲げる体制の確保の状況

① 医療に係る安全管理のための指針の整備状況	有
<ul style="list-style-type: none">・ 指針の主な内容： ア. 医療機関における安全管理に関する基本的な考え方 イ. 医療に係る安全管理のための委員会等安全管理に関する組織に関する基本的事項 ウ. 医療に係る安全管理のための職員研修等に関する基本事項 エ. 医療機関内における事故報告等の医療に係る安全の確保を目的とした改善の方策に関する基本方針 オ. 医療事故等発生時の対応に関する基本方針 カ. 医療従事者と患者との間の情報の共有に関する基本方針 キ. 患者からの相談への対応に関する基本方針 ク. その他医療安全の推進のために必要な基本方針	
② 医療に係る安全管理のための委員会の開催状況	年12回
<ul style="list-style-type: none">・ 活動の主な内容： (1) インシデント、オカレンス事例の検討 (2) 医療安全研修強化 (3) 研修医の注射指示に対する指導医確認の強化 (4) リスクマネジメントに関する研究課題実施 (5) 外来棟の転倒対策 (6) その他医療事故防止のための改善等、必要な事項の審議	
③ 医療に係る安全管理のための職員研修の実施状況	年11回
<ul style="list-style-type: none">・ 研修の主な内容： (1) 東大病院における医療安全対策について（概論） (2) 東大病院における医療安全管理について (3) 抗凝固薬の作用と重要性/AEDについて/医療安全上重要なコミュニケーションについて (4) 抗凝固薬の薬学的管理のポイント/ME機器とリスクマネジメント (5) 信頼性・安全性確保と未然防止 (6) リスクマネジメントに関する研究課題発表会 (7) 職場内コミュニケーション (8) Team STEPPS研修 (9) 輸液ポンプやシリンジポンプの安全な使用方法について (10) チーム医療実践のための臨床コミュニケーション (11) 当院の褥瘡対策について	
④ 医療機関内における事故報告等の医療に係る安全の確保を目的とした改善の方策の状況	
<ul style="list-style-type: none">・ 医療機関内における事故報告等の整備 (有・無)・ その他の改善の方策の主な内容： 当院のインシデントレポートシステムは、過誤の有無は関係なく、患者に与えた影響で提出を判断し、濃厚な処置や治療を要したものはオカレンスとしてインシデントと区別している。これらの報告により情報を共有し、組織のシステム改善を目指すことや、原因を分析し予防に生かす方策を策定している。 この報告システムは自主的な報告を前提としており、報告を促すため、安全管理指針に「報告者、当事者の不利益になるような取扱いをしてはならない」ことを明記している。また、リスクマネージャー会議・研修等において、レポートの積極的な提出について周知・徹底をはかっている。 レポートは、各部署のリスクマネージャーを通じて医療安全対策センターに提出されることとなっており、インシデントについては、各部署での対応策を記載することとなっている。	

提出されたレポートに基づいて、リスクマネジメント委員会の下に設置された分析小委員会や医療安全対策センターにて、状況の確認、原因の分析、改善策の検討を行っている。

分析小委員及び会医療安全対策センターで検討された改善策は、リスクマネジメント委員会に報告・審議され、医療事故防止策として策定されている。

リスクマネジメント委員会からの医療事故防止策、分析小委員会・医療安全対策センターの分析結果並びに改善策は、リスクマネージャー会議あるいは医療安全対策センターを通じて病院全体に周知することにより、職員全員で共有している。

⑤ 専任の医療に係る安全管理を行う者の配置状況	<input checked="" type="radio"/> (有) (4名) ・ 無
⑥ 専任の院内感染対策を行う者の配置状況	<input checked="" type="radio"/> (有) (3名) ・ 無
⑦ 医療に係る安全管理を行う部門の設置状況	<input checked="" type="radio"/> (有) ・ 無
・ 所属職員： 専任（ 9）名 兼任（ 6）名 ・ 活動の主な内容： (1) 医療事故及びインシデントの収集・調査・分析・防止対策に関すること (2) 医療事故及びインシデントの事例・対策等の情報収集に関すること (3) 医療事故防止対策の周知徹底に関すること (4) 医療事故防止に係る病院内の巡視・点検・評価に関すること (5) 医療事故防止に係る業務の提言・指導に関すること (6) 医療事故防止対策マニュアルに関すること (7) リスクマネジメントに関わる教育・研修等の計画・立案・実施に関すること (8) リスクマネジメントに関わる各種委員会に関すること (9) 医療訴訟に関する事項 (10) 医療上の紛争処理に関する事項 (11) その他医療安全の安全管理に関すること	
⑧ 当該病院内に患者からの安全管理に係る相談に適切に応じる体制の確保状況	<input checked="" type="radio"/> (有) ・ 無

(様式第6)

院内感染対策のための体制の確保に係る措置

① 院内感染対策のための指針の策定状況	(有)・無
<ul style="list-style-type: none"> ・ 指針の主な内容 : <p>ア. 病院感染対策に関する基本的考え方 イ. 病院感染対策のための委員会等病院感染対策の組織に関する基本的事項 ハ. 病院感染対策のための職員に対する研修に関する基本方針 ニ. 感染症の発生状況の報告に関する基本方針 ヲ. 病院感染発生時の対応に関する基本方針 ヲ. 患者等に対する当該指針の閲覧に関する基本方針 キ. その他病院感染対策推進のために必要な基本方針</p>	
② 院内感染対策のための委員会の開催状況	年12回
<ul style="list-style-type: none"> ・ 活動の主な内容 : <p>(1) MRSA・多剤耐性菌に対する対応 (2) 抗菌薬使用・畜尿実施・針刺し(曝露)に対する対応 (3) 感染サーベイランス報告ならびに対応 (4) 教職員等の抗体検査の実施 (5) 手洗い実行調査、手洗いキャンペーン (6) 感染対策研修強化 (7) その他院内感染防止のための改善等必要な事項の審議</p>	
③ 従業者に対する院内感染対策のための研修の実施状況	年5回
<ul style="list-style-type: none"> ・ 研修の主な内容 : <p>(1) 感染対策の基本～手指衛生・経路別感染対策・咳エチケット～ (2) 手指衛生の重要性について (3) 知っておきたい抗菌薬の使い方 (4) 冬に流行しやすい感染症（インフルエンザとノロウィルス） (5) クロストリジウム・ディフィシル(CD)感染症</p>	
④ 感染症の発生状況の報告その他の院内感染対策の推進を目的とした改善の方策の状況	
<ul style="list-style-type: none"> ・ 病院における発生状況の報告等の整備 ・ その他の改善のための方策の主な内容 : <p>感染対策センターは、感染制御部及び感染制御部細菌検査室と協力し、感染症の発生状況を毎日確認している。確認した状況は、日報として病院長に報告するとともに、感染対策委員会において毎月報告している。</p> <p>院内感染対策の推進を目的とした改善の方策は以下のとおり。</p> <p>(1) 毎日病棟内多剤耐性菌検出と対応の確認、抗菌剤使用状況の確認と指導 (2) 毎週、ICTメンバーによる院内ラウンドの実施。 (3) 月1回ICTニュースを発行。 (4) 年3回以上の感染対策関連セミナーの開催。 (5) 毎月、リンクドクター連絡会議、メディカルスタッフ連絡会議を開催し、病院感染対策委員会の決定事項の報告や、その他感染対策に関する情報の周知及びミニレクチャーの実施。</p>	(有)・無

(様式第6)

医薬品に係る安全管理のための体制の確保に係る措置

① 医薬品の使用に係る安全な管理のための責任者の配置状況	(有・無)
② 従業者に対する医薬品の安全使用のための研修の実施状況	年 11回
<ul style="list-style-type: none">研修の主な内容：抗菌薬の使い方、 輸液の基本 薬剤研修（注意すべき薬剤、輸液の選択と種類、向精神薬の基礎知識、 麻薬の取り扱いと管理上の留意点） 医療安全セミナー：抗凝固薬の薬学的管理のポイント 他	
③ 医薬品の安全使用のための業務に関する手順書の作成及び当該手順書に基づく業務の実施状況	
<ul style="list-style-type: none">手順書の作成 (有・無)業務の主な内容：実施状況の確認を定期的に行う	
④ 医薬品の安全使用のために必要となる情報の収集その他の医薬品の安全使用を目的とした改善のための方策の実施状況	
<ul style="list-style-type: none">医薬品に係る情報の収集の整備 (有・無)その他の改善のための方策の主な内容：医薬品医療機器総合機構（PMDA）メディナビ等、 PMDAからの情報を活用し、医薬品の安全性情報の迅速な伝達を行うとともに、医薬品情報 ニュースとして、院内の電子媒体で配信している。	

(様式第6)

医療機器に係る安全管理のための体制の確保に係る措置

① 医療機器の安全使用のための責任者の配置状況	(有・無)
② 従業者に対する医療機器の安全使用のための研修の実施状況	年 132回
・ 研修の主な内容： 1) 人工呼吸器の使用方法 2) 体外循環装置の説明 3) 除細動器の使用方法 4) 輸液ポンプ・シリンジポンプの使用方法 5) 透析装置の説明	
③ 医療機器の保守点検に関する計画の策定及び保守点検の実施状況	
・ 計画の策定 (有・無) ・ 保守点検の主な内容： 1) 人工呼吸器の定期点検 2) 除細動器の定期点検 3) 閉鎖式保育器の定期点検 4) 輸液ポンプ、シリンジポンプ、体外式ペースメーカーなどの各種医療機器の定期点検 5) 血液浄化装置の定期点検 6) 人工心肺装置および補助循環装置の定期点検 7) 医療機器返却時の清拭、終業点検 8) 人工呼吸器の始業点検、使用中点検 9) 購入機器の納入時点検	
④ 医療機器の安全使用のために必要となる情報の収集その他の医療機器の安全使用を目的とした改善の方策の実施状況	
・ 医療機器に係る情報の収集の整備 (有・無) ・ その他の改善の方策の主な内容： 1) 医療安全対策センター兼任スタッフとして臨床工学技士の配置 2) リスクマネージャー会議での医療機器に関する注意喚起・機器回収情報の周知 3) 院内広報誌の発行(医療機器に関する情報の記載) 4) 院内HPへ院内広報誌の掲載と各種取扱説明書、添付文書の掲載 5) 呼吸療法サポートチームへの参加、勉強会の実施 6) 不具合情報の院内メールでの通知 7) 不具合情報の厚生労働省への報告	

(様式第7)

専門性の高い対応を行うまでの取組みに関する書類（任意）

1 病院の機能に関する第三者による評価

① 病院の機能に関する第三者による評価の有無	<input checked="" type="radio"/> 有 <input type="radio"/> 無
・日本医療機能評価機構等	
認定期間： 平成22年1月24日～平成27年1月23日	
認定証発行日： 平成22年4月2日	
認定病院種別： 一般病院	
認定番号： 認定第JC384-2号	

(注) 医療機能に関する第三者による評価については、日本医療機能評価機構等による評価があること。

2 果たしている役割に関する情報発信

① 果たしている役割に関する情報発信の有無	<input checked="" type="radio"/> 有 <input type="radio"/> 無
・HPを用いて随時発信を行っている。	

3 複数の診療科が連携して対応に当たる体制

① 複数の診療科が連携して対応に当たる体制の有無	<input checked="" type="radio"/> 有 <input type="radio"/> 無
・マルファン外来	
当院においては（2005年4月開設）、院内の関連する診療科（循環器内科・外科、小児科、整形外科、眼科など）が一堂に会して、院外の医療機関との積極的な連携を図りながら、マルファン症候群や類縁疾患の早期診断と治療を行う。	
また「自分はマルファン症候群ではないか」「兄弟姉妹や子供はどうか」という不安に対し、ゲノム医学センターとも連携して相談に応じる。	